

Product datasheet for RC237512

PSG9 (NM_001301707) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PSG9 (NM_001301707) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: PSG9

Synonyms: PS34; PSBG-9; PSBG-11; PSG11; PSGII

Mammalian Cell Neomycin

Selection:


Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:





GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGGCCGGCC

D L A A N D I L D Y K D D D D K V stop

ACCN: NM_001301707

ORF Size: 999 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

^{*} The last codon before the Stop codon of the ORF

PSG9 (NM_001301707) Human Tagged ORF Clone - RC237512

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001301707.2</u>

 RefSeq Size:
 1488 bp

 RefSeq ORF:
 1002 bp

 Locus ID:
 5678

 UniProt ID:
 000887

Cytogenetics: 19q13.31

Protein Families: Secreted Protein

MW: 38.2 kDa

Gene Summary: The protein encoded by this gene is a member of the pregnancy-specific glycoprotein (PSG)


family. This protein family and the closely related carcinoembryonic antigen cell adhesion molecule (CEACAM) gene family are both members of the immunoglobulin superfamily, and are organized as a large gene cluster. This protein is thought to inhibit platelet-fibrinogen interactions. Several studies suggest that reduced serum concentrations of PSGs are associated with fetal growth restrictions, while up-regulation of this gene has been observed

in colorectal cancers. Several pseudogenes of this gene are found on chromosome 19. Alternative splicing results in multiple transcript variants that encode multiple protein

isoforms. [provided by RefSeq, Sep 2014]



Product images:



Circular map for RC237512