

## Product datasheet for RC237549

### RhoGDI (ARHGDI) (NM\_001301242) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** RhoGDI (ARHGDI) (NM\_001301242) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** ARHGDI  
**Synonyms:** GDIA1; HEL-S-47e; NPHS8; RHOGDI; RHOGDI-1  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC237549 representing NM\_001301242  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCCGCGATCGCC

ATGGCTGAGCAGGAGCCACAGCCGAGCAGCTGGCCAGATTGCAGCGGAGAACGAGGAGGATGAGCACT  
 CGGTCAACTACAAGCCCCGGCCAGAAGAGCATCCAGGAGATCCAGGAGCTGGACAAGGACGACGAGAG  
 CCTGCGAAAGTACAAGGAGGCCCTGCTGGGCCGCGTGGCCGTTTCCGCAGACCCCAACGTCCCAACGTC  
 GTGGTGACTGGCCTGACCCTGGTGTGACGCTCGGCCCGGGCCCCCTGGAGCTGGACCTGACGGGGGACC  
 TGGAGAGCTTCAAGAAGCAGTCGTTTGTGCTGAAGGAGGGTGTGGAGTACCGGATAAAAAATCTCTTTCCG  
 GGTTAACCGAGAGATAGTGTCCGGCATGAAGTACATCCAGCATACGTACAGGAAAGGCGTCAAGATTGAC  
 AAGACTGACTACATGACGACGACAAGACCGACCACCTGTCTGGGAGTGGAAATCTCACCATCAAGAAGGA  
 CTGGAAGGACTGAGCCCAGCCAGAGGGCGGGCAGGGCAGACTGACGGACGGACGACGGACAGGCGGATGTG  
 TCCCCCAGCCCCCTCCCCTCCCATACCAAAGTGTGACAGGCCCTCCGTGCCCTCCCACCCTGGTCC  
 GCCTCCCTGGCCTGGCTCAACCGAGTGCCTCCGACCCCTCCTCAGCCCTCCCCACCCACAGGCCAG  
 CCTCCTCGGTCTCCTGTCTCGTTGCTGCTTCTGCCTGTGCTGTGGGGAGAGAGGCCGCGACCCAGGCCTC  
 TGCTGCCCTTCTGTGCCCCAGGTTCTATCTCCCGTACACCCGAGGCTGGCTTACGAGGGGAGCG  
 GAGCAGCCATTCTCCAGGCCCGTGGTTGCCCTGGACGTGTGCGTCTGCTGCTCCGGGGTGGAGCTGGG  
 GTGTGGGATGACGGCCTCGTGGGGGCCGGCCGTCTCCAGCCCGCTGCTCCCTGGCCAGCCCCCTTG  
 TCGCTGTCCGGTCCCGTCTAACCATGATGCCT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC237549 representing NM\_001301242  
 Red=Cloning site Green=Tags(s)

MAEQEPTAEQLAQIAAENEDEHSVNYKPPAQKSIQEIQLDKDDESLRKYKEALLGRVAVSADPNV  
 VVTGLTLVCSAPGPLELDLTGDLESFKKQSFVLKEGVEYRIKISFRVNRREIVSGMKYIQHTYRKGVKID  
 KTDYMTTTRPTTTPGSGISPSRRTGRTEPSQRRAGQTDGRITDRRMCPQPLPSPYQSADRPSVPLPPWS  
 ASLAWLNRVPPTLLSPPPTGPASSVCLVAASACAVGERGRSQASAALSVPFRFYLPVTPEAWLQEGA  
 EQPF SRPRGCPWTCASAAPGWSWVGCTASWGPGRPPAPLLPGQPPCRCRSRLTMMP


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_001301242

**ORF Size:** 1011 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001301242.2</a>
<b>RefSeq Size:</b>	1808 bp
<b>RefSeq ORF:</b>	1014 bp
<b>Locus ID:</b>	396
<b>UniProt ID:</b>	<a href="#">P52565</a>
<b>Cytogenetics:</b>	17q25.3
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Neurotrophin signaling pathway
<b>MW:</b>	37 kDa
<b>Gene Summary:</b>	This gene encodes a protein that plays a key role in the regulation of signaling through Rho GTPases. The encoded protein inhibits the disassociation of Rho family members from GDP (guanine diphosphate), thereby maintaining these factors in an inactive state. Activity of this protein is important in a variety of cellular processes, and expression of this gene may be altered in tumors. Mutations in this gene have been found in individuals with nephrotic syndrome, type 8. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014]