

# **Product datasheet for RC237729**

# AZIN2 (NM 001301826) Human Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** AZIN2 (NM\_001301826) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: AZIN2

Synonyms: ADC; AZI2; AZIB1; ODC-p; ODC1L; ODCp

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC237729 representing NM\_001301826
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

ATGGCTGGCTACCTGAGTGAATCGGACTTTGTGATGGTGGAGGAGGGCTTCAGTACCCGAGACCTGCTGA AGGAACTCACTCTGGGGGCCTCACAGGCCACCACGGACGAGGTAGCTGCCTTCTTCGTGGCTGACCTGGG TGCAACAGCAGCCCAGGTGTGCTGAAGGTTCTGGCCCAGCTGGGGCTGGGCTTTAGCTGTGCCAACAAGG CAGAGATGGAGTTGGTCCAGCATATTGGAATCCCTGCCAGTAAGATCATCTGCGCCAACCCCTGTAAGCA AATTGCACAGATCAAATATGCTGCCAAGCATGGGATCCAGCTGCTGAGCTTTGACAATGAGATGGAGCTG GCAAAGGTGGTAAAGAGCCACCCCAGTGCCAAGATGGTTCTGTGCATTGCTACCGATGACTCCCACTCCC TGAGCTGCCTGAGCCTAAAGTTTGGAGTGTCACTGAAATCCTGCAGACACCTGCTTGAAAATGCGAAGAA GCACCATGTGGAGGTGGTGGGTGTGAGTTTTCACATTGGCAGTGGCTGTCCTGACCCTCAGGCCTATGCT CAGTCCATCGCAGACGCCCGGCTCGTGTTTGAAATGGGCACCGAGCTGGGTCACAAGATGCACGTTCTGG ACCTTGGTGGTGGCTTCCCTGGCACAGAAGGGGCCAAAGTGAGATTTGAAGAGATTGCTTCCGTGATCAA CTCAGCCTTGGACCTGTACTTCCCAGAGGGCTGTGGCGTGGACATCTTTGCTGAGCTGGGGCGCTACTAC GTGACCTCGGCCTTCACTGTGGCAGTCAGCATCATTGCCAAGAAGGAGGTTCTGCTAGACCAGCCTGGCA GGGAGGAGAAAATGGTTCCACCTCCAAGACCATCGTGTACCACCTTGATGAGGGCGTGTATGGGATCTT CAACTCAGTCCTGTTTGACAACATCTGCCCTACCCCCATCCTGCAGAAGTCTAAGAACCACTCACCCTGC TACATGTCTCTAGAGTCCATTCATTTCATTGCCGTG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Protein Sequence:** 

>RC237729 representing NM\_001301826 Red=Cloning site Green=Tags(s)


MAGYLSESDFVMVEEGFSTRDLLKELTLGASQATTDEVAAFFVADLGAIVRKHFCFLKCLPRVRPFYAVK CNSSPGVLKVLAQLGLGFSCANKAEMELVQHIGIPASKIICANPCKQIAQIKYAAKHGIQLLSFDNEMEL AKVVKSHPSAKMVLCIATDDSHSLSCLSLKFGVSLKSCRHLLENAKKHHVEVVGVSFHIGSGCPDPQAYA QSIADARLVFEMGTELGHKMHVLDLGGGFPGTEGAKVRFEEIASVINSALDLYFPEGCGVDIFAELGRYY VTSAFTVAVSIIAKKEVLLDQPGREEENGSTSKTIVYHLDEGVYGIFNSVLFDNICPTPILQKSKNHSPC YMSLESIHFIAV


**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

**Restriction Sites:** 

Sgfl-Mlul


**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

#### Plasmid Map:



ACCN: NM\_001301826



## AZIN2 (NM\_001301826) Human Tagged ORF Clone - RC237729

ORF Size: 1086 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001301826.1</u>, <u>NP 001288755.1</u>

 RefSeq Size:
 1161 bp

 RefSeq ORF:
 1089 bp

 Locus ID:
 113451

 UniProt ID:
 Q96A70

 Cytogenetics:
 1p35.1

**Protein Families:** Druggable Genome

**Protein Pathways:** Arginine and proline metabolism, Metabolic pathways

MW: 39.8 kDa



#### **Gene Summary:**

The protein encoded by this gene belongs to the antizyme inhibitor family, which plays a role in cell growth and proliferation by maintaining polyamine homeostasis within the cell. Antizyme inhibitors are homologs of ornithine decarboxylase (ODC, the key enzyme in polyamine biosynthesis) that have lost the ability to decarboxylase ornithine; however, retain the ability to bind to antizymes. Antizymes negatively regulate intracellular polyamine levels by binding to ODC and targeting it for degradation, as well as by inhibiting polyamine uptake. Antizyme inhibitors function as positive regulators of polyamine levels by sequestering antizymes and neutralizing their effect. This gene encodes antizyme inhibitor 2, the second member of this gene family. Like antizyme inhibitor 1, antizyme inhibitor 2 interacts with all 3 antizymes and stimulates ODC activity and polyamine uptake. However, unlike antizyme inhibitor 1, which is ubiquitously expressed and localized in the nucleus and cytoplasm, antizyme inhibitor 2 is predominantly expressed in the brain and testis and localized in the endoplasmic reticulum-golgi intermediate compartment. Recent studies indicate that antizyme inhibitor 2 is also expressed in specific cell types in ovaries, adrenal glands and pancreas, and in mast cells. The exact function of this gene is not known, however, available data suggest its role in cell growth, spermiogenesis, vesicular trafficking and secretion. Accumulation of antizyme inhibitor 2 has also been observed in brains of patients with Alzheimer's disease. There has been confusion in literature and databases over the nomenclature of this gene, stemming from an earlier report that a human cDNA clone (identical to ODCp/AZIN2) had arginine decarboxylase (ADC) activity (PMID:14738999). Subsequent studies in human and mouse showed that antizyme inhibitor 2 was devoid of arginine decarboxylase activity (PMID:19956990). Alternatively spliced transcript variants have been described for this gene. [provided by RefSeq, Sep 2014]