

Product datasheet for **RC237805**

CCR7 (NM_001301716) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CCR7 (NM_001301716) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CCR7
Synonyms:	BLR2; CC-CKR-7; CCR-7; CD197; CDw197; CMKBR7; EBI1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC237805 representing NM_001301716 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAAAAGCGTGGTGGTGGCTCTCCTTGTCATTTTCCAGGTATGCCTGTGTCAAGATGAGGTCACGG
ACGATTACATCGGAGACAACACCACAGTGGACTACACTTTGTTTCGAGTCTTTGTGCTCCAAGAAGGACGT
GCGGAACTTAAAGCCTGGTTCCTCCCTATCATGTACTCCATCATTGTTTCGTGGCCCTACTGGGCAAT
GGGCTGGTCGTGTGACCTATATCTATTCAAGAGGCTCAAGACCATGACCGATACCTACCTGCTCAACC
TGGCGGTGGCAGACATCCTCTTCTCCTGACCCCTCCCTTCTGGGCCCTACAGCGCGGCAAGTCCTGGGT
CTTCGGTGTCCACTTTTGAAGCTCATCTTTGCCATCTACAAGATGAGCTTCTTCAGTGGCATGCTCCTA
CTTCTTTGCATCAGCATTGACCGCTACGTGGCCATCGTCCAGGCTGTCTCAGCTCACCGCCACCGTGCC
GCGTCTTCTCATCAGCAAGCTGTCTGTGTGGGCATCTGGATACTAGCCACAGTGTCTCCATCCCAGA
GCTCCTGTACAGTGACCTCCAGAGGAGCAGCAGTGAGCAAGCGATGCGATGCTCTCTCATCACAGAGCAT
GTGGAGGCCTTTATCACCATCCAGTGGCCAGATGGTGATCGGCTTCTGGTCCCCTGCTGGCCATGA
GCTTCTGTTACCTTGTCATCATCCGACCCTGCTCCAGGCAGCAACTTTGAGCGCAACAAGGCCATCAA
GGTGATCATCGCTGTGGTGGTCTTTCATAGTCTTCCAGTGGCCCTACAATGGGGTGGTCTGGCCAG
ACGGTGGCCAACCTCAACATCACAGTAGCACCTGTGAGCTCAGTAAGCAACTCAACATCGCCTACGACG
TCACCTACAGCCTGGCCTGCGTCCGCTGCTGCGTCAACCCTTTCTGTACGCTTTCATCGGCGTCAAGTT
CCGCAACGATCTTCAAGCTCTTCAAGGACCTGGGCTGCCTCAGCCAGGAGCAGCTCCGGCAGTGGTCT
TCCTGTCGGCACATCCGGCGCTCCTCCATGAGTGTGGAGGCCGAGACCACCACCTTCTCCCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC237805 representing NM_001301716
 Red=Cloning site Green=Tags(s)

MKSVLVVALLVIFQVCLCQDEVTDDYIGDNTTVDYTLFESLCSKKDVRNFKAWFLPIMYSIICFVGLLGN
 GLVVLTYIYFKRLKTMDDTYLLNLAVADILFLLTLPFWAYSAAKSWVFGVHFCKLIFAIYKMSFFSGMLL
 LLCISIDRYVAIVQAVSAHRHRARVLLISKLSCVGIWILATVLSIPELLYSDLQRSSEQAMRCSLITEH
 VEAFITIQVAQMVIQVGLVPLLAMSFICYLVIIRTLQARNFERNKAIKVIIAVVVVFIVFQLPYNGVVLAQ
 TVANFNITSSTCELSKQLNIAYDVTYSLACVRCVNPFLYAFIGVKFRNDFKLFKDLGCLSQEQLRQWS
 SCRHIRRSSMSVEAETTTTFSP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001301716

ORF Size:	1116 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001301716.1 , NP_001288645.1
RefSeq Size:	2457 bp
RefSeq ORF:	1119 bp
Locus ID:	1236
UniProt ID:	P32248
Cytogenetics:	17q21.2
Protein Families:	Druggable Genome, GPCR, Transmembrane
Protein Pathways:	Chemokine signaling pathway, Cytokine-cytokine receptor interaction
MW:	42.7 kDa
Gene Summary:	The protein encoded by this gene is a member of the G protein-coupled receptor family. This receptor was identified as a gene induced by the Epstein-Barr virus (EBV), and is thought to be a mediator of EBV effects on B lymphocytes. This receptor is expressed in various lymphoid tissues and activates B and T lymphocytes. It has been shown to control the migration of memory T cells to inflamed tissues, as well as stimulate dendritic cell maturation. The chemokine (C-C motif) ligand 19 (CCL19/ECL) has been reported to be a specific ligand of this receptor. Signals mediated by this receptor regulate T cell homeostasis in lymph nodes, and may also function in the activation and polarization of T cells, and in chronic inflammation pathogenesis. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Sep 2014]