

Product datasheet for **RC239397**

XPB (ERCC3) (NM_001303416) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	XPB (ERCC3) (NM_001303416) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ERCC3
Synonyms:	BTF2; GTF2H; RAD25; Ssl2; TFIIH; TTD2; XPB
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide
Sequence:

>RC239397 representing NM_001303416
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGCCGCTGAAGGACGACCACACCTCCAGGCCCTCTGGGTGGCTCCCGATGGCCATATCTTCTTGAAG
CCTTCTCTCCAGTTTACAAATATGCCCAAGACTTCTTGGTGGCTATTGCAGAGCCAGTGTGCCGACCAAC
CCATGTGCATGAGTACAACTAAGTGCCTACTCCTTGTATGCAGCTGTCAGCGTTGGGCTGCAAACCACT
GACATCACCGAGTACCTCAGGAAGCTCAGCAAGACTGGAGTCCCTGATGGAATTATGCAGTTTATTAAGT
TGTGTACTGTCAGCTATGAAAAGTCAAGCTGGTCTTGAAGCACAACAGATACTTCGTTGAAAGTTGCCA
CCCTGATGTAATCCAGCATCTTCTCCAGGACCCCGTATCCGAGAATGCCGTTAAGAACTCTGAAGGG
GAGGCCACTGAGCTCATCAGAGACTTTCACAAGCAAATCTGCCATTTCTAAGACTGCTGAAAGCAGTG
GTGGGCCCTCCACTTCCCGAGTGACAGATCCACAGGGTAAATCTGACATCCCATGGACCTGTTTGACTT
CTATGAGCAAATGGACAAGGATGAAGAAGAAGAAGAGACACAGACAGTGTCTTTTGAAGTCAAGCAG
GAAATGATTGAGGAACTCCAGAAACGTTGCATCCACTGGAGTACCCTCTGTTGGCAGAATATGACTTCC
GGAATGATTCTGTCAACCTGATATCAACATTGACCTAAAGCCCACAGCTGTCCTCAGACCTATCAGGA
GAAGAGCTTGCAGAAAGATGTTTGGAAACGGGCGTGACGTTCCGGGGGTCATTGTTCTTCCCTGCGGTGCT
GGAAAGTCCCTGGTTGGTGTGACTGCTGCATGCACTGTGAGAAAACGCTGTCTGGTGTGGGCAACTCAG
CTGTTTCTGTGGAGCAGTGGAAAGCCAGTTCAAGATGTGGTCCACCATTGACGACAGCCAGATCTGCCG
GTTACCTCCGATGCCAAGGACAAGCCATCGGCTGCTCCGTTGCCATTAGCACCTACTCCATGCTGGGC
CACACCACAAAAGTCTGGGAGGCCGAGCGAGTCAAGAGTGGCTCAAGACCCAGGAGTGGGGCCCTCA
TGATCCTGGATGAAGTGCACACCATACCAGCCAAGATGTTCCGAAGGGTGTCTACCATCGTGCAGGCCCA
CTGTAAGCTGGGTTTACTGCGACCCCTCGTCCGGAAGATGACAAAATTGTGGATTTAAATTTTCTGATT
GGGCCTAAGCTCTACGAAGCCAAGTGGATGGAGCTGCAGAATAATGGCTACATCGCCAAAGTCCAGTGTG
CTGAGGTCTGGTGCCTATGTCTCCTGAATTTTACCGGAATATGTGGCAATCAAACCAAGAAACGAAT
CTTGCTGTACACCATGAACCCCAACAAATTTAGAGCTTGCAGTTTCTGATCAAGTTTCTGAAAGGAGG
AATGACAAGATTATTGTCTTTGCTGACAATGTGTTTGCCTAAAGGAATATGCCATTCGACTGAACAAAC
CCTATATCTACGGACCTACGCTCAGGGGGAAAGGATGCAAATTTCTCAGAATTTCAAGCACAACCCCAA
AATTAACACCATCTTCATATCCAAGGTAGGTGACACTTCGTTTGTATCTGCCGGAAGCAAATGTCCTCATT
CAGATCTCATCCCATGGTGGCTCCAGGCGTCAGGAAGCCCAAAGGCTAGGGCGGGTCTTCGAGCTAAAA
AAGGGATGGTTGCAGAAGAGTACAATGCCTTTTTCTACTCACTGGTATCCAGGACACACAGGAAATGGC
TACTCAACCAAGCGGCAGAGATTCTTGGTAGATCAAGGTTATAGCTTCAAGGTGATCACGAAACTCGCT
GGCATGGAGGAGGAAGACTTGGCGTTTTCGACAAAAGAAGAGCAACAGCAGCTTACAGAAAGTCTGG
CAGCCACTGACCTGGATGCCGAGGAGGAGTGGTGGCTGGGGAATTTGGCTCCAGATCCAGCCAGGCATC
TCGGCGCTTTGGCACCATGAGTTCTATGTCTGGGGCCGACGACTGTGTACATGGAGTACCCTCATCG
CGGAGCAAGGCGCCAGCAAACATGTACACCCGCTCTTCAAGCGCTTTAGGAAA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC239397 representing NM_001303416
 Red=Cloning site Green=Tags(s)


MPLKDDHTSRPLWVAPDGHIFLEAFSPVYKYAQDFLVIAEPPVCRPTHVHEYKLTAYSLYAAVSVGLQTS
 DITEYLRLKLSKTGVPDGMQFIKLC TVSYGKVKLV LKHNRYFVESCHPDVIQHLLQDPVIRECLRNSEG
 EATELITETFTTSKSAISKTAESSGGPSTSRVTD PQGKSDIPMDLDFDFYEQMDKDEEEEEETQTVSFEVKQ
 EMIEELQKRCIHLEYPLLA EYDFRND SVNPDINIDLKPTAVLRPYQEKSLRKMFGNGRARSGVIVLPCGA
 GKSLVGVTA ACTVRKRCLV L GNSAVSVEQWKAQFKMWSTIDDSQICRFTSDAKDKPIGCSVAISTYSMLG
 HTTKRSWEAERVMEWLKTQEWGLMILDEVHTIPAKMFRRVLTIVQAHCKLGLTATLVREDDKIVDLNFLI
 GPKLYEANWMELQNGYIAKVQCAEVCWCPMSPEFYREYVAIKTKKRILLYTMNPNKFRACQFLIKFHERR
 NDKIIVFADNVFALKEYAIRLNKPYIYGPTSQGERMQILQNFKHNPKINTIFISKVGDTSFDLPEANVLI
 QISSHGGSRQEAQRLGRVLRKAKGMVAEEYNAFFYSLSVSDTQEMAYSTKRQRFVLDQGYSFKVIKTLA
 GMEEEDLAFSTKEEQQLLQKVLAAATDLDAEEVVAGEFGSRSSQASRRFGTMSSMSGADTVYMEYHSS
 RSKAPSKHVHPLFKRFRK

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



* The last codon before the Stop codon of the ORF

Plasmid Map:


ACCN: NM_001303416

ORF Size: 2154 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001303416.2](#)

RefSeq Size: 2865 bp

RefSeq ORF: 2157 bp

Locus ID:	2071
Cytogenetics:	2q14.3
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Nucleotide excision repair
MW:	82.4 kDa
Gene Summary:	This gene encodes an ATP-dependent DNA helicase that functions in nucleotide excision repair. The encoded protein is a subunit of basal transcription factor 2 (TFIIH) and, therefore, also functions in class II transcription. Mutations in this gene are associated with Xeroderma pigmentosum B, Cockayne's syndrome, and trichothiodystrophy. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2014]