

Product datasheet for **RC239425**

KIF3A (NM_001300791) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KIF3A (NM_001300791) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	KIF3A
Synonyms:	FLA10; KLP-20
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide Sequence:

>RC239425 representing NM_001300791
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGCCGATCAATAAATCAGAGAAGCCAGAAAGCTGCGATAATGTGAAGGTTGTTGTTAGGTGCCGCCCC
 TCAATGAGAGAGAGAAATCAATGTGCTACAAACAGGCTGTCAGTGTGGATGAGATGAGGGGAACTATCAC
 TGTACATAAGACTGATTCTTCCAATGAACCTCCAAAGACATTTACTTTTTGATACTGTTTTGGACCAGAG
 AGTAAACAACCTTGATGTTTATACTTAACTGCAAGACCTATTATTGATTCTGTACTTGAAGGCTACAATG
 GGACTATTTTTGCATATGGACAAACCGGAACAGGCAAACTTTTACCATGGAAGGTGTTGAGCTATTCC
 TGAACCTAGAGGAATAATTCCCAATTCATTTGCTCACATATTTGGTCATATTGCAAAAGCGGAGGGTGAT
 ACAAGATTTTTGGTTCGAGTGTCTTATTGGAAATATATAATGAAGAAGTTCGTGACCTTTGGGCAAGG
 ATCAGACACAAAGGTTAGAGGTTAAAGAAAGACCTGATGTGGGAGTTTATATCAAAGATTTATCAGCTTA
 TGTGGTAAATAATGCTGATGATATGGATAGAATTATGACGCTAGGCCACAAAAATCGTTCGTTGGTGCA
 ACTAATATGAACGAACATAGTCCCGTTCCCATGCCATCTTACAATTACTATAGAAATGCAGTGAAAAAG
 GCATTGATGGTAACATGCATGTCAGGATGGGGAAGCTCCATCTTGTAGATCTTGCTGGTTGAGAAAGACA
 GGCAAAAACCTGGAGCTACTGGACAGCGCCTAAAGGAAGCTACAAAAATCAATCTTTCACCTTCCACCCTT
 GGTAAATGTAATTTCTGCCTTGGTTGATGGAAAAAGCACTCATGTGCCTTATCGTAACTCTAAACTGACTC
 GTCTTCTCAGGATTCCTTAGGAGGAAATTCAAAAACCATGATGTGTGCAAAATTTGGGCCAGCAGATTA
 CAATTATGATGAAACTATCAGTACATTACGGTATGCCAATCGTGCTAAGAATATTAATAAAAGCTAGA
 ATTAATGAAGATCCAAAGGATGCTTTGCTGCGTCAGTTCAGAAAGAAATAGAAGAACTGAAAAAGAAGC
 TTGAAGAAGGAGAAGAAATATCAGGCTCTGATATCAGTGGGTGAGAGGAAGATGATGATGAAGAGGTTGA
 GGTTGGAGAAGATGGAGAGAAAAGGAAAAAAGAAAGGGCAGTAGCAGCAGCAGTAGTTCAGACTCCACA
 TGTTCTGTATAGAGAAACCTCTGGATAAGTCTTGCCTAATCAAGCAGGAAAAAGAAAGTCTCCCCAG
 ACAAGATGATTGAAATGCAAGCAAAAATTTGATGAGGAGAGAAAAGCACTTGAAACAAAGCTCGACATGGA
 AGAAGAAGAAAGAAACAAGGCTAGAGCTGAATTAGAGAAACGGGAAAAAGATCTTCTTAAAGCCCAACA
 GAGCATCAGTCTTTGCTGGAAAAATATCTGCCCTGGAAAAGAAGGTAATTGTTGGTGGGGTTGACTTGT
 TGGCCAAAGCTGAGGAACAAGAGAACTTCTTGAAGAATCTAACATGGAAGTGAAGAAAGGAGGAAAAAG
 AGCAGAGCAACTTCGCAGAGAACTTGGGAAAAAGAGCAAGAAGCTTGGATATTGAAGAAAAATATACC
 AGTTTGAAGAGGAAGCACAGGGAAAGACCAAGAAGTTAAAGAAAGTTTGGACTATGCTGATGGCTGCAA
 AGTCAGAGATGGCTGATCTCCAACAAGAACATCAGAGGGAAATGAAGGCCTACTGGAGAACATTGGCA
 ACTTAGCCGGGAGCTTCGACTTCAGATGCTTATTATTGATAACTTTATACCTCGGGATTATCAGGAAATG
 ATTGAAAATATGTCCATTGGAATGAAGACATAGGAGAATGGCAGCTAAAATGTGTTGCTTATACAGGAA
 ATAACATGAGGAAGCAAAACCCAGTACCTGATAAAAAGGAGAAAGATCCCTTTGAGGTGGACCTTTCTCA
 CGTGTATCTTGCCTATACTGAGGAGAGTCTGCGTCAGTCTTTGATGAAACTAGAAAGACCACGAACCTCA
 AAGGGAAAGCAAGGCCAAAGACAGGGAGAAGAAAGCGTCTGCAAGCCTGAAACTGTAATTGACTCTT
 TACTGCAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC239425 representing NM_001300791
 Red=Cloning site Green=Tags(s)


MPINKSEKPECDNVKVVVRCRPLNEREKSMCYKQAVSVDEMRTITVHKTDSSNEPPKTFTFDVFVGPE
 SKQLDVYNL TARP IIDS VLEGYNGTIFAYGQTGTGKTFMEGVRAIPELRGIIPNSFAHIFGHIKAEGD
 TRFLVRVSYLEIYNEEVRDLLGKDQTRLEVKERPDPVGVYIKDL SAYVNNADDMDRIMTLGHKNRSVGA
 TNMNEHSSRSHAI FTITIECSEKIDGNMHV RMGK LHLV DLAGSERQAKTGATGQRLKEATKINLSLSTL
 GNVISALVDGKSTHVPYRNSKLTRLLQDSLGGNSKTMMCANIGPADYNYDETISTLRYANRAKNIK NKAR
 INEDPKDALLRQFQKEIEELKKKLEEGEEISGSDISGSEEDDDEEGEVGEDGKRRKRGRSSSSSSSDST
 CSVIEKPLDKFLPNQAGKKVSPDKMIEMQAKIDEERKALETKLDMEEEERNKARAELEKREKDLLKAQQ
 EHQSLLLEKLSALEKKVIVGGVDLLAKAEEQEKLLEESNMLEERRKRAEQLRRELEEEQEERLDIEEKYT
 SLQEEAQGKTKKLKVVWMLMAAKSEMADLQEQHQREIEGLLENIRQLSRELRLQMLIIDNFIPRDYQEM
 IENYVHWNEDIGEWQLKCVAYTGNMNRKQTPVPDKKEKDPFEVDLSHVYLAYTEESLRQSLMKLERPRTS
 KGKARPKTGRRKRSAPETVIDSLLQ


TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:


ACCN: NM_001300791

ORF Size: 2178 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001300791.2](#)

RefSeq Size: 6356 bp

RefSeq ORF: 2181 bp

Locus ID: 11127

UniProt ID: [Q9Y496](#)

Cytogenetics: 5q31.1

Protein Families: Druggable Genome

MW: 83.2 kDa

Gene Summary: Microtubule-based anterograde translocator for membranous organelles. Plus end-directed microtubule sliding activity in vitro. Plays a role in primary cilia formation. Plays a role in centriole cohesion and subdistal appendage organization and function. Regulates the formation of the subdistal appendage via recruitment of DCTN1 to the centriole. Also required for ciliary basal feet formation and microtubule anchoring to mother centriole. [UniProtKB/Swiss-Prot Function]