

## Product datasheet for **RC239431**

### Elastin (ELN) (NM\_001278915) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Elastin (ELN) (NM_001278915) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ELN
Synonyms:	ADCL1; SVAS; WBS; WS
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**ORF Nucleotide Sequence:**

>RC239431 representing NM\_001278915  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**GCGATCGCC**

ATGGCGGGTCTGACGGCGCGGCCCGCGGCCGGAGTCTCTGCTCCTGCTGTCCATCTCCACCCT  
 CTGGCCCTGGAGGGTCCCTGGGGCCATTCTGGTGGAGTTCCTGGAGGAGTCTTTTATCCAGGGCTGG  
 TCTCGGAGCCCTTGAGGAGGAGCGCTGGGGCCTGGAGGCAAACCTTTAAGCCAGTTCCCGGAGGGCTT  
 GCGGGTGTGGCCTTGGGGCAGGGCTCGGGCCTTCCCGCAGTTACCTTTCCGGGGCTCTGGTGCCTG  
 GTGGAGTGGCTGACGCTGCTGCAGCCTATAAAGCTGCTAAGGCTGGCGCTGGGCTTGGTGGTGTCCAGG  
 AGTTGGTGGCTTAGGAGTGTCTGACAGTGGCGTGGTTCCTCAGCCTGGAGCCGGAGTGAAGCCTGGGAAA  
 GTGCCGGTGTGGGGCTGCCAGGTGTATACCCAGGTGGCGTGTCCAGGAGCTCGGTTCCCGGTGTGG  
 GGGTGTCCCTGGAGTTCCTACTGGAGCAGGATTAAGCCCAAGGCTCCAGGTGTAGGTGGAGCTTTTGC  
 TGAATCCAGGAGTTGGACCTTTGGGGACCGCAACCTGGAGTCCACTGGGGTATCCCATCAAGGCC  
 CCCAAGCTGCCTGGTGGCTATGGACTGCCTACACCACAGGGAACTGCCCTATGGCTATGGGCCGGAG  
 GAGTGGCTGGTGCAGCGGCAAGGCTGGTTACCAACAGGGACAGGGGTTGGCCCCAGGCAGCAGCAGC  
 AGCGGCAGCTAAAGCAGCAGCAAAGTTCGGTGTGGAGCAGCCGGAGTCCCTCCCTGGTGTGGAGGGCT  
 GGTGTTCTGGCGTGCCTGGGGCAATTCCTGGAATTGGAGGATCGCAGGCGTGGGACTCCAGTGCAG  
 CTGCAGCTGCAGCAGCAGCCGCTAAGGCAGCAAGTATGGAGTGTCTGCAGGCTTAGTGCCTGGTGGCC  
 AGGCTTTGGCCGGGAGTAGTTGGTGTCCAGGAGCTGGCGTTCAGGTGTTGGTGTCCAGGAGCTGGG  
 ATTCAGTTGTCCAGGTGTGGGATCCAGGTGCTGCGGTTCCAGGGTGTGTCCAGGAGCTGGG  
 CTAAGGCAGCTGCAAAGGCAGCAAATAACGGGGCCAGGCCGGAGTCCGAGTTGGAGGCACTTCTACTTA  
 CGGGGTTGGAGCTGGGGGCTTTCCCGGCTTTGGTGTGGAGTCCGAGGTATCCCTGGAGTGCAGGTGTC  
 CCTGGTGTGGAGGTGTTCCCGAGTCCGAGGTGTCCCGGAGTTGGCATTTCGCCGAAGCTCAGGCAG  
 CAGCTGCCGCAAGGCTGCCAAGTACGGAGTGGGGACCCAGCAGCTGCAGCTGTAAAGCAGCCGCCAA  
 AGCCGCCAGTTTGTCTTCTCAATCTTGCAGGGTTAGTTCCTGGTGTGGCGTGGCTCCTGGAGTTGGC  
 GTGGCTCCTGGTGTGGTGTGGCTCCTGGAGTTGGCTTGGCTCCTGGAGTTGGCGTGGCTCCTGGAGTTG  
 GTGTGGCTCCTGGCGTGGCGTGGCTCCCGCATTGGCCCTGGTGGAGTGCAGTGCAGCAAAATCCGC  
 TGCCAAGGTGGCTGCCAAAGCCAGCTCCGAGTGCAGCTGGGCTTGGTGTGGCATCCCTGGACTTGA  
 GTTGGTGTGGCGTCCCTGGACTTGGAGTTGGTGTGGTGTTCCTGGACTTGGAGTTGGTGTGGTGTTC  
 CTGGCTTCGGGGCAGTACCTGGAGCCCTGGCTGCCGCTAAAGCAGCCAAATATGGAGCAGCAGTGCCTGG  
 GGTCTTGGAGGGCTCGGGGCTCTCGGTGGAGTAGGCATCCAGGCGGTGTGGTGGGAGCCGGACCCGCC  
 GCCGCCGTGCCGAGCCAAAGCTGCTGCCAAAGCCGCCAGTTTGGCCTAGTGGAGCCGCTGGGCTCG  
 GAGGACTCGGAGTCCGAGGGCTTGGAGTTCCAGGTGTTGGGGCCTTGGAGGATAACCTCCAGCTGCAGC  
 CGCTAAAGCAGCTAAATACGGTGTCTGGCCTTGGAGGTGTCTAGGGGTGCCGGCAGTCCCACTT  
 GGAGGAGTGGCAGCAAGACCTGGCTTCGGATTGTCTCCATTTCCAGGTGGGGCTGCCTGGGAAAG  
 CTTGTGGCCGGAAGAGAAAA

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC239431 representing NM\_001278915  
 Red=Cloning site Green=Tags(s)


MAGL TAAAPRPGVLLLLLSILHPSRPGGVPGAIPGGVPGGVFYPGAGLGALGGGALGPGGKPLKPVPGGL  
 AGAGLGAGLGAFPAVTFPGALVPGGVADAAAAYKAAKAGAGLGGVPGVGGLGVSAGAVVPPQGAGVKPGK  
 VPGVGLPGVYPPGGVLPGARFPVGVVLPVPTGAGVKPKAPGVGGAFAGIPGVGPFGGPQPGVPLGYPIKA  
 PKLPGGYGLPYTTGKLPYGYGPGGVAGAAGKAGYPTGTGVGPQAAAAAAAAKAAKFGAGAAGVLPVGGGA  
 GVPVPGAIPGIIGGIAGVGTAAAAAAAAAAKAAKYGAAAGLVPGGPGFPGVVGVPAGVPGVGPVGGAG  
 IPVVPAGIPGAAVPGVVSPEAAAAKAAKAAKYGARPGVGGIPTYGVGAGGFPFGVGVGGIPGVAGV  
 PGVGGVPGVGGVPGVVISPEAQAAAAKAAKYGVGTAAAAAAAAKAAQFALLNLAGLVPVGVVAPGVG  
 VAPGVGVAPGVGLAPGVGVAPGVGVAPGVVAPGIGPGGVAAAAKSAKVAQAQLRAAAGLGAGIPGLG  
 VGVGVPLGVGAGVPLGVGAGVPGFVAVPGALAAKAAKYGAAVPVLGGLGALGGVIGPGGVVGAGPA  
 AAAAAKAAKAAQFGLVGAAGLGLGVGGLVPGVGGGLGIPPAKAAKAAKYGAAGLGGVGGAGQFPL  
 GGVAARPGFGLSPIFPGGACLGKACGRKRK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



\* The last codon before the Stop codon of the ORF

**Plasmid Map:**


**ACCN:** NM\_001278915

**ORF Size:** 2190 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001278915.2](#)

**RefSeq Size:** 3807 bp

**RefSeq ORF:** 2193 bp

**Locus ID:** 2006

UniProt ID: [P15502](#)

Cytogenetics: 7q11.23

Protein Families: Druggable Genome, Secreted Protein, Transmembrane

MW: 63.7 kDa

**Gene Summary:** This gene encodes a protein that is one of the two components of elastic fibers. Elastic fibers comprise part of the extracellular matrix and confer elasticity to organs and tissues including the heart, skin, lungs, ligaments, and blood vessels. The encoded protein is rich in hydrophobic amino acids such as glycine and proline, which form mobile hydrophobic regions bounded by crosslinks between lysine residues. Degradation products of the encoded protein, known as elastin-derived peptides or elastokines, bind the elastin receptor complex and other receptors and stimulate migration and proliferation of monocytes and skin fibroblasts. Elastokines can also contribute to cancer progression. Deletions and mutations in this gene are associated with supralvalvular aortic stenosis (SVAS) and autosomal dominant cutis laxa. [provided by RefSeq, Aug 2017]