

Product datasheet for **RC239500**

BARD1 (NM_001282543) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BARD1 (NM_001282543) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	BARD1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RC239500 representing NM_001282543
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGC**

ATGCCGATAATCGGCAGCCGAGGAACCGGCAGCCGAGGATCCGCTCCGGGAACGAGCCTCGTTCCGCGC
 CCGCCATGGAACCGGATGGTCGCGGTGCCTGGGCCACAGTCGCGCCGCGCTCGACCGCCTGGAGAAGCT
 GCTGCGTGCTCGCGTTGTAATTGTGTAAGTGACTGCATTGGAAGTGGATGTCCAGTGTGTACACCCCG
 GCCTGGATACAAGACTTGAAGATAAATAGACAAGTGGACAGCATGATTCAACTTTGTAGTAAGCTTCGAA
 ATTTGCTACATGACAATGAGCTGTCAGATTTGAAAGAAGATAAACCTAGGAAAAGTTTGTAAATGATGC
 AGGAAACAAGAAGATTCAATTAATAATGTGGTTTAGCCCTCGAAGTAAGAAAGTCAGATATGTTGTGAGT
 AAAGCTTCAGTGCAAACCCAGCCTGCAATAAAAAAGATGCAAGTGCTCAGCAAGACTCATATGAATTTG
 TTTCCCAAGTCCTCCTGCAGATGTTTCTGAGAGGGCTAAAAAGGCTTCTGCAAGATCTGAAAAAAGCA
 AAAAAAGAAAACTTAGCTGAAATCAACCAAAATGGAATTTAGAGGCAGAAAAAGAAGATGGTGAATTT
 GACTCCAAAGAGGAATCTAAGCAAAAGCTGGTATCCTTCTGTAGCCAACCATCTGTTATCTCCAGTCCTC
 AGATAAATGGTGAATAGACTTACTAGCAAGTGGCTCCTTGACAGAATCTGAATGTTTTGGAAGTTTAAC
 TGAAGTCTCTTTACCATTTGGCTGAGCAATAGAGTCTCCAGACACTAAGAGCAGGAATGAAGTAGTGACT
 CCTGAGAAGGTCTGCAAAAATTATCTTACATCTAAGAAATCTTTGCCATTAGAAAATAATGGAAAACGTG
 GCCATCACAATAGACTTTCCAGTCCCATTTCTAAGAGATGTAGAACCAGCATTCTGAGCACCAGTGGAGA
 TTTTGTTAAGCAAACGGTGCCCTCAGAAAATATACCATTCGCTGAATGTTCTTCACCACCTTCATGCAAA
 CGTAAAGTTGGTGGTACATCAGGGAGGAAAAACAGTAACATGTCCGATGAATTCATTAGTCTTTACCAG
 GTACACCACCTTCTACATTAAGTAGTTCAAGTTACAGGCGAGTGATGTCTAGTCCCTCAGCAATGAAGCT
 GTTGCCCAATATGGCTGTGAAAAGAAATCATAGAGGAGAGACTTTGCTCCATATTGCTTCTATTAAGGGC
 GACATACCTTCTGTTGAATACCTTTTACAAAATGGAAGTGATCCAATGTTAAAGACCATGCTGGATGGA
 CACCATTCGATGAAGCTTGCAATCATGGGCACCTGAAGGTAGTGAATTATTGCTCCAGCATAAGGCATT
 GGTGAACACCACCGGTATCAAAATGACTCACCCTTCAGATGCAGCCAAGAATGGGCATGTGGATATA
 GTCAAGCTGTTACTTTCTATGGAGCCTCCAGAAATGCTGTTAATATATTTGGTCTGCGGCCTGTCGATT
 ATACAGATGATGAAAGTATGAAATCGCTATTGCTGCTACCAGAGAAGAATGAATCATCTCAGCTAGCCA
 CTGCTCAGTAATGAACACTGGGCAGCGTAGGGATGGACCTTTGTAATTATAGGCAGTGGGCTGTCTTCA
 GAACAACAGAAAATGCTCAGTGAGCTTGCAGTAATTCTTAAGGCTAAAAAATATACTGAGTTTGACAGTA
 CAGTAACATCATGTTGTTGTTCTGGTGATGCAGTTCAAAGTACCTGAAGTGATGCTTGGGATTCTCAA
 TGGATGCTGGATTCTAAAATTTGAATGGGTAAAAGCATGTCTACGAAGAAAAGTATGTGAACAGGAAGAA
 AAGTATGAAATTCCTGAAGGTCCACGCAGAAGCAGGCTCAACAGAGAACAGCTGTTGCCAAAGCTGTTTG
 ATGGATGCTACTTCTATTTGTGGGAACCTTCAAACACCATCCAAAGGACAACCTTATTAAGCTCGTCAC
 TGCAGGTGGGGGCCAGATCCTCAGTAGAAAGCCCAAGCCAGACAGTGACGTGACTCAGACCATCAATACA
 GTCGCATACCATGCGAGACCCGATTCTGATCAGCGCTTCTGCACACAGTATATCATCTATGAAGATTTGT
 GTAATTATCACCAGAGAGGGTTCGGCAGGGCAAAGTCTGGAAGGCTCCTTCGAGCTGGTTATAGACTG
 TGTGATGTCCTTTGAGTTGCTTCCTCTTGACAGC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC239500 representing NM_001282543
 Red=Cloning site Green=Tags(s)


MPDNRQPRNRQPRIRSGNEPRSAPEPDGRGAWAHSRAALDRLEKLLRCSRCNCVSDCIGTGCPVCYTP
 AWIQDLKINRQLDSMIQLCSKLRNLLHDNELSDLKEDKPRKSLFNDAGNKKNSIKMWFSPRSKKVRYVVS
 KASVQTQPAIKKDASAQQDSYEFVSPSPADVSEKAKASARSGKKQKKKTLAEINQKWNLEAEKEDGEF
 DSKEESKQKLVSFCSQPSVISSPQINGEIDLLASGSLTESECFGSLTEVSLPLAEQIESPDTKSRNEVVT
 PEKVCKNYLTSSKSLPLENNGKRGHNRLLSSPIKRCRTSILSTSGDFVKQTPVSENIPLPECSSPPSCK
 RKVGGTSGRKNSNMSDEFISLSPGTPPSTLSSSYRRVMSSPSAMKLLPNMAVKRNHRGETLLHIAISIKG
 DIPVSVEYLLQNGSDPNVKDHAGWTPLEACNHGHLKVVELLLQHKALVNTTGYQNDSPLDAAKNHGVDI
 VKLLL SYGASRNAVNIFGLRPVDYTDDESMKSLLLLPEKNESSSASHCSVMNTGQRRDGPLVLIGSGLSS
 EQQKMLSELAVILKAKKYTEFDSTVTHVVVPGDAVQSTLKCMLGILNGCWILKFEWVKACLRKRVCEQEE
 KYEIPGPRSRNLNREQLLPKLFDCYFYLGWTFKHHPKDNLIKLVTAGGGQILSRPKPDSVDTQTINT
 VAYHARPDSDQRFCTQYIIYEDLCNYHPERVRQGVKAPSSWFIDCVMSFELLPLDS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_001282543

ORF Size: 2274 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_001282543.2](#)

RefSeq Size: 5466 bp

RefSeq ORF: 2277 bp

Locus ID: 580

UniProt ID: [Q99728](#)


Cytogenetics: 2q35

Protein Families: Druggable Genome

MW: 85 kDa

Gene Summary: This gene encodes a protein which interacts with the N-terminal region of BRCA1. In addition to its ability to bind BRCA1 in vivo and in vitro, it shares homology with the 2 most conserved regions of BRCA1: the N-terminal RING motif and the C-terminal BRCT domain. The RING motif is a cysteine-rich sequence found in a variety of proteins that regulate cell growth, including the products of tumor suppressor genes and dominant protooncogenes. This protein also contains 3 tandem ankyrin repeats. The BARD1/BRCA1 interaction is disrupted by tumorigenic amino acid substitutions in BRCA1, implying that the formation of a stable complex between these proteins may be an essential aspect of BRCA1 tumor suppression. This protein may be the target of oncogenic mutations in breast or ovarian cancer. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2013]

Product images:



Circular map for RC239500