

Product datasheet for RC239515

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CSGLCAT (CHPF2) (NM_001284295) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CSGLCAT (CHPF2) (NM_001284295) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: CSGLCAT

Synonyms: chPF-2; ChSy-3; CSGLCA-T; CSGlcAT

Mammalian Cell Neomycin

Selection:


Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001284295

ORF Size: 2292 bp

CSGLCAT (CHPF2) (NM_001284295) Human Tagged ORF Clone - RC239515

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001284295.2</u>

RefSeq Size: 2730 bp
RefSeq ORF: 2295 bp
Locus ID: 54480
Cytogenetics: 7q36.1

Protein Pathways: Chondroitin sulfate biosynthesis, Metabolic pathways


MW: 85.6 kDa

Gene Summary: Transfers glucuronic acid (GlcUA) from UDP-GlcUA to N-acetylgalactosamine residues on the

non-reducing end of the elongating chondroitin polymer. Has no N-acetylgalactosaminyltransferase activity.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC239515