

Product datasheet for **RC239780**

SRRM1 (NM_001303448) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SRRM1 (NM_001303448) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	SRRM1
Synonyms:	160-KD; POP101; SRM160
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RC239780 representing NM_001303448
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGACGCGGGATTTTTCCGCGGAACAAGTGCAGAACAGGATAATCGGTTGAGCAACAAACAGAAGAAAC
 TACTGAAGCAGCTGAAATTTGCAGAATGCCTAGAAAAAAGGTGGACATGAGCAAAGTAAATTTGGAGGT
 TATAAAGCCTTGATAACAAAAAGAGTAACGGAAATCCTTGGGTTTGAAGATGATGTTGTGATTGAGTTT
 ATATTCACCAGCTGGAAGTGAAGAATCCAGACTCCAAAATGATGCAAATCAACCTGACTGGATTTTTGA
 ATGGAAGAAATGCTCGAGAATTTATGGGAGAACTGTGGCCCTGCTGCTAAGTGCACAAGAAAACATCGC
 GGGAAATCCCTTCTGCTTTCTAGAACTGAAGAAAGAAGAAATAAAACAAAGACAGATTGAACAAGAAAA
 CTGGCATCTATGAAAAAGCAAGATGAAGACAAAGATAAAAGAGATAAGGAAGAAAAAGAACGAGCAGAG
 AAAAAAGGAGCGGTCTCGTAGCCCAAGAAGACGCAATCCAGATCTCCTTCCCCTAGAAGACGATCTTC
 CCCTGTCAGGAGAGAGAGAAAGCGCAGTCATTCTCGATCTCCCCGTACAGAACCAAGAGCCGGAGTCCT
 TCCCCTGCTCCAGAAAAGGAAAAAACTCCAGAGCTCCAGAACCTTCAGTGAAGTAAAGAACCTT
 CAGTACAAGAGGCTACTTCTACTAGTGACATTCTGAAAGTTCCCAACCTGAACCTATACAGAGCGCTAA
 AGAACCTTCTCCGGAAGAAAAATTCAAAAAGAAAAGGAGAAGGAGAAGACCCGACCACGATCTCGGTCA
 CGCTCCAAATCAAGATCCCGGACGCGGTCCCGCTCTCCTTCTCAGCTGACCTAGACGGCGCCATAGAT
 CCCGATCAAGATCGTATTCACCTAGAAGCGGCCAAGCCCAAGAAGGCGGCCATCTCTCGAAGAAGAAC
 TCCGCCAAGAAGAATGCCTCCTCCACCAAGGCATAGAAGGAGTAGATCTCCAGTAAGACGAAGAAGACGT
 TCGTCAGCATCCTTGTCTGGGAGTAGCTCATCATCTCTTCATCTCGTTCACGGTCACACCAAGAAGGC
 CTCCCAAGAGGACATCCAGCCCCCTCGGAAACTCGTAGGTTATCTCCTTCAGCAAGTCTCCAAAGGCG
 AAGGCACAGGCCATCACCTCCTGCAACTCCACCACCCAAAACCTCGGCATTCCCCTACACCCAGCAGTCA
 AACCGTACAAGAAAAAGTCGTGTTTCTGTGTCTCCAGGAGAACTTCAGTGACAAAAATAAAGGTACTG
 AGAAAAGAGAATCCCCTTACCAGCACCGAAGCCTAGAAAAGTAGAGTTATCTGAATCGGAAGAAGATAA
 AGGTGGCAAAATGGCTGCAGCAGATTCTGTGCAGCAGAGACGCCAATACAGACGACAAAACAGCAGTCT
 TCATCTGACTCTGGCTCCTCCTCCTCCTCAGAGATGAACGACCAAGAGATCCCATGTGAAGATGGTG
 AGGTTGGCAGGCGGCGGAGACATTCCCCTTCCCGAGTGCTTCTCCATCACCACGAAAGCGCCAAAAAGA
 GACTTCCCCTCGGATGCAGATGGGAAAGCGATGGCAATCGCCAGTGAATAAAGTGGTAGACGGAGGAGA
 AGTCCATCCCCACCCACCAGAAAGGCGACGGTCTCCTTCTCCCGCCCTCCTCCTCGACGGCGCAGGA
 CTCCCACACCACCACGACGAAAGGACTCCTTCTCCTCCCCACGTGCGCGCTACCTTCTCCTAGAAG
 ATACTCTCCTCCAATACAGAGGAGATACTCTCCTTCTCCACCTCCAAAGAGAAGAACGGGTTACCTCCT
 CCCCTCCTAAACGAAGAGCATCACCATCTCCACCACCAAGCGGCGGGTCTCCATTCTCCACCTCCCA
 AACAAAGAAGTCCCCAGTCACCAAGAGACGTTACCTTCATTATCATCCAAGCATAGGAAAGGGTCTTC
 CCCAAGCGCTCTACCCGGGAGGCGCGATCACCAACCAACAAACGGCATTGCGCCTCACCACGGCCT
 CGAGCTCCTCAGACCTCCTCAAGTCTCCACCCGTTGGAAGAGGAGCGTCGTATCACCCAAAGAAGGC
 AGTCCCCGTCTCCAAGTACTAGGCCATTAGGAGAGTCTCCAGGACTCCGGAACCTAAAAAGATAAAAA
 GGCTGCTTCCCCAAGCCACAGTCTGTGAAGAAGGTCTCATCTCCGATCTGTCTCCGGGTCTCCTGAG
 CCAGCAGCTAAAAAGCCCCAGCACCTCCATCCCCGTCCAGTCTCAGTACCGTCTACAACTGGTCAC
 CAGCTGTACCGGTCAAAAAGGCCAAAAGCCCAACCCGAGCCCATCACCGCCAAGAAATTCAGATCAGGA
 AGGAGGTGGAAGAAAAAGAAAAAGAAAGGACAAGAAACAAAAAGGATAAGAAGCACAAGAAGCAC
 AAAAAACACAAGAAGGAAAGGCTGTGGCTGCAGCTGCTGCAGCTGCTGTGACCCCTGCAGCCATTGCAG
 CTGCCACAACCACATTAGCACAGGAAGGCCAGTGGCAGCGCCAGAGCCGAAGAAGGAGACTGAAAGTGA
 AGCTGAAGATAACCTTGATGATTTAGAAAAGCACCTGCGTGAAAAGGCCCTGAGATCAATGAGGAAGGCC
 CAAGTGTCACACAGTCT

ACGCGTACGCGGCGGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC239780 representing NM_001303448
Red=Cloning site Green=Tags(s)


MDAGFFRGTSAEQDNRFSENKQKKLLKQLKFAECLEKKVDMKVNLEVIKPWITKRVTEILGFEDDVVIEF
IFNQLVKNPDSKMMQINLTGFLNGKNAREFMGELWPLLLSAQENIAGIPSAFLELKKEEIKQRQIEQEK
LASMKKQDEKDKRDKEEKESREKRERSRSPRRRKSRSRSPRRRSSPVRERKRSHSRSPRHRTKSRSP
SPAPEKKEKTPELPEPSVKVKEPSVQEATSTSDILKVPKPEPIPEPKEPSPEKNSKKEKEKTRPRSR
RSKSRSTRSRSPSHTRPRRRHRSRSRSPRRRPSRRRPSRRRTPPRRMPPPRHRRSRSPVRRRRR
SSASLSGSSSSSSSRSPPKKPPKRTSSPPKTRRLSPSASPPRRRHSPSPATPPPKTRHSPTPQQS
NRTRKSRVSVSPGRTSVTKHKGTEKRESPAPKPRKVELSESEEDKGGKMAAADSQQRRQYRRQNQQS
SSDSGSSSSSEDERPKRSHVKNGEVGRRRRHSPSRASPSPRKQKETSPRMQMGKRQWQSPVTKSGRRRR
SPSPPTTRRRRSPSPAPPPRRRTPTPPRRRTSPPPRRRSPSPRRYSPIQRRYSPPPKRTASPP
PPPKRRASPPPPKRRVSHSPPKQRSSPVTKRRSPSLSSKHKRGSSPSRSTREARSPQPNKRHSPPRP
RAPQTSSPPPVRRGASSPQRRQSPSPSTRPIRRVSRTPEPKIKKAASPSQSVRRVSSRSVSGSPE
PAAKKPPAPSPVQSQSPSTNWSAPVPVKKAKSPTSPSPPRNSDQEGGKKKKKKDKKHKKDKHKKH
KKHKKKEKAVAAAAAAVTPAAIAAATTTLAQEEPVAAPEPKKETESEADNLDDLEKHLREKALRSMRKA
QVSPQS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:




ACCN: NM_001303448

ORF Size: 2748 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001303448.2
RefSeq Size:	3988 bp
RefSeq ORF:	2751 bp
Locus ID:	10250
UniProt ID:	Q8IYB3
Cytogenetics:	1p36.11
MW:	104.2 kDa
Gene Summary:	Part of pre- and post-splicing multiprotein mRNP complexes. Involved in numerous pre-mRNA processing events. Promotes constitutive and exonic splicing enhancer (ESE)-dependent splicing activation by bridging together sequence-specific (SR family proteins, SFRS4, SFRS5 and TRA2B/SFRS10) and basal snRNP (SNRP70 and SNRPA1) factors of the spliceosome. Stimulates mRNA 3'-end cleavage independently of the formation of an exon junction complex. Binds both pre-mRNA and spliced mRNA 20-25 nt upstream of exon-exon junctions. Binds RNA and DNA with low sequence specificity and has similar preference for either double- or single-stranded nucleic acid substrates.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC239780