

Product datasheet for RC239896

MMS19 (NM_001289405) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MMS19 (NM_001289405) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	MMS19
Synonyms:	CIAO4; hMMS19; MET18; MMS19L
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC239896 representing NM_001289405 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCGCTGCCGCGCTGTGGAGGCGGCGGCCTATGGGTGCCCTATGGGGCCTCGTGCACGACTTCG
TCGTGGGTGAGCAAGAGGGCCCCGCTGACCAGGTGGCTGCAGATGTGAAATCTGGCAACTATACAGTGT
ACAAGTTGTGGAAGCCCTTGGTCTCTAGAGAATCCAGAACCCGAAGTGGTACACCTGATACTGT
CTTTGTACAGGTGCTACTCCACTGTCACACCTTGTCTGGAGAAGGAAGTGGTACACCTGATACTGT
TCTATGAGAACCGGCTGAAGGACCATCATCTTGTGATCCCATCTGTCTGCAGGGTTTGAAGGCACTTAG
CCTGTGTGTGGCCCTGCCCCAGGGCTGGCTGTTTCTGTGCTTAAAGCCATCTCCAGGAAGTGCATGTA
CAGTCCCTGCCACAGGTGGACCGACACACAGTCTACAATATCATCACCAATTTTATGCGAACCCGGGAAG
AAGAGCTAAAGAGCCTAGGAGCTGACTTACCTTTGGCTTCCAGGTGATGGATGGGGAAAAGGATCC
CCGTAATCTTCTGGTGGCCTCCGCATCGTCCATGACCTCATCTCCAGGGACTATAGCCTGGGACCTTT
GTGGAGGAGTTGTTTGAAGTGACATCCTGTTATTTCCCTATCGATTTTACCCCTCCACCTAATGATCCCC
ATGGTATCCAGAGAGAAGACCTCATCTGAGTCTCGCGCTGTGCTGGCTTCTACACCAGATTTGCTGA
GTTTCTGCTGCCCTGTTGATTGAGAAAGTGGATTCTGAGGTTCTGAGTGCCAAGTTGGATTCTCTACAG
ACTCTGAATGCTTGTGCTGTGTATGGACAGAAGGAAGTGAAGGACTTCTCCCGAGCCTTTGGGCTT
CTATCCGAGAGAGGTGTTCCAGACGGCAAGTGAAGGCTGGAGGAGAGGGCCTGGCGGCCCTCCACTC
CCTGACTGCGTGTGCTCGCTGTGCTGAGGGCTGATGCTGAGGACCTCCTTACTCCTTACTAGC
AACATTCTACAGGACTGCAGGCACCACCTGTGTGAACCGGACATGAACTGGTGTGGCCTAGTGCCAAGC
TGTTGCAGGCAGTGCAGGTGCATCTGCCCGGCCTGTGACTCTGTACCAGCAATGTACTGCCTTACT
GCTGGAACAGTTCCACAAGCACAGTCAAGCAGCCAGCGGACAATCCTTGAATGCTCCTGGGTTTC
TTGAAGCTGCAGCAGAAATGGAGCTATGAAGACAAAGATCAAAGGCTCTGAATGGCTTCAAGGACCAGC
TGTGCTCACTGGTATTATGGCTTAACAGACCCAGCAGCCAGCTTCACTTGTGGCATCCGTACACT
GACAGTCTTGGGTGCCAGCCAGATCTCTATCTTATGAGGACTTGGAGCTGGCAGTGGGTACCTGTAC
AGACTGAGCTTCTGAAGGAGGATCCAGAGTTGAGGGTGGCAGCACTGGAAGCATCAGGAACCTGG



[View online >](#)

CTGCTCTACCCCTGTGGCCTTCAGCAGCCACCTCGTACCCAAGCTCGCTGAGGAGCTGCGTGTAGGGGA
 GTCAAATTTGACTAACGGAGATGAGCCCACCAATGCTCCCGCATCTGTGCTGTCTGCAAGCCTTGTCA
 GCTGTATCAACACATCCCAGCATCGTCAAGGAGACTGCCTCTGCTGCTGCAGCATCTCTGGCAAGTGA
 ACAGAGGGAATATGGTTGCACAATCCAGTGACGTTATTGCTGTCTGTGAGGCTCAGACAGATGGCAGA
 AAAATGTCAGCAGGACCCGTGAGATTGCTGGTATTTCCACCAGACAGCTATACCTTGCCCTGCTTGCCTTG
 GCTGTGCAGGCCCTCTATGCCAGAGAAGGAGCCCTCAGTTCTGAGAAAAGTACTATTGGAGGATGAGGTGT
 TGGTGCCATGGTGTCTGTCATTGGCACTGCTACAACCCACCTGAGCCCTGAGTTAGCTGCCAGAGTGT
 GACACACATTGTGCCCTCTTCTTGATGGCAAGTGTCCTTTCTGCCTGAAAACAGCTTCCCGAGCAGA
 TTCAGCCATTCCAGGATGGCTCCTCAGGGCAGAGGCGGCTGATTGCACTGCTTATGGCCTTTGTCTGCT
 CCCTGCCTCGAAATGTGGAAATCCCTCAGCTGAACCAACTCATGCGGGAGCTTTTGGAACTGAGCTGCTG
 CCACAGCTGCCCTTTTCTTCCACCCTGCTGCCAAGTCTTTCAGGACTCCTCAACAAGCACCCTGCA
 GGGCAGCAGCTGGATGAATTCTACAGTAGCTGTGGACAAAGTGGAGGCTGGCCTGGGCTCTGGCCCT
 GTCGTAGTCAGGCCTTCACTCTTCTTCTGGGTAACAAAGGCCCTAGTGTCTCAGATACCATCCTCTCAG
 CTCCTGCCTTACAGCCCGGCTCATGGCCCTCTGAGTGACCCAGAATTAGGTCCAGCAGCAGCTGATGGC
 TTCTCTCTGCTCATGTCTGACTGCACTGATGTGCTGACTCGTGTGGCCATGCCGAAGTGGGATCATGT
 TCCGCCAGCGGTTCTTACAGATAATGTGCTGCTTTGGTCCAGGGCTTCCATGTGCTCCCAAGATGT
 GAAGCCAAACTACTTGAAGGGTCTTTCTCATGACTTAAACAGGCTGCCAAGCCTGTACTCTTGCCAGAG
 CTGCCACGCTTCTTTCCTTGTGCTGGAGGCCCTGCTCTGCCCTGACTGTGGTGCAGCTCTCCACCC
 TCAGCTGCCTTACGCCTTCTACTGGAAGCACCCCAAGTCATGAGTCTTACGTGGACACCCTCGTCA
 CAAGTTTCTGAACCTCAGCTCTAGCCCTTCCATGGCTGTCCGGATCGCCGCACTGCAGTGCATGCATGCT
 CTCACTCGCCTGCCACCCCTGTGCTGCTGCCGTACAACCACAGGTGATTCGGGCCCTTAGCCAAACCC
 TGGATGACAAGAAGAGACTGGTGGCAAGGAAGCAGTGTACGCCAGAGGGGAGTGGTTTCTGTTGGGGAG
 CCCTGGCAGC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:



>RC239896 representing NM_001289405
 Red=Cloning site Green=Tags(s)

MAAAAAVEAAAPMGALWGLVHDFVVGQEGPADQVAADVKSNGYTVLQVVEALGSSLENPEPRTRARAIQ
 LLSQVLLHCHTLLLEKEV VHLILFYENRLKDHHLVIPSVLQGLKALSLCVLPPGLAVSVLKAIFQEVHV
 QSLPQVDRHTVYNIITNFMRTREEELKSLGADFTFGFIQVMDGEKDPRNLLVAFRIVHDLISRYSLGP
 VEELFEVTSYFPIIDFTPPPNDPHGIQREDLILSLRAVLASTPRFAEFLPLLIEKVDSEVL SAKLDSLQ
 TLNACCAVYGQKELKDFLPSLWASIRREVFQTASERVEAEGLAALHSLTACL SRSVLRADAEDLLDSFLS
 NILQDCRHHLCPEPMKLWVPSAKLLQAAAGASARACDSVTSNVLPLLLQFHKHSQSSQRRITILEMLLGF
 LKLQKWSYEDKQRPNGFKDQLCSLVMAL TDPSTQLQLVGIRTLTVLGAQPDLLSYEDLELAVGHLY
 RLSFLKEDSQSCRVAALEASGTLAALYPVAFSSHLPKLAEEELRVGESNL TNGDEPTQCSRHL CCLQALS
 AVSTHPSIVKETLPLLLQHLWQVNRGNMVAQSSDVI AVCQSLRQMAEKCQDPE SCWYFHQTAIPCLLAL
 AVQASMPKEKPSVLRKVLL EDEVLAAAMSVIGTATTHLSPELAAQSVTHI VPLFLDGNV SFLPENSFPSR
 FQPFQDGS SQRRLIALLMAFVCSLPRNVEIPQLNQLMRELEL SCCHSCPFSSTAAAKCFAGLLNKHPA
 GQQLDEFQLAVDKVEAGL GSGPCR SQAF TLLLWVTKALV LRYHPLSSCLTARLMGLLSDPELGPAAADG
 FSLLMSDCTDVL TRAGHAEVRIMFRQRF TDNVPALVQGFHAAPQDVKPNYLKGLSHVLNRLPKPVLLPE
 LPTLLSLLLEAL SCPDCVVQLSTLSCLQPLLEAPQVMSLHVDLTVTKFLNLSSSPSMAVRIAALQCMHA
 LTRLPTPVLLPYKPQVIRALAKPLDDKRLVRKEAVSARGEWFLLGSPGS

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Plasmid Map:


ACCN: NM_001289405

ORF Size: 3090 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001289405.1</u> , <u>NP_001276334.1</u>
RefSeq Size:	3585 bp
RefSeq ORF:	3093 bp
Locus ID:	64210
UniProt ID:	<u>Q96T76</u>
Cytogenetics:	10q24.1
Protein Families:	Druggable Genome, Transcription Factors
MW:	113.7 kDa
Gene Summary:	Key component of the cytosolic iron-sulfur protein assembly (CIA) complex, a multiprotein complex that mediates the incorporation of iron-sulfur cluster into apoproteins specifically involved in DNA metabolism and genomic integrity. In the CIA complex, MMS19 acts as an adapter between early-acting CIA components and a subset of cellular target iron-sulfur proteins such as ERCC2/XPD, FANCI and RTEL1, thereby playing a key role in nucleotide excision repair (NER), homologous recombination-mediated double-strand break DNA repair, DNA replication and RNA polymerase II (POL II) transcription (PubMed:22678362, PubMed:22678361, PubMed:29225034, PubMed:23585563). As part of the mitotic spindle-associated MMXD complex, plays a role in chromosome segregation, probably by facilitating iron-sulfur cluster assembly into ERCC2/XPD (PubMed:20797633). Indirectly acts as a transcriptional coactivator of estrogen receptor (ER), via its role in iron-sulfur insertion into some component of the TFIIH-machinery (PubMed:11279242).[UniProtKB/Swiss-Prot Function]