

Product datasheet for **RC239917**

KIAA0528 (C2CD5) (NM_001286174) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KIAA0528 (C2CD5) (NM_001286174) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	KIAA0528
Synonyms:	CDP138; KIAA0528
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC239917 representing NM_001286174 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**

ATGCCAGGGAAGCTGAAGGTGAAAATCGTGCCGGGCGCCATTTGCCAGTGATGGACCGTGCTAGTGACC
TGACTGATGCCTTCGTGGAGGTAAAATTTGGTAATACCACCTTTAAAACAGATGTGTACCTTAAGTCACT
CAACCCTCAGTGGAACTCGGAGTGGTTTAAATTTGAGGTGGATGATGAAGACTTACAAGATGAACCTTTA
CAGATCACAGTTCTTGACCATGATACTTACAGTGCAAATGATGCCATTGGTAAAGGTACATTGATATTG
ATCCTTTACTGTATAGTGAAGCTGCAACAGTCATCTCAGGATGGTTTCCAATTTATGACACCATACATGG
TATCCGTGGGGAATCAATGTAGTTGTCAAAGTAGACCTCTTCAATGATTTAAATCGATTTAGGCAGTCA
TCATGTGGAGTCAAATCTTTTGCAACGCTCTATTCCAAAATGCTATAGAGCTGTGATAATTCATGGAT
TTGTAGAAGAAGTGTGGTCAATGAAGACCCAGAATATCAGTGGATTGATCGAATTCGCACACCAAGGGC
ATCAAATGAGGCCAGACAGAGACTCATTTCTGTTAATGTCAGGTGAGCTGCAGAGGAAGATTGGCTTGAAA
GTACTTGAAATGAGAGGAAATGCAGTTGTGGGTACTTACAGTGTTCGATCTGGAGGGCGAGTCTGGGT
TAGTGGTGCGAGCCATAGGAACGGCGTGTACTCTGGATAAATTAAGTAGCCAGCAGCATTCTCTCTGC
ATGTAATTCCTCATCAAAGAAATGAAGGAGATTCCCTTCAATGAAGATCCCAATCCCAATACTCACTCA
TCAGGACCCTCAACCCCTCTGAAAAACCAAACTTATTCCTTTTACCTTCCAAGTCTACAGTCGACAGT
CCTCTTCTCTGACACAGATTTGAGTTTGACACCCAAAAGTGAATGGGAAGTGGTAGTGTCTGGAAGA
AGGGGGGCCCTTTAAAGCTCTTTTAAAGACAACAGACTCAATCAGCGTTGGAACAGAGGGAATTTCCATTT
TTTACCTTGACGGCATTTCCTCTGGATTCTTGTACACGTTGGGGGTGAGTTAGTGCACGTTCTGTGA
AGCTTTTGGATCGTATCCACAATCCTGATGAACCAGAACTCGAGATGCATGGTGGGCAGAAATCAGACA
AGAAATAAAATCACATGCTAAAGCATTAGGCTGTGATGCTGTAGTGGCTACAGTGAATCAACTAGCATC
TGTGAAGAGGTCTGCATTTTATCTGCATCTGGCACAGCGGCTGTACTGAATCCTAGATTTCTGCAGGATG
GCACCGTGAAGGCTGTTTGAACAGAGGCTTGAAGAAAATTTGCCTACACGTTGTGGATTTTGTATAT
ACCATATGATGAAGTGAATATGCCATTTCCAGCTCATCTACATATTGCTATAACTGCAGGAAACAAAAA



[View online »](#)

GTTCTGATGTTCTGTTTACAACATAGACCTCCCAACAGATGCAACAGTTATTGGAAAAGTTGTCTTA
 TTCAAGCAAGTTATGTCGCTTAAAAAGAAAGCAGGCAGAGCAAGCAATGCTACAGCTATCAGTAATCT
 CTGGCATTATGGAATATGAAGTGCATACTCAGCTAATGAATAAACTAAACTCAAAGGAATGAATGCT
 TTGTTTGGACTAAGAATTCAGATCAGAGTGGGTGAAAAATGTTGATGGGCTTAGCGTCTGCCACAGGTG
 TGTATTTAGCAGCTTTACCAACTCCTGGTGGTATTGAGATTGCTGGGAAGACTCCTAATGATGGCTCATA
 TGAACAACACATCTCTCATATGCAGAAGAAGATAAATGACACAATTGCTAAAAACAAAGATTATATGAA
 ATCAATCCTCCAGAGATATCTGAAGAGATTATAGGATCACCCATCCCAGAACCTAGGCAACGCTCAAGAC
 TTCTAAGATCTCAATCAGAAAGCTCGGATGAAGTTACAGAATTAGACCTTTCACATGGGAAAAAGATGC
 TTTTGTGTTTGGAGATTGATGACACAGATGCCATGGAAGATGTCCATTCTCTACTTACTGATGTTCTCTCT
 CCTTCAGGCTTTTATAGTTGTAATACAGAAATTATGCCCGGTATAAATAATTGGACCTCTGAAATACAGA
 TGTTCACTTCAGTAAGAGTAATCAGATTAAGCAGCCTCAACCTGACTAATCAAGCTCTCAATAAGAACTT
 TAATGATCTCTGTGAAAATTTGCTCAAGAGCCTGTACTTTAACTACGATCTATGATCCCCTGCTGCCTT
 TGCCATGTAAATTTTACAGTATCTCTGCCTGAAGATGAATTAATTCAGGTTACAGTCACGGCAGTCGCAA
 TCACTTTTGACAAAAATCAGGCTTTACAAACCACAAAAACCCCTGTTGAAAAGTCATTGCAAAGAGCCTC
 AACAGATAATGAAGAATTTTACAATTTCCACTGGAAGTGTGTTGAGATTCACTTCTTCTCATCTTTT
 CCACCAGCTAAAGAACACCTGGAGAGTGCAAGTTCTAATCAGGTATACCAGCTGCACAGAGAGCAACGT
 CAGTTGATTACAGTTCCTTTGCAGACAGATGCAGCAGCTGGATAGAGCTCATTAACTGAAAGCTCAGAC
 CATAAGGCGTGGATCAATTAAGACAACCATGACAGTTGAAAAAGCAAGTCCAGTGGGTGATGGAATTTT
 CGGAATCGTTCTGCTCCACCTTGTGCAATTCACAGTTGGGGTGTGTAAGATGACACCTCTTCTTTT
 TTCCTGGAGCAAAAAATACTAAGTATCTGGGATAATTAACATGTTTTTATTTCGAGAGACTACTTCTCT
 TCGGGAGGAAGGAGGAGTCAGTGGTTTTCTCCATGCTTTTATTGCTGAAGTGTGCAATGGTGAGAGCT
 CATGTTGCTGCATTAGGAGGGAATGCTGTTGTCTCCTACATAATGAAGCAGTGTGCTTCATGGAGAATC
 CAAATAAAACCAGGCACAGTGTCTTATAAATGTAAGTGGTATGTCAGTGGTTTTTGTTCGTGAATCTGA
 CTTAGAAGTGGTGCATCTCAGCAACCTACTACCAACTGCCAGTCATCATGTACTGAAGCGGAAGTTACA
 ACC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC239917 representing NM_001286174


Red=Cloning site Green=Tags(s)

MPGKLVKIVAGRHLVPMDRASDLTDAFVEVKFGNTTFKTDVYLKSLNPQWSEWFKFEVDDDELQDEPL
 QITVLHDHTYSANDAIGKVYIDIDPLLYSEAAATVISGWFIYDTIHGIRGEINVVVKVDFNDLNRFRQS
 SCGVKFFCTTSIPKCYRAVIIHGFVEELVYNEDPEYQWIDRIRTPRASNEARQRLISLMSGELQRKIGLK
 VLEMRGNAVVGYLQCFDLEGESGLVVRAIGTACTLDKLSSPAFLPACNSPSKEMKEIPFNEDPNPNTHS
 SGPSTPLKNQTYSFSPKSYSRQSSSDTDLSTPKTGMGSGSAGKEGGPFKALLRQQTQSALEQREFPF
 FTLTAFPPGFLVHVGGVVSARSVKLLDRIHNPDEPETRDAWWAEIRQEIKSHAKALGCHAVVGYSESTSI
 CEEVCILSASGTAAVLNPRFLQDGTVEGCLEQRLEENLPTRCGFCHIPYDELNMPFPAHLTYCYNCRKQK
 VPDVLFITIDLPDATVIGKGCLIQARLCRLKKKAQAEANATAISNLLPFMEYEVHTQLMKNLKLKGMNA
 LFGLRIQITVGENMLMGLASATGVYLAALPTPGGIQIAGKTPNDGSYEQHISHMQKKINDTIAKNKELYE
 INPPEISEEIIIGSPIPEPRQRSRLRSQSESSDEVTELDLSHGKKDAFVLEIDDDTAMEDVHSLTDPVP
 PSGFYSCNTEIMPGINNWTSEIQMFTSVRVIRLSSLNTQALNKNFNDLCENLLKSLYFKLRSMIPCCCL
 CHVNFTVSLPEDELIQVTVAITFDKNQALQTTKTPVEKSLQRASTDNEELLQFPLELCSDSLPSHPF
 PPAKEHLESASSNSGIPAAQRATSVDYSSFADRCSSWIELIKLKAQTIRRGSIKTTMTVEKASPGVDGNF
 RNRSAPPCANSTVGVMKMTPLSFIPGAKITKYLGIINMFFIRETTSLREEGGVSGFLHAFIAEVFAMVRA
 HYAALGGNAVVSIMKQCVFMENPNKNQAQCLINVSGDAVVVFVRESLLEVSSSQPTTNCQSSCTEGEVT
 T

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:


ACCN: NM_001286174

ORF Size: 3153 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.


RefSeq: [NM_001286174.2](#)

RefSeq Size: 4766 bp

RefSeq ORF: 3156 bp

Locus ID:	9847
UniProt ID:	Q86YS7
Cytogenetics:	12p12.1
MW:	116.5 kDa
Gene Summary:	Required for insulin-stimulated glucose transport and glucose transporter SLC2A4/GLUT4 translocation from intracellular glucose storage vesicle (GSV) to the plasma membrane (PM) in adipocytes. Binds phospholipid membranes in a calcium-dependent manner and is necessary for the optimal membrane fusion between SLC2A4/GLUT4 GSV and the PM.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC239917