

## Product datasheet for RC239928

### MAP3K4 (NM\_001291958) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	MAP3K4 (NM_001291958) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	MAP3K4
Synonyms:	MAPKKK4; MEKK 4; MEKK4; MTK1; PRO0412
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC239928 representing NM_001291958 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGTACATTGGTCCATCCAGAAAGACAGGACAACCTCGAAGCAGGGATGGGGCTTCAGGTCACAGTTTT  
CTGAATTTCCAGATCCCATGTGGGGTTCAGATTATGTGCAGTTGTCAAGGACACCACCTTCATCTGAGGA  
GAAATGCAGTGTGTGTCTGGGAGGAGCTGAAGGCCATGGATTTACCTTCATTGAAACCTGCCTTCTCTA  
GTTCTCTGCCGAGTCCTTCTGAATGTCATACATGAGTGTCTGAAGTTAAGATTGGAGCAGAGACCTGCTG  
GAGAACCATCTCTCTTGAGTATTAAGCAGCTGGTGAGAGAGTGTAAAGGAGTCTGAAGGGCGGCCCTGCT  
GATGAAGCAGTACTACCAGTTTATGCTGCAGGAGTTCTGGAGGACTTGGAGAAGCCCGACTGCAACATT  
GACGCTTTTGAAGAGGATCTACATAAAATGCTTATGGTGTATTTTGATTACATGAGAAGCTGGATCCAAA  
TGCTACAGCAATTACCTCAAGCATCGCATAGTTTAAAAATCTGTTAGAAGAAGAATGGAATTTACCAA  
AGAAATAACTCATTACATACGGGGAGGAGAAGCACAGGCCGGGAAGCTTTTCTGTGACATTGCAGGAATG  
CTGCTGAAATCTACAGGAAGTTTTTTAGAATTTGGCTTACAGGAGAGCTGTGCTGAATTTGGACTAGTG  
CGGATGACAGCAGTCTCCGACGAAATCAGGAGTCTGTTATAGAGATCAGTCGAGCCCTGAAGGAGCT  
CTTCCATGAAGCCAGAGAAAGGGCTTCCAAAGCACTTGGATTTGCTAAAATGTTGAGAAAGGACCTGGAA  
ATAGCAGCAGAATTCAGGCTTTAGCCCAAGTTAGAGACCTCCTGGATGTTCTGAAATCAAAACAGTATG  
TCAAGGTGCAAATTCCTGGGTTAGAAAACCTGCAAATGTTTGTCCAGACACTCTTGTGAGGAGAAGAG  
TATTATTTTGCAGTACTCAATGCAGCTGCAGGAAAGGACTGTTCAAAGATTGAGATGACGTAATCATC  
GATGCCTATCTGCTTCTGACCAAGCAGGCTGATCGAGCCCGTATTGAGAGGACAGCTGGGGCACCTGGG  
AGGCACAGCCTGTCAAAGTCGTGCCTCAGTGGAGACTGTTGACACCCTGAGAAGCATGCAGGTGGATAA  
TCTTTTACTAGTTGTCATGCAGTCTGCGCATCTACAATTCAGAGAAAAGCTTTCCAGCAGTCCATTGAG  
GGACTTATGACTCTGTGCCAGGAGCAGACATCCAGTCAGCCGGTTCATCGCAAAGCTTTGCAGCAGCTGA  
AGAATGATGCATTGGAGCTATGCAACAGGATAAGCAATGCCATTGACCGGTGGACCACATGTTACATC  
AGAATTTGATGCTGAGGTTGATGAATCTGAATCTGTCACCTTGAACAGTACTACCGAGAAGCAATGATT  
CAGGGGTACAATTTGGATTTGAGTATCATAAAGAAGTTGTTGTTGATGTCTGGGGAGTTTAGACAGA



[View online >](#)

```

AGATAGGAGACAAATATATAAGCTTTGCCCGGAAGTGGATGAATTATGTCCTGACTAAATGTGAGAGTGG
TAGAGGTACAAGACCCAGGTGGGCGACTCAAGGATTTGATTTTCTACAAGCAATTGAACCTGCCTTTATT
TCAGCTTTACCAGAAGATGACTTCTTGAGTTTACAAGCCTTGATGAATGAATGCATTGGCCATGTCATAG
GAAAACACACAGTCCTGTTACAGGTTTGTACCTTGCCATTATCGGAACAGCCCCCGTCTATGAAGGT
ACCTCGATGCCATAGTGACCCTCTAACCCACACCTCATTATCCCCACTCCAGAGGGATTTCAGCACTCGG
AGCATGCCTCCGACGCGCGGAGCCATGGCAGCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGTTG
CTGCCAGTCGGCCAGCCCTCTGGTGGTGACTCTGTGCTGCCAAATCCATCAGCAGTGCCCATGATAC
CAGGGGTTCCAGGTTCCCTGAAAATGATCGATTGGCTTCCATAGCTGCTGAATTGCAGTTTAGGTCCCTG
AGTCGTACTIONCAAGCCCCACGGAGGAGCGAGATGAACCAGCATATCCAAGAGGAGATTCAAGTGGGTCCA
CAAGAAGAAGTTGGGAACCTCGGACACTAATCAGCCAGAGTAAAGATACTGCTTCTAAAAGTGGACCCAT
AGAAGCTATCCAGAAGTCAGTCCGATTGTTTGAAGAAAAGAGGTACCGAGAAATGAGGAGAAAGAATATC
ATTGGTCAAGTTTGATACGCCTAAGTCTATGATAATGTTATGCACGTTGGCTTGAGGAAGGTGACCT
TCAAATGGCAAAGAGGAAACAAAATTGGAGAAGGCCAGTATGGGAAGGTGTACACCTGCATCAGCGTCGA
CACCGGGGAGCTGATGGCCATGAAAGAGATTGATTTCAACCTAATGACCATAAGACTATCAAGGAAACT
GCAGACGAATTGAAAATATTCGAAGGCATCAAACACCCCAATCTGGTTCGGTATTTTGGTGTGGAGCTCC
ATAGAGAAGAAATGTACATCTTCATGGAGTACTGCGATGAGGGGACTTTAGAAGAGGTGTCAAGGCTGGG
ACTTCAGGAACATGTGATTAGGCTGTATTCAAAGCAGATCACCATTGCGATCAACGTCCTCCATGAGCAT
GGCATAGTCCACCGTGACATTAAGGTGCCAATATCTTCCTTACCTCATCTGGATTAATCAAAGTGGGAG
ATTTTGGATGTTTCAAGTCAAAAACAATGCCAGACCATGCCTGGTGAAGTGAACAGCACCCCTGGG
GACAGCAGCATACATGGCACCTGAAGTCATCACTCGTGCCAAAGGAGAGGGCCATGGGCGTGCAGCCGAC
ATCTGGAGTCTGGGGTGTGTTGTCATAGAGATGGTGACTGGCAAGAGGCCTTGGCATGAGTATGAGCACA
ACTTTCAAATATGTATAAAGTGGGGATGGGACATAAGCCACCAATCCCTGAAAGATTAGCCCTGAAGG
AAAGGACTTCCTTCTCACTGCCTTGAGAGTGACCCAAAGATGAGATGGACCGCCAGCCAGCTCCTCGAC
CATTGCTTGTCAAGGTTTGCACAGATGAAGAA
    
```

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC239928 representing NM\_001291958

Red=Cloning site Green=Tags(s)

```


MYIGSIQKDRTRTSRDGACRSQFSEFPDPMWGSYVQLSRTPPSSEKCSAVSWEELKAMDLPSEFAPFL
VLCRVLLNVIHECLKLRLEQRPAGEPSLLSIKQLVRECKEVLKGGLLMKQYYQFMLQEVLEDLEKPCDNI
DAFEEDLHKMLMYYFDYMRSWIQMLQQLPQASHSLKNLLEEWNFTKEITHYIRGGEAQAGKLFCDIAGM
LLKSTGSFLEFGLQESCAEFWTSADDSSASDEIRRSVIEISRALKELFHEARERASKALGFAMLRKDL
IAAEFRLSAPVRDLLDVLKSKQYVKVQIPGLENLQMFVPDTLAEKSIILQLLNAAAGKDCSKDSDVLI
DAYLLLTKHGDRARDEDSWGTWEAQPVKVVPQVETVDTLRSMQVDNLLLVMQSAHLTIQRKAFQQSIE
GLMTLCQEQTSSQPVIKALQQLKNDALCNRISNAIDRVDMFTSEFDAEVDSESVTLQYYREAMI
QGYNFGFEYHKEVVRMSGEFRQKIGDKYISFARKWMNYVLTKCESGRGTRPRWATQGFDFLQAIAPAFI
SALPEDDFLSLQALMNECIGHVIGKPHSPVTGLYLAIHRNSPRPMKVPRCHSDPPPHLIIPTEGFSTR
SMPDARSHGSPAAAAAAAAAASRSPSPSGDSSLVLPKSISSAHDTRGSSVPENDRLASIAAELQFRSL
SRHSSPTEERDEPAYPRGDSSGSTRRWELRTLISQSKDTASKLGPTEAIQKSVRLFEEKRYREMRKNI
IGQVCDTPKSYDNVMHVGLRKVTFKWQRGNKIGEGQYGVYTCISVDTGELMAMKEIRFQPNHKTIKET
ADELKIFEGIKHPNLVRYFVELHREEMYIFMEYCDEGLTEEVSRLLGLQEHVIRLYSKQITIAINVLHEH
GIVHRDIKGANIFLTSSGLIKLGDGFCVSKLNNAQTMPGEVNSTLGTAAYPEVITRAKGEHGHRAD
IWSLGCVVIEMVTGKRPWHEYEHNFQIMYKVMGHKPPIPERLSPEGKDFLSHCLESDPKMRWTASQLLD
HSFVKVCTDEE
    
```

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**

**Plasmid Map:**


**ACCN:** NM\_001291958

**ORF Size:** 3183 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001291958.1</a></u> , <u><a href="#">NP_001278887.1</a></u>
<b>RefSeq Size:</b>	5662 bp
<b>RefSeq ORF:</b>	3186 bp
<b>Locus ID:</b>	4216
<b>UniProt ID:</b>	<u><a href="#">Q9Y6R4</a></u>
<b>Cytogenetics:</b>	6q26
<b>Protein Families:</b>	Druggable Genome, Protein Kinase
<b>Protein Pathways:</b>	GnRH signaling pathway, MAPK signaling pathway
<b>MW:</b>	120.3 kDa
<b>Gene Summary:</b>	<p>The central core of each mitogen-activated protein kinase (MAPK) pathway is a conserved cascade of 3 protein kinases: an activated MAPK kinase kinase (MAPKKK) phosphorylates and activates a specific MAPK kinase (MAPKK), which then activates a specific MAPK. While the ERK MAPKs are activated by mitogenic stimulation, the CSBP2 and JNK MAPKs are activated by environmental stresses such as osmotic shock, UV irradiation, wound stress, and inflammatory factors. This gene encodes a MAPKKK, the MEKK4 protein, also called MTK1. This protein contains a protein kinase catalytic domain at the C terminus. The N-terminal nonkinase domain may contain a regulatory domain. Expression of MEKK4 in mammalian cells activated the CSBP2 and JNK MAPK pathways, but not the ERK pathway. In vitro kinase studies indicated that recombinant MEKK4 can specifically phosphorylate and activate PRKMK6 and SERK1, MAPKKs that activate CSBP2 and JNK, respectively but cannot phosphorylate PRKMK1, an MAPKK that activates ERKs. MEKK4 is a major mediator of environmental stresses that activate the CSBP2 MAPK pathway, and a minor mediator of the JNK pathway. Several alternatively spliced transcripts encoding distinct isoforms have been described. [provided by RefSeq, May 2014]</p>