

ACGACAAGACAGATACAGGGATGCCAGCCACCGGGTCGGCAGGCACCCAGGAGGAGCTGCTACGCTGGT
 CCAGGAGCAGACAGCTGGGTACCCGGGAGTCCACGTCTCCGATTTGTCTTCTCCTGGGCTGATGGGCTA
 GCTCTGTGTGCCCTGGTGTACCGGCTGCAGCCTGGCCTGCTGGAACCCCTCAGAGCTGCAGGGGCTGGGAG
 CTCTGGAAGCAACTGCTTGGGCACTAAAGGTGGCAGAGAATGAGCTGGGCATCACACCGTGGTGTCTGC
 ACAGGCCGTGGTAGCAGGGAGTGACCCACTGGGCTCATTGCCTACCTCAGCCACTTCCACAGTGCCTTC
 AAGAGCATGGCCACAGCCAGGCCCTGCAGCCAGTCCCGGGCCAAGGAAATGCAGAGGATGCTGGTGGCAAGAA
 GCTGCGCTTGAGATGGAGGCCGAGACCCCAAGTACTGAGGTGCCACCTGACCCAGAGCCTGGTGTACCC
 CTGACACCCCATCCCAACACCAGGAGGCCGTGCTGGGACCTGTGTGCACTTTGTGGGAACACCTCT
 ATGTCTTGAACGCCTCTGTGTCAACGGCCATTTCTTCCACCGGAGCTGCTTCCGCTGCCATACCTGTGA
 GGCCACACTGTGGCCAGGTGGCTACGAGCAGCACCAGGAGATGGACATTTCTACTGCCTCCAGCACCTG
 CCCCAGACAGACCACAAAGCGGAAGGCAGCGATAGAGGCCCTGAGAGTCCGGAGCTCCCCACACCAAGT
 AGAATAGCATGCCACCAGGCCTCAACTCCCACAGCCTCGCAGGAGGGGGCCGGTCTGTTCAGATCC
 CAGCCAGCCACCCGTGGCAGATCCGCTCTCCAGCCGGAGGCCAGCGGTTGTCTCCCTAACCTT
 ACCCTGACCCGAAATGGAGCCTCCACCAAGCCTCCCGCAGCTGCTCCGCTTGGCCCGCCAGCC
 TGGAGAGCAGCTTGTGGGCTGGGGCTGCCAGTCCAGAGCCCTCAAGCTTGTGGCCATGGAGAAGGA
 GGAAAAAGAGAGTCCCTTCTCCAGTGAAGAGGAAGAAGAAGATGTGCTTTGGACTCAGATGTGGAACAG
 GCCCTGCAGACCTTGGCAAGACCTCAGGCACCATGAATAACTACCCAACATGGCGTCCGACTCTGCTGC
 GCCGTGCGAAGGAGGAGGAGATGAAGAGTTTGTCAAGGCCAGACCATCCAACGGCGACTAAATGAGAT
 TGAGGCTGCCTTGGGGAGCTAGAGGCCGAGGGCGTGAAGCTGGAGTGGCCTTGGAGGCCAGAGCAGT
 TCCCCAGAACAGCAAAAGAACTATGGGTAGGACAGCTGCTACAGCTCGTTGACAAGAAAAACAGCCTGG
 TGGCTGAGGAGGCCGAGCTCATGATCACGGTGCAGGAATTGAATCTGGAGGAGAAACAGTGGCAGCTGGA
 CCAGGAGCTACGAGGCTACATGAACCGGAAGAAAACCTAAAGACAGCTGCTGATCGGCAGGCTGAGGAC
 CAGGCTCTGAGGAAGCTGGTGGATTTGGTCAACCCAGAGAGATGCCCTCATCCGCTTCCAGGAGGAGCGCA
 GGCTCAGCGAGCTGGCCTTGGGACAGGGGCCAGGGC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC239951 representing NM_001286613
 Red=Cloning site Green=Tags(s)


MSCLSHSLPSCPPQEASMASPTSTNPAHAHFESFLQAQLCQDVLSSFQELCGALGLEPGGLPQYHKI
 KDQLNYWSAKSLWTKLDKRAGQPVYQQGRACSTKCLVVGAGPCGLRVAVELALLGARVVLVEKRTKFSR
 HNVLHLWPFTIHDRLGAKKFYGRFCTGLDHSIRQLQLLLLKVALLLGVEIHWGVTFTGLQPPPRKG
 SGWRAQLQPNPPAQLANYEFDVLIISAAGGKFPVEGFKVREMRGKLAIGITANFVNGRTVEETQVPEISGV
 ARIYNQSFQSLKATGIDLENIYVYKDDTHYFVMTAKKQCLLRGLVLRQDWPDTNRLLSANVPEALQ
 RFTRAAADFATHGKLGKLEFAQDAHGQPDVSAFDFTSMMRAESSARVQEKHGARLLLGLVGDCLEVPF
 LGTGVARGFLLAFDAAMVWRWAEAESEVLAERESLYQLLSQTSPEMHRNVAQYGLDPATRYPNLNL
 RAVTPNQVRDLYDVLAKEPVRNNDKTDGMPATGSAGTQEELLRWCQEQTAGYGPVHVSDLSWADGL
 ALCALVYRLQPGLLEPSELQGLGALEATAWALKVAENELGTPVVSQAQVAVGSDPLGLIAYLSHFHSF
 KSMASHPGVSQASPGTSSAVLFLSKLQRTLQRSRAKENAEDAGGKLRLEMAETPSTEVPPDPEPGVP
 LTPPSQHQEAGAGDLCALCGEHLVYLERLCVNGHFFHRSFCFRCHTCEATLWPGGYEQHPGDGHFYCLQHL
 PQTDHKAEGSDRGPESPELPTPSENSMPPGLSTPTASQEGAGVPDPSPQTRRQIRLSSPERQLSSLNL
 TPDPMEPPPPKPPRSCSALARHALESSFVGWGLPVQSPQALVAMEKEEKESPFSEEEEEEDVPLSDVEQ
 ALQTFAKTSGTMNYPTRRRLRRRAKEEEMKRFCKAQTIQRRLEIEAALRELEAEGVKLELALRRQSS
 SPEQKKLWVGQLQLVDKKNSLVAEEAELMITVQELNLEEKQWQLDQELRGYMNREENLKAADRQAE
 QVLRKLVLDLVNQDALIRFQEERLSELALGTGAQG

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:

Plasmid Map:


ACCN: NM_001286613

ORF Size: 3258 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001286613.1, NP_001273542.1</u>
RefSeq Size:	3697 bp
RefSeq ORF:	3261 bp
Locus ID:	64780
UniProt ID:	<u>Q8TDZ2</u>
Cytogenetics:	6q21
MW:	120.3 kDa
Gene Summary:	This gene encodes an enzyme that oxidizes methionine residues on actin, thereby promoting depolymerization of actin filaments. This protein interacts with and regulates signalling by NEDD9/CAS-L (neural precursor cell expressed, developmentally down-regulated 9). Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2015]