

# Product datasheet for RC400126

## p21 Ras (HRAS) (NM\_005343) Human Mutant ORF Clone

### **Product data:**

Product Type:	Mutant ORF Clones
Product Name:	p21 Ras (HRAS) (NM_005343) Human Mutant ORF Clone
Mutation Description:	G12S
Affected Codon#:	12
Affected NT#:	c.34
Nucleotide Mutation:	HRAS mutant (G12S), Myc-DDK-tagged ORF clone of Homo sapiens v-Ha-ras Harvey rat sarcoma viral oncogene homolog (HRAS), transcript variant 1 as transfection-ready DNA
Effect:	Missense
Symbol:	p21 Ras
Synonyms:	C-BAS/HAS; C-H-RAS; C-HA-RAS1; CTLO; H-RASIDX; HAMSV; HRAS1; p21ras; RASH1
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_005343
ORF Size:	569 bp
<b>Restriction Sites:</b>	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

<b>ORIGENE</b> p21	Ras (HRAS) (NM_005343) Human Mutant ORF Clone – RC400126								
ORF Nucleotide Sequence:	<pre>&gt;RC400126 representing NM_005343 Red=Cloning site Blue=ORF Green=Tags(s)</pre>								
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C								
	ATGACGGAATATAAGCTGGTGGTGGTGGGGGCGCCAGCGGTGTGGGCAAGAGTGCGCTGACCATCCAGCTGA TCCAGAACCATTTTGTGGACGAATACGACCCCACTATAGAGGATTCCTACCGGAAGCAGGTGGTCATTGA TGGGGAGACGTGCCTGTTGGACATCCTGGATACCGCCGGCCAGGAGGAGTACAGCGCCATGCGGGACCAG TACATGCGCACCGGGGAGGGCTTCCTGTGTGTGTGTTTGCCATCAACAACACCAAGTCTTTTGAGGACATCC ACCAGTACAGGGAGCAGATCAAACGGGTGAAGGACTCCGGATGACGTGCCCATGGTGCTGGTGGGGGAACAA GTGTGACCTGGCTGCACGCACTGTGGAATCTCGGCAGGCTCAGGACCTCGCCCGAAGCTACGGCATCCCC TACATCGAGACCTCGGCCAAGACCCGGCAGGGAGGAGGAGTGCCTTCTACACGTTGGTGCGTGAGATCC GGCAGCACAAGCTGCGGAAGCCGGCAGGGAGGGAGGAGTGGCCCCGGCTGCATGAGCTGCGAGGATCC GGCAGCACAAGCTGCGGAAGCTGAACCCTCCTGATGAGAGTGGCCCCGGCTGCATGAGCTGCAAGTGTGT GCTCTCC								
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG <b>GTTTAA</b>								
Protein Sequence:	<pre>&gt;RC400126 representing NM_005343 Red=Cloning site Green=Tags(s)</pre>								
	MTEYKLVVVGASGVGKSALTIQLIQNHFVDEYDPTIEDSYRKQVVIDGETCLLDILDTAGQEEYSAMRDQ YMRTGEGFLCVFAINNTKSFEDIHQYREQIKRVKDSDDVPMVLVGNKCDLAARTVESRQAQDLARSYGIP YIETSAKTRQGVEDAFYTLVREIRQHKLRKLNPPDESGPGCMSCKCVLS								
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV								
<b>Restriction Sites:</b>	Sgfl-Mlul								
Cloning Scheme:	Cloning sites used for ORF Shuttling: Sgf I ORF Miu I GCGATCGC C ATC NN2I ACG CGT								
	Kozac       Consensus								
	TRTRPLEQKLIC ACCINCTION ACCINCTION ACCINCTION ACCINCTION ACA CACINA CACI								

												_						
					Eco	RV				Flag.T	ag					F	me i	Fse I
GA.	° CTG	GCA	GCA	AAT	GAT	ATC	CTG	GAT	TAC	AAG	GAT	GAC	GAC	GAT	AAG	GTT	TAA	ACGGCCGGCC
D	L	А	А	N	D	I	L	D	Y	к	D	D	D	D	к	v	Stop	

\* The last codon before the Stop codon of the ORF

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	p21 Ras (HRAS) (NM_005343) Human Mutant ORF Clone – RC400126
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
RefSeq:	<u>NP 005334</u>
RefSeq Size:	1061 bp
RefSeq ORF:	570 bp
Locus ID:	3265
Cytogenetics:	11p15.5
Protein Families:	Druggable Genome
Protein Pathway	s: Acute myeloid leukemia, Axon guidance, B cell receptor signaling pathway, Bladder cancer, Chemokine signaling pathway, Chronic myeloid leukemia, Endocytosis, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, Insulin signaling pathway, Long-term depression, Long-term potentiation, MAPK signaling pathway, Melanogenesis, Melanoma, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pathways in cancer, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor signaling pathway, Thyroid cancer, Tight junction, VEGF signaling pathway

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **CRIGENE** p21 Ras (HRAS) (NM\_005343) Human Mutant ORF Clone – RC400126

Gene Summary: This gene belongs to the Ras oncogene family, whose members are related to the transforming genes of mammalian sarcoma retroviruses. The products encoded by these genes function in signal transduction pathways. These proteins can bind GTP and GDP, and they have intrinsic GTPase activity. This protein undergoes a continuous cycle of de- and re-palmitoylation, which regulates its rapid exchange between the plasma membrane and the Golgi apparatus. Mutations in this gene cause Costello syndrome, a disease characterized by increased growth at the prenatal stage, growth deficiency at the postnatal stage, predisposition to tumor formation, cognitive disability, skin and musculoskeletal abnormalities, distinctive facial appearance and cardiovascular abnormalities. Defects in this gene are implicated in a variety of cancers, including bladder cancer, follicular thyroid cancer, and oral squamous cell carcinoma. Multiple transcript variants, which encode different isoforms, have been identified for this gene. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US