

Product datasheet for **RC400168**

Rb (RB1) (NM_000321) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Rb (RB1) (NM_000321) Human Mutant ORF Clone
Mutation Description:	R251*
Affected Codon#:	251
Affected NT#:	c.751
Nucleotide Mutation:	RB1 Mutant (R251*), Myc-DDK-tagged ORF clone of Homo sapiens retinoblastoma 1 (RB1) as transfection-ready DNA
Effect:	Truncation
Symbol:	RB1
Synonyms:	OSRC; p105-Rb; p110-RB1; pp110; PPP1R130; pRb; RB
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000321
ORF Size:	750 bp
Restriction Sites:	Sgfl-RsrII



[View online »](#)

ORF Nucleotide Sequence:

>RC400168 representing NM_000321
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGCCGCCAAAACCCCGAAAAACGGCCGCCACCGCCGCCGCTGCCGCCGCGGAACCCCGGCACCGC
 CGCCGCCGCCCTCCTGAGGAGACCCAGAGCAGGACAGCGCCCGGAGGACCTGCCTCTCGTCAGGCT
 TGAGTTTGAAGAAACAGAAGAACCTGATTTTACTGCATTATGTCAGAAATTAAGATACCAGATCATGTC
 AGAGAGAGAGCTTGGTTAACTTGGGAGAAAGTTTCATCTGTGGATGGAGTATTGGGAGGTATATTCAA
 AGAAAAAGGAAGTGTGGGAATCTGTATCTTTATTGCAGCAGTTGACCTAGATGAGATGTCGTTCACTTT
 TACTGAGCTACAGAAAAATAGAAATCAGTGTCCATAAATCTTTAACTTACTAAAAGAAATTGATACC
 AGTACCAAAGTTGATAATGCTATGTCAAGACTGTTGAAGAAGTATGATGATTGTTTGCCTCTTCAGCA
 AATTGGAAGGACATGTGAAGTATATATTTGACACAACCCAGCAGTTTCGATATCTACTGAAATAAATTC
 TGCATTGGTGCTAAAAGTTTCTGGATCACATTTTATTAGCTAAAGGGGAAGTATTACAATGGAAGAT
 GATCTGGTGATTCATTTAGTTAATGCTATGTCTCTTACTATTTTATAAATCTCACCTCCCATGT
 TGCTCAAAGAACCATATAAAACAGCTGTTATACCCATTATGGTTACCT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:


>RC400168 representing NM_000321
 Red=Cloning site Green=Tags(s)

MPPKTPRKAATAAAAAEPPAPPPPPPEEDPEQDSGPEDLPLVRLFEETEPEPDTALCQKLIKIPDHV
 RERAWL TWEKVSSVDGVLGGYIQKKELWVICIFIAAVDLDEMSFTFTELQKNIEISVHKFFNLLKEIDT
 STKVDNAMSRLKKYDVL FALF SKLERTCELIYLTQPSSISSTEINSALVLKVSWITFLAKGEVLQMED
 DLVISFQLMLCVLDYFIKLSPPMLLKEPYKTAVIPINGSF

SGPTRRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-RsrII

Cloning Scheme:


* The last codon before the Stop codon of the ORF

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
RefSeq:	<p>NP_000312</p>
RefSeq Size:	<p>4772 bp</p>
RefSeq ORF:	<p>2787 bp</p>
Locus ID:	<p>5925</p>
Cytogenetics:	<p>13q14.2</p>
Domains:	<p>RB_B, RB_A, CYCLIN</p>
Protein Families:	<p>Druggable Genome, Transcription Factors</p>
Protein Pathways:	<p>Bladder cancer, Cell cycle, Chronic myeloid leukemia, Glioma, Melanoma, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Prostate cancer, Small cell lung cancer</p>
MW:	<p>28 kDa</p>
Gene Summary:	<p>The protein encoded by this gene is a negative regulator of the cell cycle and was the first tumor suppressor gene found. The encoded protein also stabilizes constitutive heterochromatin to maintain the overall chromatin structure. The active, hypophosphorylated form of the protein binds transcription factor E2F1. Defects in this gene are a cause of childhood cancer retinoblastoma (RB), bladder cancer, and osteogenic sarcoma. [provided by RefSeq, Jul 2008]</p>