

## Product datasheet for **RC400191**

### ALK (NM\_004304) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	ALK (NM_004304) Human Mutant ORF Clone
Mutation Description:	F1174V
Affected Codon#:	1174
Affected NT#:	c.3520
Nucleotide Mutation:	ALK Mutant (F1174V), Myc-DDK-tagged ORF clone of Homo sapiens anaplastic lymphoma receptor tyrosine kinase (ALK) as transfection-ready DNA
Effect:	Missense
Symbol:	ALK
Synonyms:	CD246; NBLST3
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_004304
ORF Size:	4860 bp
Restriction Sites:	SgfI-MluI
ORF Nucleotide Sequence:	>RC400191 representing NM_004304 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGGGAGCCATCGGGCTCCTGTGGCTCCTGCCGCTGCTGCTTTCCACGGCAGCTGTGGGCTCCGGGATGG  
GGACCGGCCAGCGCGGGCTCCCCAGCTGCGGGCCGCCGCTGCAGCCCCGGGAGCCACTCAGCTACTC  
GCGCCTGCAGAGGAAGAGTCTGGCAGTTGACTTCGTGGTGCCTCGCTCTCCGTGTCTACGCCCGGAC  
CTACTGCTGCCACCATCCTCCTCGAGCTGAAGCTGGCAGGCCCGAGGCCCGCGGCTCGCTAGCTCTGG  
ACTGCGCCCCGCTGCTCAGGTTGCTGGGGCCGGCGCCGGGGTCTCCTGGACCGCGGTTACCAGCCCC  
GGCAGAGGCCCGACGCTGTCCAGGGTCTGAAGGGCGGCTCCGTGCGCAAGCTCCGGCGTGCCAAGCAG  
TTGGTGTGGAGCTGGGCGAGGAGCGATCTTGAGGGTTGCGTCGGGCCCCCGGGGAGCGGCTGTGG



[View online »](#)

GGCTGCTCCAGTTCAATCTCAGCGAGCTGTTTCAGTTGGTGGATTGCGCAAGGCGAAGGGCGACTGAGGAT  
 CCGCCTGATGCCCCGAGAAGAAGGCGTCGGAAGTGGGCAGAGAGGGAAGGCTGTCCGCGGCAATTCGCGCC  
 TCCCAGCCCCGCTTCTCTTCCAGATCTTCGGGACTGGTCATAGCTCCTTGAATCACCAACAAACATGC  
 CTTCTCCTTCTCTGATTATTTTACATGGAATCTCACCTGGATAATGAAAGACTCCTTCCCTTCTCTGTC  
 TCATCGCAGCCGATATGGTCTGGAGTGCAGCTTGGACTTCCCTGTGAGCTGGAGTATCCCTCCACTG  
 CATGACCTCAGGAACAGAGCTGGTCTGGCGCCGATCCCTCCGAGGAGGCCCTCCAGATGGACTTGC  
 TGGATGGGCTGGGGCAGAGCGTCTAAGGAGATGCCAGAGGCTCCTTCTCCTTCTCAACACCTCAG  
 TGACTCCAAGCACACCATCCTGAGTCCGTGGATGAGGAGCAGCAGTGGACTGCACACTGGCCGCTCTCG  
 GTGCACAGGCACCTGCAGCCCTCTGGAAGGTACATTGCCAGCTGCTGCCCCACAAACAGGCTGCAAGAG  
 AGATCCTCCTGATGCCACTCCAGGGAAGCATGGTTGGACAGTCTCCAGGGAAGAATCGGGCGTCCAGA  
 CAACCCATTTGAGTGGCCCTGGAATACATCTCCAGTGGAAACCCGAGCTTGTCTGCAGTGGACTTCTTT  
 GCCCTGAAGAAGTGCAGTGAAGGAACATCCCCAGGCTCCAAGATGGCCCTGCAGAGCTCCTTCACTTGT  
 GGAATGGGACAGTCTCCAGCTTGGGCAGGCTGTGACTTCCACCAGGACTGTGCCAGGGAGAAGATGA  
 GAGCCAGATGTCCGGAAGTGCCTGTGGTTTTACTGCAACTTTGAAGATGGCTTCTGTGGCTGGACC  
 CAAGGCACACTGTACCCACACTCCTCAATGGCAGGTGAGACCCTAAAGGATGCCCGTTCCAGGACC  
 ACCAAGACCATGCTCTATTGCTCAGTACCAGTGTGCCCGCTTCTGAAAGTGTACAGTGACCAGTGC  
 TACGTTTCTGCACCGATCAAGAGCTCTCCATGTGAGCTCCGAATGCTCTGGCTCATTCTGGAGTCTTG  
 AGGGGAAACGTGTCTTGGTGTAGTGGAGAACAAAACCGGGAAGGAGCAAGGCAGGATGGTCTGGCATG  
 TCGCCGCTATGAAGGCTTGGCCTGTGGCAGTGGATGGTGTTCCTCTCCTCGATGTGTCTGACAGGTT  
 CTGGCTGCAGATGGTGCATGGTGGGGACAAGGATCCAGAGCCATCGTGGCTTTTGACAATATCTCCATC  
 AGCCTGGACTGCTACCTACCATAGCGGAGAGGACAAGATCCTGCAGAATACAGCACCCAAATCAAGAA  
 ACCTGTTTGAGAGAAACCAACAAGGAGCTGAAACCCGGGAAAAATTCACCAAGACAGACCCCATCTT  
 TGACCTACAGTTTATTGGCTTACCACATGTGGGGCAGCGGGCCCATGGCCCCACCCAGCACAG  
 TGCAACAAACGCTACCAGAACTCCAACCTGAGCGTGGAGGTGGGAGCGAGGGCCCTGAAAGGCATCC  
 AGATCTGGAAGGTGCCAGCCACCGACACCTACAGCATCTCGGGTACGGAGTGTGGCGGAAAGGCGG  
 GAAGAACCACATGATGCGGTCCACGCGGTGTCTGTGCTGGGCATCTTCAACCTGGAGAAGGATGACATG  
 CTGTACATCCTGGTTGGGCAGCAGGGAGAGGACGCTGCCCCAGTACAAACAGTTAATCCAGAAAGTCT  
 GCATTGGAGAGAACAATGTGATAGAAGAAGAAATCCGTGTGAACAGAAGCGTGCATGAGTGGCAGGAGG  
 CGGAGGAGGAGGGGTGGAGCCACTACGTATTAAGATGAAGGATGGAGTGGCGGTGCCCTGATCATT  
 GCAGCCGAGGTGGTGGCAGGCTACGGGGCAAGACAGACACGTTCCACCCAGAGAGACTGGAGAATA  
 ACTCCTCGGTTCTAGGGCTAAACGGCAATTCGGAGCCGAGGTGGTGGAGTGGCTGGAATGATAACAC  
 TTCTTCTGCTCTGGGCCGAAAACTTTGCAAGGAGGTGCCACCGAGGACATTCTGCCCCAGGCCATG  
 AAGAAGTGGGGTGGGAGACAAGAGGGGTTTTCGGAGGGGTGGAGGGGGTGTCTCCTCAGTGGAGGAG  
 GCGGAGGATATAGGGGCAATGCAGCCTCAAACAATGACCCCGAAATGGATGGGGAAGATGGGGTTTC  
 CTTTATCAGTCCACTGGGCATCTGTACACCCAGCTTTAAAAGTGTGGAAGGCCACGGGGAAGTGAAT  
 ATTAAGCATTATCTAACTGCAGTCACTGTGAGGTAGACGAATGTACATGGACCTGAAAGCCACAAGG  
 TCATCTGCTTCTGTGACCACGGGACGGTGTGGCTGAGGATGGCGTCTCCTGCATTGTGTACCCACCC  
 GGAGCCACACCTGCCACTCTCGCTGATCCTCTCTGTGGTACCTTGCCTCGTGCCCGCCCTGGTCTG  
 GCTTTCTCCGGCATCATGATTGTGTACCGCCGAAGCACCAGGAGCTGCAAGCCATGCAGATGGAGTGC  
 AGAGCCCTGAGTACAAGCTGAGCAAGCTCCGCACCTCGACCATCATGACCGACTACAACCCAACTACTG  
 CTTTGCTGGCAAGACCTCCTCCATCAGTGACCTGAAGGAGGTGCCGCGGAAAAACATCACCTCATTGCG  
 GGTCTGGGCCATGGCGCTTTGGGGAGGTGATGAAGGCCAGGTGTCCGGAATGCCAACGACCCAAAGCC  
 CCCTGCAAGTGGCTGTGAAGACGCTGCCTGAAGTGTGCTCTGAACAGGACGAACTGGATTTCTCATGGA  
 AGCCCTGATCATCAGCAAAGTCAACCACCAGAACATTGTTGCTGCATTGGGGTGGAGCTGCAATCCCTG  
 CCCCCTTCTCCTGCTGGAGCTCATGGCGGGGGAGACCTCAAGTCTTCTCCGAGAGACCCGCCCTC  
 GCCGAGCCAGCCCTCCTCCCTGGCCATGCTGGACCTTCTGCAGTGGCTCGGGACATTGCTGTGGCTG  
 TCAGTATTTGGAGGAAAACCACTTCATCCACCGAGACATTGCTGCCAGAAACTGCCTTGTGACCTGTCCA  
 GGCCCTGGAAGAGTGGCCAAGATTGGAGACTTCGGGATGGCCGAGACATCTACAGGGCGAGCTACTATA  
 GAAAGGGAGGCTGTGCCATGCTGCCAGTTAAGTGGATGCCCCAGAGGCCTTCTGGAAGGAATATTAC  
 TTCTAAAACAGACACATGGTCTTTGGAGTGTGCTATGGGAAATCTTTTCTTGGATATATGCCATAC  
 CCCAGCAAAAGCAACCAGGAAGTTCTGGAGTTTGTACCAGTGGAGGCCGGATGGACCCACCAAGAACT  
 GCCCTGGGCTGTATACCGGATAATGACTCAGTGTGGCAACATCAGCCTGAAGACAGGCCCACTTTGC

CATCATTTTGGAGAGGATTGAATACTGCACCCAGGACCCGGATGTAATCAACACCGCTTTGCCGATAGAA  
TATGGTCCACTTGTGGAAGAGGAAGAGAAAAGTGCCTGTGAGGCCCAAGGACCCTGAGGGGTTCTCTCTC  
TCCTGGTCTCTCAACAGGCAAAACGGGAGGAGGAGCGCAGCCAGCTGCCACACCTCTGCCTACCAC  
CTCCTCTGGCAAGGCTGCAAAGAAACCCACAGCTGCAGAGATCTCTGTTTCGAGTCCCTAGAGGGCCGGCC  
GTGGAAGGGGACACGTGAATATGGCATTCTCTCAGTCCAACCCCTCTCGGAGTTGCACAAGGTCCACG  
GATCCAGAAACAAGCCCACAGCTTGTGGAACCAACGTACGGCTCCTGGTTTACAGAGAAACCCACCAA  
AAAGAATAATCCTATAGCAAAGAAGGACCCACAGCAGAGGGGTAACTGGGGCTGGAGGGAAAGCTGACT  
GTCCACCTAAGTTGCAACTGGGAGACTCCGGGGCCCTCACTGCTCCTAGAGCCCTCTCGCTGACTG  
CCAATATGAAGGAGGTACCTCTGTTTCAGGCTACGTCACTTCCCTTGTGGGAATGTCAATTACGGCTACCA  
GCAACAGGGCTTGCCCTTAGAAGCCGCTACTGCCCTGGAGCTGGTCATTACGAGGATACCATTCTGAAA  
AGCAAGAATAGCATGAACCAGCCTGGGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**


>RC400191 representing NM\_004304  
Red=Cloning site Green=Tags(s)

MGAIGLLWLLPLLLSTAAVSGMGTGQRAGSPAAGPPLQPREPLSYSRLQRKSLAVDFVPSLFRVYARD  
LLLPPSSSELKAGRPEARGLALDCAPLLRLLGPAPGVSWTAGSPAPAEARTLSRVLKGGSVRKLRRAKQ  
LVLELGEEAILEGCVGPPGEAAVGLLQFNLSLFSWWIRQEGRLRIRLMPEKKASEVREGRLSAAIRA  
SQPRLLFQIFGTGHSSLESPTNMPSPSPDYFTWNLTWIMKDSFPFLSHRSRYGLECSDFPCELEYSPL  
HDLRNQSWRRIPSEEASQMDLLDGPGAERSKEMPRGSLLLNTSADSKHTILSPWMRSSSEHCTLAVS  
VHRHLQPSGRYIAQLPHNEAAREILLMPTPGKHGWTVLQGRIGRPDNPFRVALEYISSGNRSLSAVDF  
ALKNCSEGTSPGSKMALQSSFTCWNGTVLQLGQACDFHQDCAQGEDESQMCRKLPVGFYCNFEDGFCGWT  
QGTLSPHTPQWQVRTLKDARFQDHDHALLSTTDVPASESATVTSATFPAPIKSSPCELMSWLIRGVL  
RGNVSLVLVENKTGKEQGRMVVHVAAYEGLSLWQWMLPLLDVSDRFLQMVAVWVGQGSRAIVAFDNISI  
SLDCYL TISGEDKILQNTAPKSRNL FERNPNKELKPGENSPRQTPIFDPTVHWLFTTCGASGPHGPTQAQ  
CNNAYQNSNL SVEVGSEGPLKGIQIWKVPATDYISISGYAAGGKGGKNTMMRSHGVSVLGIFNLEKDDM  
LYILVGQGEDACPSTNQLIQKVICIENNVIEEIRVNRSVHEWAGGGGGGGATYVFKMKDGVVPLII  
AAGGGGRAYGAKTDTFHPERLENNSSVLGLNGNSGAAGGGGGWNDNTSLLWAGKSLQEGATGGHSCPAM  
KKWGWETRGGFGGGGGCSSGGGGGYIGGNAASNNDPEMDGEDGVSFISPLGILYTPALKVMEGHGEVN  
IKHYLNCSHCEVDECHMDPESHKVICFDHGTVLAEDGVSCIVSPTPEPHLPLSLILSVVTSALVAALVL  
AFSGIMIVYRRKHQELQAMQELQSPEYKLSKLRTSTIMTDYNPNYCFAGKTSSISDLKEVPRKNITLIR  
GLGHGAFGEVYEQVSGMPNDPSPLQVAVKTLPEVCSEQDELDFLMEALII SKVNHQNIIVRCIGVSLQSL  
PRFILLELMAGGDLKSFRLRETRPRSPSSLA MLDLLHVARDIACGCQYLEENHF IHRDIAARNCLLTC  
GPGRVAKIGDFGMARDIYRASYYRKGCCAMLPVKWMPPEAFMEGIFTSKTDTWSFGVLLWEIFSLGYMPY  
PSKSNQEVLEFVTSGGRMPPKNCPPVYRIMTQCWQHQPEDRPNFAIILERIEYCTQDPDVINTALPIE  
YGPLVEEEEKVPVRPKDPEGVPPLLVSQAKREEERSPAAPPPLPTSSGKAACKPTAAEISVRVPRGPA  
VEGGHVNFMAFSQSNPPSELHKVHGSRNKPTSLWNPTYGSWFTEKPTKKNPIAKKEPHDRGNLGLGEGSCT  
VPPNVATGRLPGASLLEPSSLTANMKEVPLFRLRHFPCGNVNYGYQQGLPLEAATAPGAGHYEDTILK  
SKNSMNQPGP

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**

**OTI Disclaimer:**

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:**

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:**

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**RefSeq:**

[NP\\_004295](#)

**RefSeq Size:**

6267 bp

**RefSeq ORF:**

4863 bp

<b>Locus ID:</b>	238
<b>Cytogenetics:</b>	2p23.2-p23.1
<b>Protein Families:</b>	Druggable Genome, Protein Kinase
<b>MW:</b>	176 kDa
<b>Gene Summary:</b>	<p>This gene encodes a receptor tyrosine kinase, which belongs to the insulin receptor superfamily. This protein comprises an extracellular domain, an hydrophobic stretch corresponding to a single pass transmembrane region, and an intracellular kinase domain. It plays an important role in the development of the brain and exerts its effects on specific neurons in the nervous system. This gene has been found to be rearranged, mutated, or amplified in a series of tumours including anaplastic large cell lymphomas, neuroblastoma, and non-small cell lung cancer. The chromosomal rearrangements are the most common genetic alterations in this gene, which result in creation of multiple fusion genes in tumourigenesis, including ALK (chromosome 2)/EML4 (chromosome 2), ALK/RANBP2 (chromosome 2), ALK/ATIC (chromosome 2), ALK/TFG (chromosome 3), ALK/NPM1 (chromosome 5), ALK/SQSTM1 (chromosome 5), ALK/KIF5B (chromosome 10), ALK/CLTC (chromosome 17), ALK/TPM4 (chromosome 19), and ALK/MSN (chromosome X).[provided by RefSeq, Jan 2011]</p>