

## Product datasheet for **RC400192**

### ALK (NM\_004304) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	ALK (NM_004304) Human Mutant ORF Clone
Mutation Description:	F1174C
Affected Codon#:	1174
Affected NT#:	c.3521
Nucleotide Mutation:	ALK Mutant (F1174C), Myc-DDK-tagged ORF clone of Homo sapiens anaplastic lymphoma receptor tyrosine kinase (ALK) as transfection-ready DNA
Effect:	Missense
Symbol:	ALK
Synonyms:	CD246; NBLST3
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_004304
ORF Size:	4860 bp
Restriction Sites:	SgfI-MluI
ORF Nucleotide Sequence:	>RC400192 representing NM_004304 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGGGAGCCATCGGGCTCCTGTGGCTCCTGCCGCTGCTGCTTTCCACGGCAGCTGTGGGCTCCGGGATGG  
GGACCGGCCAGCGCGGGCTCCCCAGCTGCGGGCCGCCGCTGCAGCCCCGGGAGCCACTCAGCTACTC  
GCGCCTGCAGAGGAAGAGTCTGGCAGTTGACTTCGTGGTGCCTCGCTCTCCGTGTCTACGCCGGGAC  
CTACTGCTGCCACCATCCTCCTCGAGCTGAAGGCTGGCAGGCCCGAGGCCCGCGGCTCGCTAGCTCTGG  
ACTGCGCCCCGCTGCTCAGGTTGCTGGGGCCGGCGCCGGGGTCTCCTGGACCGCGGTTACCAGCCCC  
GGCAGAGGCCCGGACGCTGTCCAGGGTCTGAAGGGCGGCTCCGTGCGCAAGCTCCGGCGTGCCAAGCAG  
TTGGTGTGGAGCTGGGCGAGGAGCGATCTTGAGGGTTGCGTCGGGCCCCCGGGGAGCGGCTGTGG



[View online »](#)

GGCTGCTCCAGTTCAATCTCAGCGAGCTGTTTCAGTTGGTGGATTGCGCAAGGCGAAGGGCGACTGAGGAT  
 CCGCCTGATGCCCCGAGAAGAAGGCGTCGGAAGTGGGCAGAGAGGGAAGGCTGTCCGCGGCAATTCGCGCC  
 TCCCAGCCCCGCTTCTCTTCCAGATCTTCGGGACTGGTCATAGCTCCTTGAATCACCAACAAACATGC  
 CTTCTCCTTCTCTGATTATTTTACATGGAATCTCACCTGGATAATGAAAGACTCCTTCCCTTCTCTGTC  
 TCATCGCAGCCGATATGGTCTGGAGTGCAGCTTGGACTTCCCCTGTGAGCTGGAGTATCCCCTCCACTG  
 CATGACCTCAGGAACAGAGCTGGTCTGGCGCCGATCCCCTCCGAGGAGGCCCTCCAGATGGACTTGC  
 TGGATGGGCTGGGGCAGAGCGTCTAAGGAGATGCCAGAGGCTCCTTCTCCTTCTCAACACCTCAGC  
 TGACTCCAAGCACACCATCCTGAGTCCGTGGATGAGGAGCAGCAGTGGACTGCACACTGGCCCTCTCG  
 GTGCACAGGCACCTGCAGCCCTCTGGAAGGTACATTGCCAGCTGCTGCCCCACAAACAGAGCTGCAAGAG  
 AGATCCTCCTGATGCCACTCCAGGGAAGCATGGTTGGACAGTCTCCAGGGAAGAATCGGGCGTCCAGA  
 CAACCCATTTGAGTGGCCCTGGAATACATCTCCAGTGGAAACCCGAGCTTGTCTGCAGTGGACTTCTTT  
 GCCCTGAAGAAGTGCAGTGAAGGAACATCCCCAGGCTCCAAGATGGCCCTGCAGAGCTCCTTCACTTGT  
 GGAATGGGACAGTCTCCAGCTTGGGCAGGCTGTGACTTCCACCAGGACTGTGCCAGGGAGAAGATGA  
 GAGCCAGATGTCCGGAAACTGCCTGTGGGTTTTACTGCAACTTTGAAGATGGCTTCTGTGGCTGGACC  
 CAAGGCACACTGCACCCACACTCCTCAATGGCAGGTGAGACCCTAAAGGATGCCCGTTCCAGGACC  
 ACCAAGACCATGCTCTATTGCTCAGTACCAGTGTGCCCGCTTCTGAAAGTGTACAGTGACCAGTGC  
 TACGTTTCTGCACCGATCAAGAGCTCTCCATGTGAGCTCCGAATGTCCTGGCTCATTCTGGAGTCTTG  
 AGGGGAAACGTGTCTTGGTGTAGTGGAGAACAAAACCGGGAAGGAGCAAGGCAGGATGGTCTGGCATG  
 TCGCCGCTATGAAGGCTTGGCCTGTGGCAGTGGATGGTGTTCCTCTCCTCGATGTGTCTGACAGGTT  
 CTGGCTGCAGATGGTTCGATGGTGGGACAAGGATCCAGAGCCATCGTGGCTTTTGACAATATCTCCATC  
 AGCCTGGACTGCTACCTACCATAGCGGAGAGGACAAGATCCTGCAGAATACAGCACCCAAATCAAGAA  
 ACCTGTTTGAGAGAAACCAACAAGGAGCTGAAACCCGGGAAAAATTCACCAAGACAGACCCCATCTT  
 TGACCTACAGTTTATTGGCTTACCACATGTGGGGCAGCGGGCCCATGGCCCCACCCAGCACAG  
 TGCAACAAACGCTACCAGAACTCCAACCTGAGCGTGGAGGTGGGAGCGAGGGCCCTGAAAGGCTACC  
 AGATCTGGAAGGTGCCAGCCACCGACACCTACAGCATCTCGGGTACGGAGTGTGGCGGAAAGGCGG  
 GAAGAACCACATGATGCGGTCCACGCGGTGTCTGTGCTGGGCATCTTCAACCTGGAGAAGGATGACATG  
 CTGTACATCCTGGTTGGCAGCAGGGAGAGGACGCTGCCCCAGTACAAACAGTTAATCCAGAAAGTCT  
 GCATTGGAGAGAACAATGTGATAGAAGAAGAAATCCGTGTGAACAGAAGCGTGCATGAGTGGCAGGAGG  
 CGGAGGAGGAGGGGTGGAGCCACTACGTATTAAGATGAAGGATGGAGTGGCGGTGCCCTGATCATT  
 GCAGCCGAGGTGGTGGCAGGGCTACGGGGCAAGACAGACACGTTCCACCCAGAGAGACTGGAGAATA  
 ACTCCTCGGTTCTAGGGCTAAACGGCAATTCGGAGCCGAGGTGGTGGAGTGGCTGGAATGATAACAC  
 TTCTTCTGCTCTGGGCCGAAAACTTTGCAAGGAGGTGCCACCGAGGACATTCTGCCCCAGGCCATG  
 AAGAAGTGGGGTGGGAGACAAGAGGGGTTTTCGGAGGGGTGGAGGGGGTGTCTCCTCAGTGGAGGAG  
 GCGGAGGATATAGGGGCAATGCAGCCTCAAACAATGACCCCGAAATGGATGGGGAAGATGGGGTTTC  
 CTTTATCAGTCCACTGGGCATCTGTACACCCAGCTTAAAAGTGTGGAAGGCCACGGGGAAGTGAAT  
 ATTAAGCATTATCTAACTGCAGTCACTGTGAGGTAGACGAATGTACATGGACCCTGAAAGCCACAAGG  
 TCATCTGCTTCTGTGACCACGGGACGGTGTGGCTGAGGATGGCGTCTCCTGCATTGTGTACCCACCCC  
 GGAGCCACACCTGCCACTCTCGCTGATCCTCTCTGTGGTACCTTGCCTCGTGCCCGCCCTGGTCTG  
 GCTTTCTCCGGCATCATGATTGTGTACCGCCGAAGCACCAGGAGCTGCAAGCCATGCAGATGGAGTGC  
 AGAGCCCTGAGTACAAGCTGAGCAAGCTCCGCACCTCGACCATCATGACCGACTACAACCCCACTACTG  
 CTTTGCTGGCAAGACCTCCTCCATCAGTGACCTGAAGGAGGTGCCGCGGAAAAACATCACCCCTATTGCG  
 GGTCTGGGCCATGGCGCCTTGGGGAGGTGATGAAGGCCAGGTGTCCGGAATGCCAACGACCCAAAGCC  
 CCCTGCAAGTGGCTGTGAAGACGCTGCCTGAAGTGTGCTCTGAACAGGACGAACTGGATTTCTCATGGA  
 AGCCCTGATCATCAGCAATGCAACCACCAGAACATTGTTGCTGCATTGGGGTGGAGCTGCAATCCCTG  
 CCCCCTTCTCCTGCTGGAGCTCATGGCGGGGGAGACCTCAAGTCTTCTCCGAGAGACCCGCCCTC  
 GCCGAGCCAGCCCTCCTCCCTGGCCATGCTGGACCTTCTGCAGTGGCTCGGGACATTGCTGTGGCTG  
 TCAGTATTTGGAGGAAAACCACTTCCATCCACCGAGACATTGCTGCCAGAAACTGCCTTGTGACCTGTCCA  
 GGCCCTGGAAGAGTGGCCAAGATTGGAGACTTCGGGATGGCCGAGACATCTACAGGGCGAGCTACTATA  
 GAAAGGGAGGCTGTGCCATGCTGCCAGTTAAGTGGATGCCCCAGAGGCCTTATGGAAGGAATATTAC  
 TTCTAAAACAGACACATGGTCTTTGGAGTGTGCTATGGGAAATCTTTTCTTGGATATATGCCATAC  
 CCCAGCAAAAGCAACCAGGAAGTTCTGGAGTTTGTACCAGTGGAGGCCGGATGGACCCACCAAGAACT  
 GCCCTGGGCTGTATACCGGATAATGACTCAGTGTGGCAACATCAGCCTGAAGACAGGCCCACTTTGC

CATCATTTTGGAGAGGATTGAATACTGCACCCAGGACCCGGATGTAATCAACACCGCTTTGCCGATAGAA  
TATGGTCCACTTGTGGAAGAGGAAGAGAAAAGTGCCTGTGAGGCCCAAGGACCCTGAGGGGTTCTCTCTC  
TCCTGGTCTCTCAACAGGCAAAACGGGAGGAGGAGCGCAGCCAGCTGCCACCACCTCTGCCTACCAC  
CTCCTCTGGCAAGGCTGCAAAGAAACCCACAGCTGCAGAGATCTCTGTTTCGAGTCCCTAGAGGGCCGGCC  
GTGGAAGGGGACACGTGAATATGGCATTCTCTCAGTCCAACCCTCTTCGGAGTGCACAAGGTCCACG  
GATCCAGAAACAAGCCCACAGCTTGTGGAACCAACGTACGGCTCCTGGTTTACAGAGAAACCCACCAA  
AAAGAATAATCCTATAGCAAAGAAGGACCCACGACGACAGGGGTAACCTGGGGCTGGAGGGAAGCTGACT  
GTCCACCTAAGTTGCAACTGGGAGACTTCGGGGGCTCACTGCTCCTAGAGCCCTCTTCGCTGACTG  
CCAATATGAAGGAGGTACCTCTGTTTCAGGCTACGTCACTTCCCTTGTGGGAATGTCAATTACGGCTACCA  
GCAACAGGGCTTGCCCTTAGAAGCCGCTACTGCCCTGGAGCTGGTCATTACGAGGATACCATTCTGAAA  
AGCAAGAATAGCATGAACCAGCCTGGGCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**


>RC400192 representing NM\_004304  
Red=Cloning site Green=Tags(s)

MGAIGLLWLLPLLLSTAAVSGMGTGQRAGSPAAGPPLQPREPLSYSRLQRKSLAVDFVPSLFRVYARD  
LLLPPSSSELKAGRPEARGLALDCAPLLRLLGPAPGVSWTAGSPAPAEARTLSRVLKGGSVRKLRRAKQ  
LVLELGEEAILEGCVGPPGEAAVGLLQFNLSLFWWIRQEGRLRIRLMPEKKASEVREGRLSAAIRA  
SQPRLLFQIFGTGHSSLESPTNMPSPSPDYFTWNLTWIMKDSFPFLSHRSRYGLECSDFPCELEYSPL  
HDLRNQSWRRIPSEEAQMDLLDGPGAERSKEMPRGFLLLNNTSADSKHTILSPWMRSSSEHCTLAVS  
VHRHLQPSGRYIAQLPHNEAAREILLMPTPGKHGWTVLQGRIGRPDNPFRVALEYISSGNRSLSAVDF  
ALKNCSEGTSPGSKMALQSSFTCWNGTVLQLGQACDFHQDCAQGEDESQMCRKLPVGFYCNFEDGFCGWT  
QGTLSPHTPQWQVRTLKDARFQDHDHALLSTTDVPASESATVTSATFPAPIKSSPCELMSWLIRGVL  
RGNVSLVLVENKTGKEQGRMVVHVAAYEGLSLWQWMLPLLDVSDRFLQMVAVWVGQGSRAIVAFDNISI  
SLDCYL TISGEDKILQNTAPKSRNL FERNPNKELKPGENSPRQTPIFDPTVHWLFTTCGASGPHGPTQAQ  
CNNAYQNSNL SVEVGSEGPLKGIQIWKVPATDYSISGYGAAGGKGGKNTMMRSHGVSVLGIFNLEKDDM  
LYILVGQGEDACPSTNQLIQKVICIENNVIEEEEIRVNRSVHEWAGGGGGGGATYVFKMKDGVVPLII  
AAGGGGRAYGAKTDTFHPERLENNSSVLGLNGNSGAAGGGGGWNDNTSLLWAGKSLQEGATGGHSCPAM  
KKWGWETRGGFGGGGGCSSGGGGGYIGGNAASNNDPEMDGEDGVSFISPLGILYTPALKVMEGHGEVN  
IKHYLNCSHCEVDECHMDPESHKVICFDHGTVLAEDGVSCIVSPTPEPHLPLSLILSVVTSALVAALVL  
AFSGIMIVYRRKHQELQAMQELQSPEYKLSKLRTSTIMTDYNPNYCFAGKTSSISDLKEVPRKNITLIR  
GLGHGAFGEVYEQVSGMPNDPSPLQVAVKTLPEVCSEQDELDFLMEAL IISKCNHQNIVRCIGVSLQSL  
PRFILLELMAGGDLKSLFRETFRPSQPSSLA MLDLLHVARDIACGCQYLEENHF IHRDIAARNCLLTC  
GPGRVAKIGDFGMARDIYRASYYRKGCCAMLPVKWMPPEAFMEGIFTSKTDTSFVLLWEIFSLGYMPY  
PSKSNQEVLEFVTSGGRMPPKNCPPVYRIMTQCWQHQPEDRPNFAIILERIEYCTQDPDVINTALPIE  
YGPLVEEEEKVPVRPKDPEGVPLLVSQAKREEERSPAAPPPLPTSSGKAACKPTAAEISVRVPRGPA  
VEGGHVNFMAFSQSNPPSELHKVHGRNKPTSLWNPTYGSWFTEKPTKKNPIAKKEPHDRGNLGLGEGSCT  
VPPNVATGRLPGASLLEPSSLTANMKEVPLFRLRHFPCGNVNYGYQQGLPLEAATAPGAGHYEDTILK  
SKNSMNQPGP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**

**OTI Disclaimer:**

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:**

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:**

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**RefSeq:**

[NP\\_004295](#)

**RefSeq Size:**

6267 bp

**RefSeq ORF:**

4863 bp

---

<b>Locus ID:</b>	238
<b>Cytogenetics:</b>	2p23.2-p23.1
<b>Protein Families:</b>	Druggable Genome, Protein Kinase
<b>MW:</b>	176 kDa
<b>Gene Summary:</b>	<p>This gene encodes a receptor tyrosine kinase, which belongs to the insulin receptor superfamily. This protein comprises an extracellular domain, an hydrophobic stretch corresponding to a single pass transmembrane region, and an intracellular kinase domain. It plays an important role in the development of the brain and exerts its effects on specific neurons in the nervous system. This gene has been found to be rearranged, mutated, or amplified in a series of tumours including anaplastic large cell lymphomas, neuroblastoma, and non-small cell lung cancer. The chromosomal rearrangements are the most common genetic alterations in this gene, which result in creation of multiple fusion genes in tumourigenesis, including ALK (chromosome 2)/EML4 (chromosome 2), ALK/RANBP2 (chromosome 2), ALK/ATIC (chromosome 2), ALK/TFG (chromosome 3), ALK/NPM1 (chromosome 5), ALK/SQSTM1 (chromosome 5), ALK/KIF5B (chromosome 10), ALK/CLTC (chromosome 17), ALK/TPM4 (chromosome 19), and ALK/MSN (chromosome X).[provided by RefSeq, Jan 2011]</p>