

## Product datasheet for **RC400196**

### ALK (NM\_004304) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	ALK (NM_004304) Human Mutant ORF Clone
Mutation Description:	F1245V
Affected Codon#:	1245
Affected NT#:	c.3733
Nucleotide Mutation:	ALK Mutant (F1245V), Myc-DDK-tagged ORF clone of Homo sapiens anaplastic lymphoma receptor tyrosine kinase (ALK) as transfection-ready DNA
Effect:	Missense
Symbol:	ALK
Synonyms:	CD246; NBLST3
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_004304
ORF Size:	4860 bp
Restriction Sites:	SgfI-MluI
ORF Nucleotide Sequence:	>RC400196 representing NM_004304 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGGGAGCCATCGGGCTCCTGTGGCTCCTGCCGCTGCTGCTTTCCACGGCAGCTGTGGGCTCCGGGATGG  
GGACCGGCCAGCGCGGGCTCCCCAGCTGCGGGCCGCCGCTGCAGCCCCGGGAGCCACTCAGCTACTC  
GCGCCTGCAGAGGAAGAGTCTGGCAGTTGACTTCGTGGTGCCTCGCTCTCCGTGTCTACGCCGGGAC  
CTACTGCTGCCACCATCCTCCTCGAGCTGAAGCTGGCAGGCCCGAGGCCCGCGGCTCGCTAGCTCTGG  
ACTGCGCCCCGCTGCTCAGGTTGCTGGGGCCGGCGCCGGGGTCTCCTGGACCGCGGTTACCAGCCCC  
GGCAGAGGCCCGGACGCTGTCCAGGGTCTGAAGGGCGGCTCCGTGCGCAAGCTCCGGCGTGCCAAGCAG  
TTGGTGTGGAGCTGGGCGAGGAGCGATCTTGAGGGTTGCGTCGGGCCCCCGGGGAGCGGCTGTGG



[View online »](#)

GGCTGCTCCAGTTCAATCTCAGCGAGCTGTTTCAGTTGGTGGATTGCGCAAGGCGAAGGGCGACTGAGGAT  
CCGCTGATGCCCCGAGAAGAAGGCGTCGGAAGTGGGCAGAGAGGGAAGGCTGTCCGCGGCAATTCGCGCC  
TCCCAGCCCCGCTTCTCTTCCAGATCTTCGGGACTGGTCATAGCTCCTTGAATCACCAACAAACATGC  
CTTCTCCTTCTCTGATTATTTTACATGGAATCTCACCTGGATAATGAAAGACTCCTTCCCTTCTCTGTC  
TCATCGCAGCCGATATGGTCTGGAGTGCAGCTTGGACTTCCCCTGTGAGCTGGAGTATCCCCTCCACTG  
CATGACCTCAGGAACAGAGCTGGTCTGGCGCCGATCCCCTCCGAGGAGGCCCTCCAGATGGACTTGC  
TGGATGGGCTGGGGCAGAGCGTCTAAGGAGATGCCAGAGGCTCCTTCTCCTTCTCAACACCTCAGC  
TGACTCCAAGCACACCATCCTGAGTCCGTGGATGAGGAGCAGCAGTGAACACTGCACACTGGCCGCTCTCG  
GTGCACAGGCACCTGCAGCCCTCTGGAAGGTACATTGCCAGCTGCTGCCCCACAAACAGAGCTGCAAGAG  
AGATCCTCCTGATGCCACTCCAGGGAAGCATGGTTGGACAGTCTCCAGGGAAGAATCGGGCGTCCAGA  
CAACCCATTTGAGTGGCCCTGGAATACATCTCCAGTGGAAACCCGAGCTTGTCTGCAGTGGACTTCTTT  
GCCCTGAAGAAGTGCAGTGAAGGAACATCCCCAGGCTCCAAGATGGCCCTGCAGAGCTCCTTCACTTGT  
GGAATGGGACAGTCTCCAGCTTGGGCAGGCTGTGACTTCCACCAGGACTGTGCCAGGGAGAAGATGA  
GAGCCAGATGTCCGGAAACTGCCTGTGGGTTTTACTGCAACTTTGAAGATGGCTTCTGTGGCTGGACC  
CAAGGCACACTGTACCCACACTCCTCAATGGCAGGTGAGACCTAAAGGATGCCCGTTCCAGGACC  
ACCAAGACCATGCTCTATTGCTCAGTACCAGTGTGCCCGCTTCTGAAAGTGTACAGTGACCAGTGC  
TACGTTTCTGCACCGATCAAGAGCTCTCCATGTGAGCTCCGAATGCTCCTGGCTCATTCTGGAGTCTTG  
AGGGGAAACGTGTCTTGGTGTAGTGGAGAACAAAACCGGGAAGGAGCAAGGCAGGATGGTCTGGCATG  
TCGCCGCTATGAAGGCTTGGCCTGTGGCAGTGGATGGTGTTCCTCTCCTCGATGTGTCTGACAGGTT  
CTGGCTGCAGATGGTGCATGGTGGGGACAAGGATCCAGAGCCATCGTGGCTTTTGACAATATCTCCATC  
AGCCTGGACTGCTACCTACCATTAGCGGAGAGGACAAGATCCTGCAGAATACAGCACCCAAATCAAGAA  
ACCTGTTTGAGAGAAACCAACAAGGAGCTGAAACCCGGGAAAAATTCACCAAGACAGACCCCATCTT  
TGACCTACAGTTTATTGGCTTACCACATGTGGGGCAGCGGGCCCATGGCCCCACCCAGCACAG  
TGCAACAAACGCTACCAGAACTCCAACCTGAGCGTGGAGGTGGGAGCGAGGGCCCTGAAAGGCTACC  
AGATCTGGAAGGTGCCAGCCACCGACACCTACAGCATCTCGGGTACGGAGCTGTGGCGGAAAGGCGG  
GAAGAACACCATGATGCGGTCCCACGGCGTGTCTGTGCTGGGCATCTTCAACCTGGAGAAGGATGACATG  
CTGTACATCCTGGTTGGCAGCAGGGAGAGGACGCTGCCCCAGTACAAACAGTTAATCCAGAAAGTCT  
GCATTGGAGAGAAACAATGTGATAGAAGAAGAAATCCGTGTGAACAGAAGCGTGCATGAGTGGCAGGAGG  
CGGAGGAGGAGGGGTGGAGCCACTACGTATTAAGATGAAGGATGGAGTGGCGGTGCCCTGATCATT  
GCAGCCGAGGTTGGTGGCAGGGCTACGGGGCAAGACAGACACGTTCCACCCAGAGAGACTGGAGAATA  
ACTCCTCGGTTCTAGGGCTAAACGGCAATTCGGAGCCGAGGTGGTGGAGGTGGCTGGAATGATAACAC  
TTCTTCTGCTCTGGGCCGAAAACTTTGCAAGGAGGTGCCACCGAGGACATTCTGCCCCAGGCCATG  
AAGAAGTGGGGTGGGAGACAAGAGGGGTTTTCGGAGGGGTGGAGGGGGTGTCTCCTCAGTGGAGGAG  
GCGGAGGATATAGGGGCAATGCAGCCTCAAACAATGACCCCGAAATGGATGGGGAAGATGGGGTTTC  
CTTCATCAGTCCACTGGGCATCTGTACACCCAGCTTAAAAGTGTGGAAGGCCACGGGGAAGTGAAT  
ATTAAGCATTATCTAACTGCAGTCACTGTGAGGTAGACGAATGTACATGGACCTGAAAGCCACAAGG  
TCATCTGCTTCTGTGACCACGGGACGGTGTGGCTGAGGATGGCGTCTCCTGCATTGTGTACCCACCC  
GGAGCCACACCTGCCACTCTCGCTGATCCTCTCTGTGGTACCTTGCCTCGTGCCGCGCCCTGGTCTG  
GCTTTCTCCGGCATCATGATTGTGTACCGCCGAAGCACCAGGAGCTGCAAGCCATGCAGATGGAGTGC  
AGAGCCCTGAGTACAAGCTGAGCAAGCTCCGCACCTCGACCATCATGACCGACTACAACCCAACTACTG  
CTTTGCTGGCAAGACCTCCTCCATCAGTGACCTGAAGGAGGTGCCGCGGAAAAACATCACCTCATTGCG  
GGTCTGGGCCATGGCGCCTTGGGGAGGTGATGAAGGCCAGGTGTCCGGAATGCCAACGACCCAAAGCC  
CCCTGCAAGTGGCTGTGAAGACGCTGCCTGAAGTGTGCTCTGAACAGGACGAACTGGATTTCTCATGGA  
AGCCCTGATCATCAGCAAATTAACCACCAGAACATTGTTGCTGCATTGGGGTGGAGCTGCAATCCCTG  
CCCCGTTTCTCCTGCTGGAGCTCATGGCGGGGGAGACCTCAAGTCTTCTCCGAGAGACCCGCCCTC  
GCCGAGCCAGCCCTCCTCCCTGGCCATGCTGGACCTTCTGCAGTGGCTCGGGACATTGCTGTGGCTG  
TCAGTATTTGGAGGAAAACACGTCATCCACCGAGACATTGCTGCCAGAAACTGCCTTGTACCTGTCCA  
GGCCCTGGAAGAGTGGCCAAGATTGGAGACTTCGGGATGGCCGAGACATCTACAGGGCGAGCTACTATA  
GAAAGGGAGGCTGTGCCATGCTGCCAGTTAAGTGGATGCCCCAGAGGCCTTCTGGAAGGAATATTAC  
TTCTAAAACAGACACATGGTCTTTGGAGTGTGCTATGGGAAATCTTTTCTTGGATATATGCCATAC  
CCCAGCAAAAGCAACCAGGAAGTTCTGGAGTTTGTACCAGTGGAGGCCGGATGGACCCACCAAGAACT  
GCCCTGGGCTGTATACCGGATAATGACTCAGTGTGGCAACATCAGCCTGAAGACAGGCCCAACTTTGC

CATCATTTTGGAGAGGATTGAATACTGCACCCAGGACCCGGATGTAATCAACACCGCTTTGCCGATAGAA  
TATGGTCCACTTGTGGAAGAGGAAGAGAAAAGTGCCTGTGAGGCCCAAGGACCCTGAGGGGTTCTCTCCT  
TCCTGGTCTCTCAACAGGCAAAACGGGAGGAGGAGCGCAGCCAGCTGCCACACCTCTGCTACCAC  
CTCCTCTGGCAAGGCTGCAAAGAAACCCACAGCTGCAGAGATCTCTGTTTCGAGTCCCTAGAGGGCCGGCC  
GTGGAAGGGGACACGTGAATATGGCATTCTCTCAGTCCAACCCCTCTCGGAGTTGCACAAGGTCCACG  
GATCCAGAAACAAGCCCACAGCTTGTGGAACCAACGTACGGCTCCTGGTTTACAGAGAAACCCACCAA  
AAAGAATAATCCTATAGCAAAGAAGGACCCACGACGACAGGGGTAACCTGGGGCTGGAGGGAAGCTGACT  
GTCCACCTAAGTTGCAACTGGGAGACTCCGGGGCCCTCACTGCTCCTAGAGCCCTCTCGCTGACTG  
CCAATATGAAGGAGGTACCTCTGTTTCAGGCTACGTCACTTCCCTTGTGGGAATGTCAATTACGGCTACCA  
GCAACAGGGCTTGCCCTTAGAAGCCGCTACTGCCCTGGAGCTGGTCATTACGAGGATACCATTCTGAAA  
AGCAAGAATAGCATGAACCAGCCTGGGCC

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**


>RC400196 representing NM\_004304  
Red=Cloning site Green=Tags(s)

MGAIGLLWLLPLLLSTAAVSGMGTGQRAGSPAAGPPLQPREPLSYSRLQRKSLAVDFVPSLFRVYARD  
LLLPPSSSELKAGRPEARGLALDCAPLLRLLGPAPGVSWTAGSPAPAEARTLSRVLKGGSVRKLRRAKQ  
LVLELGEEAILEGCVGPPGEAAVGLLQFNLSLFSWWIRQEGRLRIRLMPEKKASEVREGRLSAAIRA  
SQPRLLFQIFGTGHSSLESPTNMPSPSPDYFTWNLTWIMKDSFPFLSHRSRYGLECSDFPCELEYSPL  
HDLRNQSWRRIPSEEAQMDLLDGPGAERSKEMPRGFLLLNNTSADSKHTILSPWMRSSSEHCTLAVS  
VHRHLQPSGRYIAQLPHNEAAREILLMPTPGKHGWTVLQGRIGRPDNPFRVALEYISSGNRSLSAVDF  
ALKNCSEGTSPGSKMALQSSFTCWNGTVLQLGQACDFHQDCAQGEDESQMCRKLPVGFYCNFEDGFCGWT  
QGTLSPHTPQWQVRTLKDARFQDHDHALLSTTDVPASESATVTSATFPAPIKSSPCELMSWLIRGVL  
RGNVSLVLVENKTGKEQGRMVHVAAYEGLSLWQWMLPLLDVSDRFLQMVAVWVGQGSRAIVAFDNISI  
SLDCYL TISGEDKILQNTAPKSRNL FERNPNKELKPGENSPRQTPIFDPTVHWF FTTGASGPHGPTQAQ  
CNNAYQNSNL SVEVGSEGPLKGIQIWKVPATDYSISGYGAAGGKGGKNTMMRSHGVSVLGIFNLEKDDM  
LYILVGQGEDACPSTNQLIQKVICIENNVIEEIRVNRSVHEWAGGGGGGGATYVFKMKDGVVPLII  
AAGGGGRAYGAKTDTFHPERLENNSSVLGLNGNSGAAGGGGGWNDNTSLLWAGKSLQEGATGGHSCPAM  
KKWGWETRGGFGGGGGC SGGGGGYIGGNAASNNDPEMDGEDVVSFISPLGILYTPALKVMEGHGEVN  
IKHYLNCSHCEVDECHMDPESHKVICFDHGTVLAEDGVSCIVSPTPEPHLPLSLILSVVTSALVAALVL  
AFSGIMIVYRRKHQELQAMQELQSPEYKLSKLRTSTIMTDYNPNYCFAGKTSSISDLKEVPRKNITLIR  
GLGHGAFGEVYEQVSGMPNDPSPLQVAVKTLPEVCSEQDELDFLMEAL IISKFNHQNIVRCIGVSLQSL  
PRFILLELMAGGDLKSF LRETRPRSPQSSLA MLDLLHVARDIACGCQYLEENHVIHRDIAARNCLLTC  
GPGRVAKIGDFGMARDIYRASYYRKGCCAMLPVKWMPPEAFMEGIFTSKTDTSFVLLWEIFSLGYMPY  
PSKSNQEVLEFVTSGGRMPPKNCPPVYRIMTQCWQHQPEDRPNFAIILERIEYCTQDPDVINTALPIE  
YGPLVEEEEKVPVRPKDPEGVPLLVSQAKREEERSPAAPPPLPTSSGKAACKPTAAEISVRVPRGPA  
VEGGHVNFMAFSQSNPPSELHKVHGSRNKPTSLWNPTYGSWFTEKPTKKNPIAKKEPHDRGNLGLGEGSCT  
VPPNVATGRLPGASLLEPSSLTANMKEVPLFRLRHFPCGNVNYGYQQGLPLEAATAPGAGHYEDTILK  
SKNSMNQPGP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**

**OTI Disclaimer:**

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:**

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:**

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**RefSeq:**

[NP\\_004295](#)

**RefSeq Size:**

6267 bp

**RefSeq ORF:**

4863 bp

<b>Locus ID:</b>	238
<b>Cytogenetics:</b>	2p23.2-p23.1
<b>Protein Families:</b>	Druggable Genome, Protein Kinase
<b>MW:</b>	176 kDa
<b>Gene Summary:</b>	<p>This gene encodes a receptor tyrosine kinase, which belongs to the insulin receptor superfamily. This protein comprises an extracellular domain, an hydrophobic stretch corresponding to a single pass transmembrane region, and an intracellular kinase domain. It plays an important role in the development of the brain and exerts its effects on specific neurons in the nervous system. This gene has been found to be rearranged, mutated, or amplified in a series of tumours including anaplastic large cell lymphomas, neuroblastoma, and non-small cell lung cancer. The chromosomal rearrangements are the most common genetic alterations in this gene, which result in creation of multiple fusion genes in tumourigenesis, including ALK (chromosome 2)/EML4 (chromosome 2), ALK/RANBP2 (chromosome 2), ALK/ATIC (chromosome 2), ALK/TFG (chromosome 3), ALK/NPM1 (chromosome 5), ALK/SQSTM1 (chromosome 5), ALK/KIF5B (chromosome 10), ALK/CLTC (chromosome 17), ALK/TPM4 (chromosome 19), and ALK/MSN (chromosome X).[provided by RefSeq, Jan 2011]</p>