

## Product datasheet for **RC400241**

### beta Catenin (CTNNB1) (NM\_001904) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	beta Catenin (CTNNB1) (NM_001904) Human Mutant ORF Clone
Mutation Description:	W25_D32del
Affected Codon#:	25
Affected NT#:	c.74_97
Nucleotide Mutation:	CTNNB1 Mutant (W25_D32del), Myc-DDK-tagged ORF clone of Homo sapiens catenin (cadherin-associated protein), beta 1, 88kDa (CTNNB1), transcript variant 1 as transfection-ready DNA
Effect:	deletion
Symbol:	beta Catenin
Synonyms:	armadillo; CTNNB; EVR7; MRD19; NEDSDV
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_001904
ORF Size:	2319 bp
Restriction Sites:	Sgfl-Mlul



[View online »](#)

**ORF Nucleotide  
Sequence:**

>RC400241 representing NM\_001904  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCTACTCAAGCTGATTTGATGGAGTTGGACATGGCCATGGAACCAGACAGAAAACGGCTGTTAGTC  
 ACTCTGGAATCCATTCTGGTGCCACTACCACAGCTCCTTCTCTGAGTGGTAAAGGCAATCCTGAGGAAGA  
 GGATGTGGATACCTCCCAAGTCCTGTATGAGTGGGAACAGGGATTTTCTCAGTCCTTCACTCAAGAACAA  
 GTAGCTGATATTGATGGACAGTATGCAATGACTCGAGCTCAGAGGGTACGAGCTGCTATGTTCCCTGAGA  
 CATTAGATGAGGGCATGCAGATCCCATCTACACAGTTTGTGCTGCTATCCCACTAATGTCCAGCGTTT  
 GGCTGAACCATCACAGATGCTGAAACATGCAGTTGAAACTTGATTAACATCAAGATGATGCAGAACTT  
 GCCACACGTGCAATCCCTGAACTGACAAAAGCTAAATGACGAGGACCAGGTGGTGGTTAATAAGGCTG  
 CAGTTATGGTCCATCAGCTTTCTAAAAAGGAAGCTTCCAGACACGCTATCATGCGTTCTCCTCAGATGGT  
 GTCTGCTATTGTACGTACCATGCAGAATACAAATGATGTAGAAACAGCTCGTTGTACCGCTGGGACCTTG  
 CATAACCTTTCCCATCATCGTGAGGGCTTACTGGCCATCTTAAAGTCTGGAGGCATTCTGCCCTGGTGA  
 AAATGCTTGGTTCACCACTGGATTCTGTGTTGTTTTATGCCATTACAACCTCTCCACAACCTTTTATTACA  
 TCAAGAAGGAGCTAAAATGGCAGTGCCTTAGCTGGTGGGCTGCAGAAAATGGTTGCCTTGTCAACAAA  
 ACAATGTAAATTTCTGGCTATTACGACAGACTGCCTTCAAATTTTAGCTTATGGCAACCAAGAAAGCA  
 AGCTCATCACTGGCTAGTGGTGGACCCCAAGCTTTAGTAAATATAATGAGGACCTATACTTACGAAAA  
 ACTACTGTGGACCACAAGCAGAGTGTGAAGGTGCTATCTGTCTGCTCTAGTAATAAGCCGGCTATTGTA  
 GAAGCTGGTGGAAATGCAAGCTTTAGGACTTACCTGACAGATCCAAGTCAACGTCTTGTTCAGAAGTGTCT  
 TTTGGACTCTCAGGAATCTTTCAGATGCTGCAACTAACAGGAAGGATGGAAGGTCTCCTTGGGACTCT  
 TGTTACGCTTCTGGGTTTCAGATGATATAAATGTGGTACCTGTGACAGTGGAAATCTTTCTAACCTCACT  
 TGCAATAATTATAAGAACAAGATGATGGTCTGCCAAGTGGGTGGTATAGAGGCTCTTGTGCGTACTGTCC  
 TTCGGGCTGGTACAGGAAGACATCACTGAGCCTGCCATCTGTGCTCTTCGTCATCTGACCAGCCGACA  
 CCAAGAAGCAGAGATGGCCAGAATGCAGTTCGCCTTCACTATGGACTACCAGTTGTGGTTAAGCTCTTA  
 CACCCACCATCCCACTGGCCTCTGATAAAGGCTACTGTTGGATTGATTCGAAATCTTGCCTTTGTCCCG  
 CAAATCATGCACCTTTGCGTGAGCAGGGTGCCATTCCACGACTAGTTCAGTTGCTTGTTCGTGCACATCA  
 GGATACCCAGCGCCGTACGTCCATGGTGGGACACAGCAGCAATTTGTGGAGGGGTCCGCATGGAAGAA  
 ATAGTTGAAGGTTGTACCGGAGCCCTTACATCCTAGCTCGGGATGTTTACAACCGAATTGTTATCAGAG  
 GACTAAATACCATTCCATTGTTTGTGACAGCTGCTTTATTCTCCATTGAAAACATCCAAAGAGTAGCTGC  
 AGGGGTCTCTGTGAACTTGCTCAGGACAAGGAAGCTGCAGAAGCTATTGAAGCTGAGGGAGCCACAGCT  
 CCTCTGACAGAGTTACTTCACTCTAGGAATGAAGGTGTGGCGACATATGCAGCTGCTGTTTTGTTCCGAA  
 TGTCTGAGGACAAGCCACAAGATTACAAGAAACGGCTTTCAGTTGAGCTGACCAGCTCTCTTTCAGAAC  
 AGAGCCAATGGCTTGGAAATGAGACTGCTGATCTTGACTTGATATTGGTGCCAGGGAGAACCCCTTGGAA  
 TATCGCCAGGATGATCCTAGCTATCGTTCTTTTCACTCTGGTGGATATGGCCAGGATGCCTTGGGTATGG  
 ACCCATGATGGAACATGAGATGGGTGGCCACCACCCTGGTGTGACTATCCAGTTGATGGGCTGCCAGA  
 TCTGGGCATGCCAGGACCTCATGGATGGGCTGCCTCCAGGTGACAGCAATCAGCTGGCCTGGTTTGAT  
 ACTGACCTG

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC400241 representing NM\_001904  
 Red=Cloning site Green=Tags(s)


MATQADLMELDMAMEPDRKAAVSHSGIHS GATTTAPSLSGKGNPEEEDVDT SQVLYEWEQGF SQSFTQE Q  
 VADIDGQYAMTRAQRVRAAMPETLDEGMQIPSTQF DAAHPTNVQRLAEP SQMLKHAVVNLIN YQDDAEL  
 ATRAIPELT KLLNDEDQVVVNKAAVMVHQLSKKEASRHAIMRSPQMVS AIVRTMQNTNDVETARCTAGTL  
 HNL SHHREGLLAIFKSGGIPALVKMLGSPVDSVLFYAITTLHNLLLHQEGAKMAVRLAGGLQKMVALLNK  
 TNVKFLAITTDCLQILAYGNQESKLIILASGGPQALVNIMRITYYEKLLWTTSRVLKVL SVCSSNKPAIV  
 EAGGMQALGLHLTDPSQRLVQNCLWTLRNLSDAATKQEGMEGLLGTLVQLLGSDDIN VVTC AAGILSNLT  
 CNNYKNKMMVCQVGGIEALVRTVLRAGDREDITEPAICALRHLTSRHQEAEMAQNAVRLHYGLPVVVKLL  
 HPPSHWPLIKATVGLIRNLALCPANHAPLREQGAIPRLVQLL VRAHQDTQRRTSMGGTQQQFVEGVRMEE  
 IVEGCTGALHILARDVHNRI VIRGLNTIPLFVQLLYSPIENIQRVAAGVLC ELAQDKEAAEAIEAEGATA  
 PLTELLHSRNEG VATYAAAVLFRMSEDKPQDYKKRLSVELTSSLFRTEPMAWNETADLGLDIGAQGEPLG  
 YRQDDPSYRSFHSGGYGQDALGMDPMEHEMGGHHPGADYPVDGLPDLGHAQDLMDGLPPGDSNQLAWFD  
 TD L

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>RefSeq:</b>	<a href="#">NP_001895</a>
<b>RefSeq Size:</b>	3720 bp
<b>RefSeq ORF:</b>	2346 bp
<b>Locus ID:</b>	1499
<b>Cytogenetics:</b>	3p22.1
<b>Domains:</b>	Armadillo_seg
<b>Protein Families:</b>	Druggable Genome, ES Cell Differentiation/IPS, Transcription Factors
<b>Protein Pathways:</b>	Adherens junction, Arrhythmogenic right ventricular cardiomyopathy (ARVC), Basal cell carcinoma, Colorectal cancer, Endometrial cancer, Focal adhesion, Leukocyte transendothelial migration, Melanogenesis, Pathogenic Escherichia coli infection, Pathways in cancer, Prostate cancer, Thyroid cancer, Tight junction, Wnt signaling pathway
<b>MW:</b>	84 kDa
<b>Gene Summary:</b>	<p>The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell layers by regulating cell growth and adhesion between cells. The encoded protein also anchors the actin cytoskeleton and may be responsible for transmitting the contact inhibition signal that causes cells to stop dividing once the epithelial sheet is complete. Finally, this protein binds to the product of the APC gene, which is mutated in adenomatous polyposis of the colon. Mutations in this gene are a cause of colorectal cancer (CRC), pilomatrixoma (PTR), medulloblastoma (MDB), and ovarian cancer. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2016]</p>