

Product datasheet for **RC400337**

MET (NM_000245) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	MET (NM_000245) Human Mutant ORF Clone
Mutation Description:	R970C
Affected Codon#:	970
Affected NT#:	c.2908
Nucleotide Mutation:	MET Mutant (R970C), Myc-DDK-tagged ORF clone of Homo sapiens met proto-oncogene (hepatocyte growth factor receptor) (MET), transcript variant 2 as transfection-ready DNA
Effect:	Missense
Symbol:	MET
Synonyms:	AUTS9; c-Met; DFN97; HGFR; RCCP2
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000245
ORF Size:	4170 bp
Restriction Sites:	SgfI-MluI
ORF Nucleotide Sequence:	>RC400337 representing NM_000245 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAAGCCCCCGCTGTGCTTGACCTGGCATCCTCGTCTCTGTTACCTTGGTGCAGAGGAGCAATG
GGGAGTGTAAAGAGGCACTAGCAAAGTCCGAGATGAATGTGAATATGAAGTATCAGCTTCCCACTTCAC
CGCGAAACACCCATCCAGAATGTCATTCTACATGAGCATCACATTTTCCTTGGTGCCACTAACTACATT
TATGTTTTAAATGAGGAAGACCTTCAGAAGTTGCTGAGTACAAGACTGGGCTGTGCTGGAACACCCAG
ATTGTTTCCCATGTCAGGACTGCAGCAGCAAAGCAATTTATCAGGAGGTGTTTGAAAGATAACATCAA
CATGGCTCTAGTTGTCGACACCTACTATGATGATCAACTATTAGCTGTGGCAGCGTCAACAGAGGGACC
TGCCAGCGACATGTCTTTCCCAACAATCATACTGCTGACATACAGTCGGAGGTTCACTGCATATTCTCC



[View online »](#)

CACAGATAGAAGAGCCCAGCCAGTGTCCCTGACTGTGTGGTGAGCGCCCTGGGAGCCAAAGTCTTTCATC
TGTAAGGACCGTTCATCAACTTCTTTGTAGGCAATACCATAAATCTTCTTATTTCCAGATCATCCA
TTGCATTGCATATCAGTGAGAAGGCTAAAGGAAACGAAAGATGGTTTTATGTTTTGACGGACCAGTCTC
ACATTGATGTTTTACCTGAGTTCAGAGATTCTACCCATTAGTATGTCATGCCTTTGAAAGCAACAA
TTTTATTTACTTCTTGACGGTCCAAAGGAACTCTAGATGCTCAGACTTTTCACACAAGAATAATCAGG
TTCTGTCCATAAACTCTGGATTGCATTCTACATGAAATGCCTCTGGAGTGTATTCTCACAGAAAAGA
GAAAAAGAGATCCACAAGAAGGAAGTTTAATATACTTCAGGCTGCGTATGTCAGCAAGCTGGGGC
CCAGCTTGCTAGACAAATAGGAGCCAGCCTGAATGATGACATTCTTTTCGGGGTTCGCACAAAGCAAG
CCAGATTCTGCCGAACCAATGGATCGATCTGCCATGTGTGCATTCCCTATCAAATATGTCAACGACTTCT
TCAACAAGATCGTCAACAAAAACAATGTGAGATGTCTCCAGCATTTTTACGGACCCAATCATGAGCACTG
CTTTAATAGGACACTTCTGAGAAATTCATCAGGCTGTGAAGCGCGCCGTGATGAATATCGAACAGAGTTT
ACCACAGCTTTGACGCGCTTGACTTATTCATGGGTCAATTGAGCGAAGTCTCTAACATCTATATCCA
CCTTCATTAAGGAGACCTCACCATAGCTAATCTTGGGACATCAGAGGGTCGTTTCATGCAGTTGTGGT
TTCTCGATCAGGACCATCAACCCTCATGTGAATTTCTCCTGGACTCCCATCCAGTGTCTCCAGAAGTG
ATTGTGGAGCATACATTAACCAAAAATGGCTACACACTGGTTATCACTGGGAAGAAGATCACGAAGATCC
CATTGAATGGCTTGGGCTGCAGACATTTCCAGTCTGCAGTCAATGCCTCTCTGCCCCACCTTTGTTC
GTGTGGCTGGTGCCACGACAAATGTGTGCGATCGGAGGAATGCCTGAGCGGGACATGGACTCAACAGATC
TGTCTGCCTGCAATCTACAAGTTTTCCAAAATAGTGCACCCCTTGAAGGAGGGACAAGGCTGACCATAT
GTGGCTGGGACTTTGGATTTTCGGAGGAATAATAAATTTGATTTAAAGAAAAGTCTCCTTGGAAA
TGAGAGCTGCACCTTGACTTTAAGTGAGAGCAGATGAATACATTGAAATGCACAGTTGGTCTGCCATG
AATAAGCATTTCAATAATGTCCATAATTTTCAAATGGCCACGGGACAACACAATACAGTACATTCTCT
ATGTGGATCCTGTAATAACAAGTATTTCCCGAAATACGGTCTATGGCTGGTGGCACTTACTTACTTT
AACTGGAAATACCTAAACAGTGGGAATCTAGACACATTTCAATTGGTGGAAAAACATGACTTTAAAA
AGTGTGTTCAAACAGTATTTGAAATGTTATACCCAGCCAAACCAATTTCAACTGAGTTTGTCTTTAAAT
TGAAAATTGACTTAGCCAACCGAGAGACAAGCATCTTCAGTTACCGTGAAGATCCCATTTGTCTATGAAAT
TCATCCAACCAATCTTTTATTAGTGGTGGGAGACAATAACAGGTGTTGGGAAAAACCTGAATTCAGTT
AGTGTCCCAGAAATGGTCATAAATGTGCATGAAGCAGGAAGGAACCTTACAGTGGCATGTCAACATCGCT
CTAATTCAGAGATAATCTGTTGTACCCTCCTTCCCTGCAACAGCTGAATCTGCAACTCCCCCTGAAAAC
CAAAGCCTTTTTCATGTTAGATGGGATCCTTTCCAAATACTTTGATCTCATTATGTACATAATCCTGTG
TTTAAGCCTTTTGAAGCCAGTGTATCTCAATGGGCAATGAAATGTACTGGAAATTAAGGGAAATG
ATATTGACCTGAAGCAGTTAAAGGTGAAGTGTAAAAGTTGGAATAAGAGCTGTGAGAAATACACTT
ACATTCGAAGCCGTTTTATGCACGGTCCCAATGACCTGCTGAAATTGAACAGCGAGCTAAATATAGAG
TGGAAGCAAGCAATTTCTTCAACCGTCTTGGAAAAGTAAAGTTCAACCAGATCAGAATTTACAGGAT
TGATTGCTGGTGTGTCTCAATATCAACAGCACTGTTATTACTACTTGGGTTTTCTGTGGCTGAAAA
GAGAAAGCAAAATAAAGATCTGGGCAGTGAATAGTTTGTACGATGCAAGAGTACACACTCCTCATTG
GATAGGCTTGTAAAGTGCCGAAGTGAAGCCAACTACAGAAATGGTTTTCAAATGAATCTGTAGACTACC
GAGTACTTTTCCAGAAGATCAGTTTCTAATTCATCTCAGAACGGTTCATGCCGACAAGTGCAGTATCC
TCTGACAGACATGTCCCCATCCTAACTAGTGGGACTCTGATATACAGTCCATTACTGCAAAAATCT
GTCACATTGACCTCAGTGTCTAAATCCAGAGCTGGTCCAGGCAGTGCAGCATGTAGTATTGGGCCCA
GTAGCCTGATTGTGCATTTCAATGAAGTCATAGGAAGAGGGCATTGTTGGTTGTATATCATGGGACTTT
GTTGGACAATGATGGCAAGAAAATCACTGTGCTGTGAAATCCTTGAACAGAATCACTGCATAGGAGAA
GTTTCCCAATTTCTGACCGAGGGAATCATCATGAAAGATTTTAGTCATCCCAATGTCTCTCGCTCCTGG
GAATCTGCCTGCGAAGTGAAGGGTCTCCGCTGGTGGTCTACCATACATGAAACATGGAGATCTTCGAAA
TTTCATTCGAAATGAGACTCATAATCCAAGTAAAAGATCTTATTGGCTTTGGTCTTCAAGTAGCCAAA
GGCATGAAATATCTTGAAGCAAAAAGTTGTCCACAGAGACTGGCTGCAAGAACTGTATGCTGGATG
AAAAATCACAGTCAAGTTGCTGATTTTGGTCTTGCCAGAGACATGTATGATAAAGAATACTATAGTGT
ACACAACAAAACAGGTGCAAGCTGCCAGTGAAGTGGATGGCTTTGGAAAAGTCTGCAAACTCAAAAGTTT
ACCACCAAGTCAGATGTGTGGTCTTTGGCGTGTCTCTCTGGGAGCTGATGACAAGAGGACCCCACTT
ATCCTGACGTAACACCTTTGATATAACTGTTTACTTGTGCAAGGGAGAAGACTCCTACAACCCGAATA
CTGCCAGACCCCTTATGAAGTAATGCTAAAATGCTGGCACCTAAAGCCGAAATGCGCCCATCCTTT
TCTGAACTGGTGTCCCGGATATCAGCGATCTTCTCTACTTTTATTGGGGAGCACTATGTCATGTGAACG
CTACTTATGTGAACGTAATAATGTGTCGCTCCGTATCCTTCTGTGTGCATCAGAAGATAACGCTGATGA

TGAGGTGGACACGACCAGCCTCTTCTGGGAGACATCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:


>RC400337 representing NM_000245
Red=Cloning site Green=Tags(s)

MKAPAVLAPGILVLLFTLVQRSNGECKEALAKSEMNVNMKYQLPNFTAETPIQNVILHEHHIFLGATNYI
YVLNEEDLQKVAEYKTPVLEHPDCFPQCDCSSKANLSGGVWVDNINMALVVDYDDQLISCGSVNRT
CQRHVFPNHHTADIQSEVHCIFSPQIEEPSQPCDCVVSALGAKVLSVKDRFINFFVGNITNSSYFPDHP
LHSISVRRLETKDGMFLTDQSYIDVLEFRDSYPIKYVHAFESNNFIYFLTVQRETLDAQTFHTRIIR
FCSINSLGHSYMEMPLECILTEKRKKRSTKKEVFNILQAAYVSKPGAQLARQIGASLNDLILFGVFAQSK
PDSAEPMDRSAMCAFPKIKYVNDFFNKIVNKNVRCQLQHFYGNHEHCFNRLLRNSSGCEARRDEYRTEF
TTALQVRVDLFMGQFSEVLLTSISTFIKGDLTIANLGTSEGRFMQVVVSRSGPSTPHVNFLLDHPVSPEV
IVEHTLNQNGYTLVITGKKITKIPLNGLGCRHFQSCSQCLSAPPFVQCGWCHDKCVRSEECLSGTWTQOI
CLPAIYKVFVNSAPLEGGTRLTICGWDFGFRNNKFDLKKTRVLLGNESCTLTSESTMNTLKCTVGPAM
NKHFNMSIIISNGHGTTQYSTFSYVDPVITSISPKYGPMAGGTLTLTGNLNSGNSRHISIGGKCTLK
SVSNSILECYTPAQTI STEFAVKLKIDLANRETSIFS YREDPIVYEIHPKTSFISGGSTITGVGNLNSV
SVPRMVINVHEAGRNFTVACQHRNSSEIICCTTPSLQQLNLQLPLKTKAFFMLDGILSKYFDLIYVHNPV
FKPFKPMISMGNENVLEIKGNDIDPEAVKGEVLKVGKNSCENIHLHSEAVLCTVPNDLLKLNSELNIE
WKQAISSTVLGKVIQPDQNFGLIAGVVSISTALLLLGGFFLWLKRRKQIKDLGSELVCYDARVHTPHL
DRLVARSVSPTEMVSNESVDYRATFPEDQFPNSSQNGSCRQVQYPLTDMSPILTSGSDISSPLLQNT
VHIDL SALNPELVQAVQHVVIGPSSLIVHFNEVIGRGHFGCVYHGTL DNDGKIIHCAVKS LNRIIDIGE
VSQFLTEGIIMKDFSHPNVLSLLGICLRSEGSPLVVL P YMKHGD L RNFIRNETHNPTVKDLIGFLQVAK
GMKYLASKKFVHRDLAARNCMLDEKFTVKVADFLARDMYDKEYYSVHNKTGAKLPVKWMALESQTQKF
TTKSDVWSFGVLLWELMTRGAPPYPDVNTFDITVYLLQGRLLQPEYCPDPLYEVMKLCWHPKAEMRPSF
SELVSRISAIFSTFIGEHYVHVNATYVNVKCVAPYPSLLSSEDNADDEVDRPASFWETS

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfi-MluI

Cloning Scheme:


* The last codon before the Stop codon of the ORF

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
RefSeq:	<p>NP_000236</p>
RefSeq Size:	<p>6641 bp</p>
RefSeq ORF:	<p>4173 bp</p>
Locus ID:	<p>4233</p>
Cytogenetics:	<p>7q31.2</p>
Protein Families:	<p>Druggable Genome, Protein Kinase, Transmembrane</p>
Protein Pathways:	<p>Adherens junction, Axon guidance, Colorectal cancer, Cytokine-cytokine receptor interaction, Endocytosis, Epithelial cell signaling in Helicobacter pylori infection, Focal adhesion, Melanoma, Pathways in cancer, Renal cell carcinoma</p>
MW:	<p>155 kDa</p>
Gene Summary:	<p>This gene encodes a member of the receptor tyrosine kinase family of proteins and the product of the proto-oncogene MET. The encoded preproprotein is proteolytically processed to generate alpha and beta subunits that are linked via disulfide bonds to form the mature receptor. Further processing of the beta subunit results in the formation of the M10 peptide, which has been shown to reduce lung fibrosis. Binding of its ligand, hepatocyte growth factor, induces dimerization and activation of the receptor, which plays a role in cellular survival, embryogenesis, and cellular migration and invasion. Mutations in this gene are associated with papillary renal cell carcinoma, hepatocellular carcinoma, and various head and neck cancers. Amplification and overexpression of this gene are also associated with multiple human cancers. [provided by RefSeq, May 2016]</p>