

## Product datasheet for **RC400422**

### **PTEN (NM\_000314) Human Mutant ORF Clone**

#### **Product data:**

Product Type:	Mutant ORF Clones
Product Name:	PTEN (NM_000314) Human Mutant ORF Clone
Mutation Description:	L112V
Affected Codon#:	112
Affected NT#:	c.334
Nucleotide Mutation:	PTEN Mutant (L112V), Myc-DDK-tagged ORF clone of Homo sapiens phosphatase and tensin homolog (PTEN) as transfection-ready DNA
Effect:	Missense
Symbol:	PTEN
Synonyms:	10q23del; BZS; CWS1; DEC; GLM2; MHAM; MMAC1; PTEN1; PTENbeta; TEP1
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000314
ORF Size:	1209 bp
Restriction Sites:	Sgfi-Mlul



[View online »](#)

ORF Nucleotide  
Sequence:

>RC400422 representing NM\_000314  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCGCGATCGCC

ATGACAGCCATCATCAAAGAGATCGTTAGCAGAAAACAAAAGGAGATATCAAGAGGATGGATTCGACTTAG  
ACTTGACCTATATTTATCCAAACATTATTGCTATGGGATTTCTGCAGAAAGACTTGAAGGCGTATACAG  
GAACAATATTGATGATGTAGTAAGGTTTTGGATTCAAAGCATAAAAACCATTACAAGATATACAATCTT  
TGTGCTGAAAGACATTATGACACCGCCAAATTTAATTGCAGAGTTGCACAATATCCTTTTGAAGACCATA  
ACCCACCACAGCTAGAACTTATCAAACCCTTTGTGAAGATCTTGACCAATGGGTAAGTGAAGATGACAA  
TCATGTTGCAGCAATTCAGTGTAAAGCTGAAAAGGGACGAACTGGTGTAAATGATATGTGCATATTTATTA  
CATCGGGGCAATTTTTAAAGGCACAAGAGGCCCTAGATTTCTATGGGGAAGTAAAGACCAGAGACAAAA  
AGGGAGTAACTATCCAGTCAGAGGCGCTATGTGATTATTATAGCTACCTGTTAAAGAATCATCTGGA  
TTATAGACCAGTGGCACTGTTGTTTACAAGATGATGTTGAAACTATCCAATGTTCACTGGCGGAACT  
TGCAATCCTCAGTTTGTGGTCTGCCAGCTAAAGGTGAAGATATATTCCTCCAATTCAGGACCCACACGAC  
GGGAAGACAAGTTCATGTACTTTGAGTTCCTCAGCCGTTACCTGTGTGTGGTATATCAAGTAGAGTT  
CTTCCACAAAACAGAAAGATGCTAAAAAGGACAAAATGTTTCACTTTTGGGTAATACATTCTTCATA  
CCAGGACCAGAGGAACTCAGAAAAAGTAGAAAATGGAAGTCTATGTGATCAAGAAATCGATAGCATT  
GCAGTATAGAGCGTGCAGATAATGACAAGGAATATCTAGTACTTACTTTAACAAAAATGATCTTGACAA  
AGCAAAATAAGACAAAGCCAACCGATACTTTTCTCAAATTTAAGGTGAAGCTGTACTTCACAAAAACA  
GTAGAGGAGCCGTCAAATCCAGAGGCTAGCAGTTCAACTTCTGTAACACCAGATGTTAGTGACAATGAAC  
CTGATCATTATAGATTTCTGACACCACTGACTCTGATCCAGAGAATGAACCTTTTGATGAAGATCAGCA  
TACACAAATTACAAAAGTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

## Protein Sequence:


>RC400422 representing NM\_000314  
Red=Cloning site Green=Tags(s)

MTAIIKEIVSRNKRRYQEDGFDLDTYIYPNIIAMGFPAERLEGVYRNNIDDVVRFLDSKHKNHYKIYNL  
CAERHYDTAKFNCRVAQYPFEDHNPPQLELIKPFCELDQWVSEDDNHVAAIHCKAGKGRTGVMICAYLL  
HRGKFLKAQEALDFYGEVTRDKKGVTIQSRRYVYYSYLLKNHLDYRPVALLFHKMMFETIPMFSGGT  
CNPQFVVCQLKVKIYSSNSGPTRRREDFMYEFPPQLPVCVDIKVEFFHKQNKMLKKDKMFHFWNTFFI  
PGPEETSEKVENGSLCDQEIDSICSIERADNDKEYLVLTLTKNDLKDANKDKANRYFSPNFKVKLYFTKT  
VEEPSNPEASSSTSVTPDVSDNEPDHYRYSDDTSDPENEPFDEDQHTQITKV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

## Restriction Sites:

Sgfl-Mlul

**Cloning Scheme:**

**OTI Disclaimer:**

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:**

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:**

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Note:**

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

**RefSeq:**

[NP\\_000305](#)

**RefSeq Size:**

5572 bp

**RefSeq ORF:**

1212 bp

**Locus ID:**

5728

**Cytogenetics:**

10q23.31

**Domains:**

PTPc\_motif

<b>Protein Families:</b>	Druggable Genome, Phosphatase
<b>Protein Pathways:</b>	Endometrial cancer, Focal adhesion, Glioma, Inositol phosphate metabolism, Melanoma, p53 signaling pathway, Pathways in cancer, Phosphatidylinositol signaling system, Prostate cancer, Small cell lung cancer, Tight junction
<b>MW:</b>	47 kDa
<b>Gene Summary:</b>	<p>This gene was identified as a tumor suppressor that is mutated in a large number of cancers at high frequency. The protein encoded by this gene is a phosphatidylinositol-3,4,5-trisphosphate 3-phosphatase. It contains a tensin like domain as well as a catalytic domain similar to that of the dual specificity protein tyrosine phosphatases. Unlike most of the protein tyrosine phosphatases, this protein preferentially dephosphorylates phosphoinositide substrates. It negatively regulates intracellular levels of phosphatidylinositol-3,4,5-trisphosphate in cells and functions as a tumor suppressor by negatively regulating AKT/PKB signaling pathway. The use of a non-canonical (CUG) upstream initiation site produces a longer isoform that initiates translation with a leucine, and is thought to be preferentially associated with the mitochondrial inner membrane. This longer isoform may help regulate energy metabolism in the mitochondria. A pseudogene of this gene is found on chromosome 9. Alternative splicing and the use of multiple translation start codons results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Feb 2015]</p>