

Product datasheet for **RC400479**

CBL (NM_005188) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	CBL (NM_005188) Human Mutant ORF Clone
Mutation Description:	C396Y
Affected Codon#:	396
Affected NT#:	c.1187
Nucleotide Mutation:	CBL Mutant (C396Y), Myc-DDK-tagged ORF clone of Homo sapiens Cas-Br-M (murine) ecotropic retroviral transforming sequence (CBL) as transfection-ready DNA
Effect:	Missense
Symbol:	CBL
Synonyms:	C-CBL; CBL2; FRA11B; NSLL; RNF55
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_005188
ORF Size:	2718 bp
Restriction Sites:	Sgfi-MluI



[View online »](#)

ORF Nucleotide
Sequence:

>RC400479 representing NM_005188
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGGCCGGCAACGTGAAGAAGAGCTCTGGGGCCGGGGCGGCAGCGGCTCCGGGGCTCGGGTTCGGGTG
GCCTGATTGGGCTCATGAAGGACGCCTTCCAGCCGCACCACCACCACCACCACCCTCAGCCCCACCC
GCCGGGACGGTGGACAAGAAGATGGTGGAGAAGTGTGGAAGCTCATGGACAAGGTGGTGCGGTTGTGT
CAGAACCCAAAGCTGGCGCTAAAGAATAGCCACCTTATATCTTAGACCTGCTACCAGATACCTACCAGC
ATCTCCGTAATCTTGTCAAGATATGAGGGGAAGATGGAGACACTTGGAGAAAATGAGTATTTAGGGT
GTTTATGGAGAATTTGATGAAGAAAATAAGCAAACATAAGCCCTTCAAGGAGGAAAAAGAAAGTATG
TATGAGGAGAATCTCAGCCTAGGCGAAACCTAACCAAAGTGTCCCTCATCTTCAGCCACATGCTGGCAG
AACTAAAAGGAATCTTCCAAGTGGACTCTTTCAGGGAGACACATTTCCGATTACTAAAGCAGATGCTGC
GGAATTTTGGAGAAAAGCTTTTGGGGAAAAGACAATAGTCCCTTGAAGAGCTTTCGACAGGCTCTACAT
GAAGTGCATCCCATCAGTCTGGGCTGGAGGCCATGGCTCTGAAATCCACTATTGATCTGACCTGCAATG
ATTATATTTTCGGTTTTTGAATTTGACATCTTACCCGACTCTTTCAGCCCTGGTCTCTTTGCTCAGGAA
TTGGAACAGCCTTGTGTAACCTCATCTGGCTACATGGCTTTTTTACGATGACGAAAGTAAAGCTCGG
CTCCAGAAATTCATTCACAAACCTGGCAGTTATATCTTCCGGCTGAGCTGTACTCGTCTGGGTCAGTGGG
CTATTGGGTATGTTACTGCTGATGGGAACATTCCTCAGACAATCCCTCACAATAAACCTCTTCCAAGC
ACTGATTGATGGCTTCAGGGAAGGCTTCTATTTGTTTCTGATGGACGAAATCAGAATCCTGATCTGACT
GGCTTATGTGAACCAACTCCCAAGACCATATCAAAGTGACCCAGGAACAATATGAATTAATACTGTGAGA
TGGGCTCCACTTCCAACATGTAAAAATGTGCTGAAAATGATAAGGATGTAAGAGATTGAGCCCTATGG
ACACCTCATGTGCACATCCTGTCTTACATCCTGGCAGGAATCAGAAGGTCAGGGCTGTCTTTCTGCCGA
TGTGAAATTAAGGTAAGTGAACCCATCCTGGTGTAGATCCGTTTGTCTAGAGGGAGTGGCAGCCTGTTGA
GGCAAGGAGCAGAGGGAGCTCCCTCCCAAAATATGATGATGATGATGATGAAACGAGCTGATGACTCT
CTTCATGATGAAGGAATTGGCTGGTGGCAAGGTGGAACGGCCGCTTCTCCATTCTCCATGGCCCCACAA
GCTTCCCTTCCCCGGTCCACCACGACTTGACCTTCTGCCGACGAGTATGTGTTCCCTCAAGTGCTT
CTGCTCTTGGAACTGCTTCTAAGGCTGCTTCTGGCTCCCTTATAAAGACAAACCATTGCCAGTACCTCC
CACACTTCGAGATCTTCCACCACCACCGCTCCAGACCGCCATATTCTGTTGGAGCAGAATCCCGACCT
CAAAGACGCCCTTGCCTTGTACACCAGGCGACTGTCCCTCCAGAGACAAACTGCCCCCTGTCCCCTCTA
GCCGCCTTGGAGACTCATGGCTGCCCGGCCAATCCCAAAAGTACCAGTATCTGCCCAAGTTCCAGTGA
TCCCTGGACAGGAAGAGAATTAACCAACCGGCACTCACTTCCATTTTCATTGCCCTCACAAATGGAGCCC
AGACCAGATGTGCTTAGGCTCGGAAGCAGTTCAGTCTGGATACCTCCATGAGTATGAATAGCAGCCAT
TAGTAGGTCCAGAGTGTGACCACCCCAAAATCAAACCTTCCCTCATCTGCCAATGCCATTTATTCTCTGGC
TGCCAGACCTCTTCTGTGCCAAAACCTGCCACCTGGGGAGCAATGTGAGGGTGAAGAGGACACAGAGTAC
ATGACTCCCTCTTCCAGGCTCTACGGCCTTTGGATACATCCCAGAGTTCACGAGCATGTGATTGCGACC
AGCAGATTGATAGCTGTACGTATGAAGCAATGTATAATATTAGTCCCAGGCGCCATCTATCACCAGAG
CAGCACCTTTGGTGAAGGAATTTGGCCGAGCCCATGCCAACACTGGTCCCAGGAGTCAAGAAATGAG
GATGATGGGTATGATGTCCCAAGCCACTGTGCCGGCCGTGCTGGCCCGCCGAACCTCTCAGATATCT
CTAATGCCAGCTCCTCCTTTGGCTGGTGTCTCTGGATGGTGTCTTACAACAAATGTCCTGAAGGTTT
CCAAGTTCCCAGAGGCTCCAAAACCTTCCCGGAGAAATCAACTCTGAACGGAAGCTGGCAGCTGT
CAGCAAGGTAGTGGTCTGCCGCTCTGCTGCCACCGCTCACCTCAGCTCTCCAGTGAATCGAGAACC
TCATGAGTCAGGGTACTCCTACCAGGACATCCAGAAAGCTTTGGTCATTGCCAGAACAAACATCGAGAT
GCCAAAACATCCTCCGGGAATTTGTTCCATTTCTTCTCCTGCCATGTAGCTACC

ACGCGTACGCGGCGGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC400479 representing NM_005188
 Red=Cloning site Green=Tags(s)

MAGNVKKSSGAGGSGSGSGSGLI GLMKDAFQPHHHHHHLSPHPPGTVDKMKVEKCKWLMDKVVRLC
 QNPKLALKNSPPYILDLLPDTYQHLRTILSRYEKMETLGENEYFRVFMENLMKKTQTISLFKEGKERM
 YEENSQPRRNLTKLSLIFSHMLAELKGI FPSGLFQGDTRITKADAAEFWRKAFGEKTI VPKSFRQALH
 EVHIPSSGLEAMALKSTIDLTCNDYISVFEFDIFTRLFQPWSSLLRNWNSLAVTHPGYMAFLTYDEVKAR
 LQKFIHKPGSYIFRLSCTRLGQWAIGYVTADGNILQTI PHNKPLFQALIDGFREGFYLPDGRNQNPDLT
 GLCEPTQDHIKVTQEYELYCEMGSTFQLCKICAENDKDVKIEPYGHLMCTSLTTSWQESEGGQPCFCR
 CEIKGTEPIVVDPDFPRGSGSLLRQGAEGAPSPNYDDDDDERADDTLFMMKELAGAKVERPPSPFSMAPQ
 ASLPPVPPRLDLLPQRVCVPSSASALGTASKAASGSLHKDKPLVPPTLRDLPPPPPPDRPYSVGAESRP
 QRRPLCTPGDCPSRDKLPPVPSRLGDSWLRPVPKVPVSAPSSDPWTGREL TNRHSLPFLSPSQMEP
 RPDVPRLGSTFSLDTSMSMNSSPLVGPECDHPKIKPSSSANAIYSLAARPLVPKLPPEQCEGEEDTEY
 MTPSSRPLRPLDTSQSSRACDCQQIDSCTYEAMYNISQSQAPSITESSTFGEGLAAAHANTGPEESENE
 DDGYDVPKPPVAVLARRTLSDISNASSFGWLSLDGDPTTNVTEGSQVPERPPKPPRRINSERKAGSC
 QQGSGPAASAATASPQLSSEIENLMSQYSYQDIQKALVIAQNNIEMAKNILREFVSISSPAHVAT

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:



OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
RefSeq:	<p>NP_005179</p>
RefSeq Size:	<p>11241 bp</p>
RefSeq ORF:	<p>2721 bp</p>
Locus ID:	<p>867</p>
Cytogenetics:	<p>11q23.3</p>
Domains:	<p>UBA, RING, Cbl_N</p>
Protein Families:	<p>Druggable Genome, Transcription Factors</p>
Protein Pathways:	<p>Chronic myeloid leukemia, Endocytosis, ErbB signaling pathway, Insulin signaling pathway, Jak-STAT signaling pathway, Pathways in cancer, T cell receptor signaling pathway, Ubiquitin mediated proteolysis</p>
MW:	<p>99 kDa</p>
Gene Summary:	<p>This gene is a proto-oncogene that encodes a RING finger E3 ubiquitin ligase. The encoded protein is one of the enzymes required for targeting substrates for degradation by the proteasome. This protein mediates the transfer of ubiquitin from ubiquitin conjugating enzymes (E2) to specific substrates. This protein also contains an N-terminal phosphotyrosine binding domain that allows it to interact with numerous tyrosine-phosphorylated substrates and target them for proteasome degradation. As such it functions as a negative regulator of many signal transduction pathways. This gene has been found to be mutated or translocated in many cancers including acute myeloid leukaemia, and expansion of CGG repeats in the 5' UTR has been associated with Jacobsen syndrome. Mutations in this gene are also the cause of Noonan syndrome-like disorder. [provided by RefSeq, Jul 2016]</p>