

Product datasheet for RC400501

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BRCA2 (NM_000059) Human Mutant ORF Clone

Product data:

Product Type: Mutant ORF Clones

Product Name: BRCA2 (NM_000059) Human Mutant ORF Clone

Mutation Description: E45X

Affected Codon#: 45

Affected NT#: 133

Nucleotide Mutation: BRCA2 Mutant (E45X), Myc-DDK-tagged ORF clone of Homo sapiens breast Cancer, early onset

(BRCA2) as transfection-ready DNA

Effect: Breast and/or ovarian cancer

Symbol: BRCA2

Synonyms: BRCC2; BROVCA2; FACD; FAD1; FANCD1; GLM3; PNCA2; XRCC11

E. coli Selection: Kanamycin (25 ug/mL)

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001)

 Tag:
 Myc-DDK

 ACCN:
 NM_000059

ORF Size: 132 bp
Restriction Sites: Sgfl-Rsrll

ORF Nucleotide >RC400501 representing NM_000059

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCTATTGGATCCAAAGAGAGGCCAACATTTTTTGAAAATTTTTAAGACACGCTGCAACAAAGCAGATT

TAGGACCAATAAGTCTTAATTGGTTTGAAGAACTTTCTTCAGAAGCTCCACCCTATAATTCT

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGATCTGGCAGCAAATGATATCC

TGGATTACAAGGATGACGACGA TAAGGTTTAA





Protein Sequence: >RC400501 representing NM_000059

Red=Cloning site Green=Tags(s)

MPIGSKERPTFFEIFKTRCNKADLGPISLNWFEELSSEAPPYNS

SGPTRTRRLEOKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites:

Sgfl-RsrII

Cloning Scheme:

Cloning sites used for ORF Shuttling: Safl GGA CCG GCGATCGC

CTATAGGGCGGC	EcoRI CGGGAATTCG		HI Kpn I	RBS	- victgo	Con	ozac isensus Sgfl GCGATCGC	C C ATG -	
ORF		Miui cg acg cgr P T R	ACG CGC T R	G CCG C	Xhol C GAG L E	CAG Q	AAA CTC K L	Tag ATC TCZ I S	A GAA GAG E E
GAT CTG GCA	GCA AAT GA A N D			Flag.Tag AAG GA K D	r gac D	GAC (GAT AAG D K	Pme I GTT TAA V stop	Fse I ACGGCCGGC

^{*} The last codon before the Stop codon of the ORF

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq: NP 000050

RefSeq Size: 132 bp RefSeq ORF: 10257 bp

Locus ID: 675

Cytogenetics: 13q13.1

Protein Families: Druggable Genome

Protein Pathways: Homologous recombination, Pancreatic cancer, Pathways in cancer

MW: 4.8 kDa



Gene Summary:

Inherited mutations in BRCA1 and this gene, BRCA2, confer increased lifetime risk of developing breast or ovarian cancer. Both BRCA1 and BRCA2 are involved in maintenance of genome stability, specifically the homologous recombination pathway for double-strand DNA repair. The largest exon in both genes is exon 11, which harbors the most important and frequent mutations in breast cancer patients. The BRCA2 gene was found on chromosome 13q12.3 in human. The BRCA2 protein contains several copies of a 70 aa motif called the BRC motif, and these motifs mediate binding to the RAD51 recombinase which functions in DNA repair. BRCA2 is considered a tumor suppressor gene, as tumors with BRCA2 mutations generally exhibit loss of heterozygosity (LOH) of the wild-type allele. [provided by RefSeq, May 2020]