

Product datasheet for **RC400539**

BRCA2 (NM_000059) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	BRCA2 (NM_000059) Human Mutant ORF Clone
Mutation Description:	K467X
Affected Codon#:	467
Affected NT#:	1399
Nucleotide Mutation:	BRCA2 Mutant (K467X), Myc-DDK-tagged ORF clone of Homo sapiens breast Cancer, early onset (BRCA2) as transfection-ready DNA
Effect:	Breast and/or ovarian cancer
Symbol:	BRCA2
Synonyms:	BRCC2; BROVCA2; FACD; FAD; FAD1; FANCD; FANCD1; GLM3; PNCA2; XRCC11
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000059
ORF Size:	1398 bp
Restriction Sites:	Sgfl-RsrII



[View online »](#)

ORF Nucleotide Sequence:

>RC400539 representing NM_000059
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGCCTATTGGATCCAAAGAGAGGCCAACATTTTTTGAATTTTTAAGACACGCTGCAACAAAGCAGATT
 TAGGACCAATAAGTCTTAATTGGTTTGAAGAACTTTCTCAGAAGCTCCACCCTATAATTCTGAACCTGC
 AGAAGAATCTGAACATAAAAAACAATAATTACGAACCAAACTATTTAAAACTCCACAAAGGAAACCATCT
 TATAATCAGCTGGCTTCAACTCCAATAATTCAAAGGCAAGGGCTGACTCTGCCGCTGTACCAATCTC
 CTGTAAGAATAGATAAAATCAAAATAGACTTAGGAAGGAATGTTCCAATAGTAGACATAAAAGTCT
 TCGCACAGTAAAACTAAATGGATCAAGCAGATGATGTTTCTGTCCACTTCTAAATCTTGTCTTAGT
 GAAAGTCTGTTGTTCTACAATGTACACATGTAACACCACAAAGAGATAAGTCAGTGGTATGTGGGAGTT
 TGTTTCATACACCAAAGTTGTGAAGGGTCGTGACACCAAAACATATTTCTGAAAGTCTAGGAGCTGA
 GGTGGATCCTGATATGCTTGGTCAAGTCTTTAGCTACACCACCCACCTTAGTCTACTGTGCTCATA
 GTCAGAAATGAAGAAGCATCTGAAACTGTATTTCTCATGATACTACTGCTAATGTGAAAAGCTATTTTT
 CCAATCATGATGAAAGTCTGAAGAAAAATGATAGATTTATCGCTTCTGTGACAGACAGTAAAAACACAAA
 TCAAAGAGAAGCTGCAAGTCAATGGATTTGGAAAAACATCAGGGAATTCATTTAAAGTAAATAGCTGCAAA
 GACCACATTGGAAGTCAATGCCAAATGTCCTAGAAGATGAAGTATATGAAACAGTTGTAGATACCTCTG
 AAGAAGATAGTTTTTCATTATGTTTTCTAAATGTAGAACAAAAATCTACAAAAAGTAAGAACTAGCAA
 GACTAGGAAAAAATTTCCATGAAGCAACCGTGTGATGATGAAAAATCTAAAAACCAAGTGAAGAA
 AAATACTCATTGTATCTGAAGTGAACCAATGACTGATCCATTAGATTCAAATGTAGCAAAATCAGA
 AGCCCTTTGAGAGTGAAGTGACAAAACTCCAAGGAAGTTGTACCGTCTTTGGCCTGTGAATGGTCTCA
 ACTAACCCCTTTCAGGTCTAAATGGAGCCAGATGGAGAAAAATACCCCTATTGCATATTTCTTCATGTGAC
 CAAAAATTTTCAGAAAAAGACCTATTAGACACAGAGAACAAAAAGAAAGAAATTTTCTACTTCAGAGA
 ATTCTTTGCCACGTATTTCTAGCCTACCAAAATCAGAGAAGCCATTAATGAGGAAACAGTGGTAAAT

AG**GCGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:


>RC400539 representing NM_000059
 Red=Cloning site Green=Tags(s)

MPIGSKERPTFFEIFKTRCNKADLGPISLWNFEEL SSEAPPYNSEPAE ESEHKNNNYEPNLFKTPQRKPS
 YNQLASTPIIFKEQGLTLPLYQSPVKELDKFKLDLGRNVPNSRHKSLRTVKTMDQADDVSCPLLNSCLS
 ESPVVLQCTHVTQQRDKSVVCGSLFHTPKFVKGRQTPKHISESLGAEVDPDMSWSSSLATPPTLSSTVLI
 VRNEEASETVFPHDTTANVKS YFSNHDESLKKNDRF IASVTDSENTNQREAASHGFGKTSNGSFKVNSCK
 DHIGKSMPNVLEDEVYETVVDTSEEDSFLCF SKCRTKNLQKVRTSKTRKKIFHEANADECEKSKNQVKE
 KYSFVSEV EPNDT DPLDSNVANQKPFESGSDKI SKEVVPSLACEWSQLT LSGLNGAQMEKIPLLHISSCD
 QNISEKDLLDTENKRKKDFLTSENSLPRISSLPKSEKPLNEETVVN

SGP**TRRRLEQKLI SEEDLAANDILDYKDDDDK**V

Restriction Sites:

Sgfl-RsrII

Cloning Scheme:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:

[NP_000050](#)

RefSeq Size:

1398 bp

RefSeq ORF:

10257 bp

Locus ID:

675

Cytogenetics:

13q13.1

Protein Families:

Druggable Genome

Protein Pathways:

Homologous recombination, Pancreatic cancer, Pathways in cancer

MW:

51.3 kDa

Gene Summary:

Inherited mutations in BRCA1 and this gene, BRCA2, confer increased lifetime risk of developing breast or ovarian cancer. Both BRCA1 and BRCA2 are involved in maintenance of genome stability, specifically the homologous recombination pathway for double-strand DNA repair. The largest exon in both genes is exon 11, which harbors the most important and frequent mutations in breast cancer patients. The BRCA2 gene was found on chromosome 13q12.3 in human. The BRCA2 protein contains several copies of a 70 aa motif called the BRC motif, and these motifs mediate binding to the RAD51 recombinase which functions in DNA repair. BRCA2 is considered a tumor suppressor gene, as tumors with BRCA2 mutations generally exhibit loss of heterozygosity (LOH) of the wild-type allele. [provided by RefSeq, May 2020]