

Product datasheet for **RC400554**

BRCA2 (NM_000059) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	BRCA2 (NM_000059) Human Mutant ORF Clone
Mutation Description:	Q619X
Affected Codon#:	619
Affected NT#:	1855
Nucleotide Mutation:	BRCA2 Mutant (Q619X), Myc-DDK-tagged ORF clone of Homo sapiens breast Cancer, early onset (BRCA2) as transfection-ready DNA
Effect:	Breast and/or ovarian cancer
Symbol:	BRCA2
Synonyms:	BRCC2; BROVCA2; FACD; FAD; FAD1; FANCD; FANCD1; GLM3; PNCA2; XRCC11
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000059
ORF Size:	1854 bp
Restriction Sites:	Sgfl-RsrII



[View online »](#)

ORF Nucleotide Sequence:

>RC400554 representing NM_000059
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCCTATTGGATCCAAAGAGAGGCCAACATTTTTTGAATTTTTAAGACACGCTGCAACAAAGCAGATT
 TAGGACCAATAAGTCTTAATTGGTTTGAAGAACTTTCTCAGAAGCTCCACCCTATAATTCTGAACCTGC
 AGAAGAATCTGAACATAAAAAACAATAATTACGAACCAAACCTATTTAAAACCTCCACAAAGGAAACCATCT
 TATAATCAGCTGGCTTCAACTCCAATAATTCAAAGGCAAGGGCTGACTCTGCCGCTGTACCAATCTC
 CTGTAAGAAATAGATAAAATCAAAATAGACTTAGGAAGGAATGTTCCAATAGTAGACATAAAAGTCT
 TCGCACAGTAAAACTAAATGGATCAAGCAGATGATGTTTCTGTCCACTTCTAAATCTTGTCTTAGT
 GAAAGTCTGTTGTTCTACAATGTACACATGTAACACCACAAAGAGATAAGTCAGTGGTATGTGGGAGTT
 TGTTTCATACACCAAAGTTGTGAAGGGTCGTAGACACCAAACATATTTCTGAAAGTCTAGGAGCTGA
 GGTGGATCCTGATATGTCTTGGTCAAGTCTTTAGCTACACCACCCACCCTTAGTCTACTGTGCTCATA
 GTCAGAAATGAAGAAGCATCTGAAACTGTATTTCTCATGATACTACTGCTAATGTGAAAAGCTATTTTT
 CCAATCATGATGAAAGTCTGAAGAAAAATGATAGATTTATCGCTTCTGTGACAGACAGTAAAAACACAAA
 TCAAAGAGAAGCTGCAAGTCAATGAAATTTGGAAAAACATCAGGGAATTCATTTAAAGTAAATAGCTGCAAA
 GACCACATTGGAAGTCAATGCCAAATGTCTAGAAGTGAAGTATATGAAACAGTTGTAGATACCTCTG
 AAGAAGATAGTTTTTCAATATGTTTTTCTAAATGTAGAACAAAAATCTACAAAAAGTAAAGAACTAGCAA
 GACTAGGAAAAAATTTCCATGAAGCAAACGCTGATGAATGTGAAAAATCTAAAAACCAAGTGAAGAA
 AAATACTATTTGTATCTGAAGTGAACCAAATGATACTGATCCATTAGATTCAAATGTAGCAAATCAGA
 AGCCCTTTGAGAGTGGAAGTGACAAAATCTCCAAGGAAGTTGTACCGCTTTGGCCTGTGAATGGTCTCA
 ACTAACCCCTTTCAGTCTAAATGGAGCCAGATGGAGAAAAATACCCTATTGCATATTTCTTCATGTGAC
 CAAAATATTTTCAGAAAAAGACCTATTAGACACAGAGAACAAAAAGAAAGAAAGATTTTCTACTTCAGAGA
 ATTCTTTGCCACGTATTTCTAGCCTACCAAAATCAGAGAAGCCATTAATGAGGAAACAGTGGTAAATAA
 GAGAGATGAAGAGCAGCATCTTGAATCTCATACTGACTGCATTCTTGCAGTAAAGCAGGCAATATCTGGA
 ACTTCTCCAGTGGCTTCTTCAATTCAGGGTATCAAAAAGTCTATATTCAGAATAAGAGAATCACCTAAAG
 AGACTTTCATGCAAGTTTTTTCAGTCTATGACTGATCCAACTTTAAAAAAGAACTGAAGCCTCTGA
 AAGTGGACTGGAATACATACTGTTTGCTCACAGAAGGAGGACTCCTTATGTCCAAATTTAATTGATAAT
 GGAAGCTGGCCAGCCACCACACAGAATTCTGTAGCTTTGAAGAATGCAGTTAATATCCACTTTGA
 AAAAGAAAAACAATAAGTTTATTTATGCTATACATGATGAAACATCTTATAAAGGAAAAAATACCGAA
 AGACCAAAAATCAGAATAATTAAGTTCAGCC

AG**CGGACCG**ACGCGTACGCGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:


>RC400554 representing NM_000059
 Red=Cloning site Green=Tags(s)

MPIGSKERPTFFEIFKTRCNKADLGPISLWNFEEL SSEAPPYNSEPAEESEHKNNNYEPNLFKTPQRKPS
 YNQLASTPIIFKEQGLTLPLYQSPVKELDKFKLDLGRNVPNSRHKSLRTVKTMDQADDVSCPLLNSCLS
 ESPVVLQCTHVTPQRDKSVVCGSLFHTPKFVKGRQTPKHISESLGAEVDPDMSWSSSLATPPTLSSTVLI
 VRNEEASETVFPHDTTANVKS YFSNHDESLKKNDRFIASVTDSENTNQREAASHGFGKTSNGSFKVN SCK
 DHIGKSMPNVLEDEVYETVVD TSEEDSFSLCF SKCRTKNLQKVRTSKTRKKIFHEANADECEKSKNQVKE
 KYSFVSEVEPNDDPLDSNVANQKPFESGSDKISKEVVP SLACEWSQLTSLGLNGAQMEKIPLLHIS SCD
 QNISEKDLLDTENKRKDFL TSENSLPRISSLPKSEKPLNEETVYNKRDEEQHLESHTDCILAVKQAI S G
 TSPVASSFQGIKKSIFRIRES PKETFNASFSGHMTDPNFKKETEASESGLEIHTVCSQKEDSLCPNLIDN
 GSWPATTTQNSVALKNAGLISTLKKKTNKFIYAIHDETSYKGGKIPKDQKSELINCSA

SGP**TRRRLEQKLI**SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII

Cloning Scheme:



OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:

[NP_000050](#)

RefSeq Size:

1854 bp

RefSeq ORF:

10257 bp

Locus ID:

675

Cytogenetics:	13q13.1
Protein Families:	Druggable Genome
Protein Pathways:	Homologous recombination, Pancreatic cancer, Pathways in cancer
MW:	68 kDa
Gene Summary:	Inherited mutations in BRCA1 and this gene, BRCA2, confer increased lifetime risk of developing breast or ovarian cancer. Both BRCA1 and BRCA2 are involved in maintenance of genome stability, specifically the homologous recombination pathway for double-strand DNA repair. The largest exon in both genes is exon 11, which harbors the most important and frequent mutations in breast cancer patients. The BRCA2 gene was found on chromosome 13q12.3 in human. The BRCA2 protein contains several copies of a 70 aa motif called the BRC motif, and these motifs mediate binding to the RAD51 recombinase which functions in DNA repair. BRCA2 is considered a tumor suppressor gene, as tumors with BRCA2 mutations generally exhibit loss of heterozygosity (LOH) of the wild-type allele. [provided by RefSeq, May 2020]