

## Product datasheet for **RC400560**

### **BRCA2 (NM\_000059) Human Mutant ORF Clone**

#### **Product data:**

Product Type:	Mutant ORF Clones
Product Name:	BRCA2 (NM_000059) Human Mutant ORF Clone
Mutation Description:	L809X
Affected Codon#:	809
Affected NT#:	2426
Nucleotide Mutation:	BRCA2 Mutant (L809X), Myc-DDK-tagged ORF clone of Homo sapiens breast Cancer, early onset (BRCA2) as transfection-ready DNA
Effect:	Ductal carcinoma in situ
Symbol:	BRCA2
Synonyms:	BRCC2; BROVCA2; FACD; FAD; FAD1; FANCD; FANCD1; GLM3; PNCA2; XRCC11
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000059
ORF Size:	2424 bp
Restriction Sites:	Sgfl-RsrII



[View online »](#)

**ORF Nucleotide Sequence:**

>RC400560 representing NM\_000059  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGCCTATTGGATCCAAAGAGAGGCCAACATTTTTTGAATTTTTAAGACACGCTGCAACAAAGCAGATT  
 TAGGACCAATAAGTCTTAATTGGTTTGAAGAACTTTCTCAGAAGCTCCACCCTATAATTCTGAACCTGC  
 AGAAGAATCTGAACATAAAAAACAATTACGAACCAAACCTATTTAAAACCTCCACAAAGGAAACCATCT  
 TATAATCAGCTGGCTTCAACTCCAATAATTCAAAGGCAAGGGCTGACTCTGCCGCTGTACCAATCTC  
 CTGTAAGAATAGATAAAATCAAAATAGACTTAGGAAGGAATGTTCCAATAGTAGACATAAAAGTCT  
 TCGCACAGTAAAACTAAATGGATCAAGCAGATGATGTTTCTGTCCACTTCTAAATCTTGTCTTAGT  
 GAAAGTCTGTTGTTCTACAATGTACACATGTAACACCACAAAGAGATAAGTCAGTGGTATGTGGGAGTT  
 TGTTTCATACACCAAAGTTGTGAAGGGTCGTGACACACCAAACATATTTCTGAAAGTCTAGGAGCTGA  
 GGTGGATCCTGATATGTCTTGGTCAAGTCTTTAGCTACACCACCCACCCTTAGTCTACTGTGCTCATA  
 GTCAGAAATGAAGAAGCATCTGAAACTGTATTTCTCATGATACTACTGCTAATGTGAAAAGCTATTTTT  
 CCAATCATGATGAAAGTCTGAAGAAAAATGATAGATTTATCGCTTCTGTGACAGACAGTAAAAACACAAA  
 TCAAAGAGAAGCTGCAAGTCAATGAAATTTGGAAAAACATCAGGGAATTCATTTAAAGTAAATAGCTGCAA  
 GACCACATTGGAAGTCAATGCCAAATGTCCTAGAAGTGAAGTATATGAAACAGTTGTAGATACCTCTG  
 AAGAAGATAGTTTTTCAATATGTTTTTCTAAATGTAGAACAAAAATCTACAAAAAGTAAAGAACTAGCAA  
 GACTAGGAAAAAATTTCCATGAAGCAAACGCTGATGAATGTGAAAAATCTAAAAACCAAGTGAAGAA  
 AAATACTCATTTGTATCTGAAGTGAACCAAATGACTGATCCATTAGATTCAAATGTAGCAAAATCAGA  
 AGCCCTTTGAGAGTGGAAGTGACAAAACTCCAAGGAAGTTGTACCGTCTTTGGCCTGTGAATGGTCTCA  
 ACTAACCCCTTTCAGGTCTAAATGGAGCCAGATGGAGAAAAATACCCTATTGCATATTTCTCATGTGAC  
 CAAAAATTTTCAGAAAAAGACCTATTAGACACAGAGAACAAAAAGAAAGAAAGATTTTCTACTTCAGAGA  
 ATTCTTTGCCACGTATTTCTAGCCTACCAAAATCAGAGAAGCCATTAATGAGGAAACAGTGGTAAATAA  
 GAGAGATGAAGAGCAGCATCTTGAATCTCATACTGACTGCATTCTTGCAGTAAAGCAGGCAATATCTGGA  
 ACTTCTCCAGTGGCTTCTTCAATTCAGGGTATCAAAAAGTCTATATTCAGAATAAGAGAATCACCTAAAG  
 AGACTTTCATGCAAGTTTTTCAGGTCAATGACTGATCCAACTTTAAAAAGAAACTGAAGCCTCTGA  
 AAGTGGACTGGAATACATACTGTTTGCTCACAGAAGGAGGACTCCTTATGTCCAAATTTAATTGATAAT  
 GGAAGCTGGCCAGCCACCACACAGAATTCTGTAGCTTTGAAGAATGCAGGTTAATATCCACTTTGA  
 AAAAGAAAACAATAAGTTTATTTATGCTATACATGATGAAACATCTTATAAAGGAAAAAATACCGAA  
 AGACCAAAAATCAGAATAATTAAGTGTTCAGCCAGTTTGAAGCAAATGCTTTTGAAGCACCCTTACA  
 TTTGCAATGCTGATTCAGGTTTATTGCATTCTTCTGTGAAAAGAAAGCTGTTACAGAATGATTCTGAAG  
 AACCACTTTGTCCTTAACTAGCTCTTTGGGACAATCTGAGGAAATGTTCTAGAAATGAAACATGTTT  
 TAATAATACAGTAATCTCTCAGGATCTTGATTATAAAGAAGCAAAATGTAATAAGGAAAAACTACAGTTA  
 TTTATTACCCAGAAAGCTGATTCTGTGCATGCCTGCAGGAAGGACAGTGTGAAAATGATCCAAAAGCA  
 AAAAGTTTCAGATATAAAGAAGAGGTCTTGGCTGCAGCATGTCACCCAGTACAACATTCAAAAGTGA  
 ATACAGTGATACTGACTTTCAATCCCAGAAAAGTCTTTTATATGATCATGAAAAATGCCAGCACTTTATT  
 TTAACCTCTACTTCCAAGGATGTTCTGTCAAACCTAGTCATGATTTCTAGAGGCAAGAATCATACAAAA  
 TGTCAGACAAGCTCAAAGGTAACAATTATGAATCTGATGTTGAA

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA


**Protein Sequence:** >RC400560 representing NM\_000059  
 Red=Cloning site Green=Tags(s)

MPIGSKERPTFFEIFKTRCNKADLGPISLWNWFEEELSSEAPPYNSEPAEESSEHKNNNYEPNLFKTPQRKPS  
 YNQLASTPIIFKEQGLTLPLYQSPVKELDKFKLDLGRNVPSNRHKSRLRVKTKMDQADDVSCPLLNSCLS  
 ESPVVLQCTHVTVPQRDKSVVCGSLFHTPKFVKGRQTPKHISESLGAEVDPDMSWSSSLATPPTLSSVLI  
 VRNEEASETVFPHDTTANVKSYFSNHDESLKKNDRFIAVTDSENTNQREAASHGFGKTSGNFSFKVNSCK  
 DHIGKSMPNVLEDEVYETVVVDTSEEDSFLCFKCRTKNLQKVRTSKTRKKIFHEANADECEKSKNQVKE  
 KYSFVSEVEPNDDPLDSNVANQKPFESGSDKI SKEVVPSLACEWSQLTSLGLNGAQMEKIPLLHISSCD  
 QNISEKDLLDTENKRKKDFLTSENSLPRISLPKSEKPLNEETVVKRDEEQHLESHTDCILAVKQAIISG  
 TSPVASSFQGIKKSIFRIRESPKETFNASFSGHMTDPNFKKETEASESGLEIHTVCSQKEDSLCPNLIDN  
 GSWPATTTQNSVALKNAGLISTLKKTKNFIIYAIHDETSYKGGKIPKQKSELINCSAQFEANAFEAPLT  
 FANADSGLLHSSVKRSCSQNDSEPTLSLTSSFGTILRKCSRNETCSNNTVISQDLDYKEAKCNKEKLQL  
 FITPEADSLSCLQEGQCENDPKSKKVSIDIKEEVLAAACHPVQHSKVEYSDTDFQSQKSLLYDHENASTLI  
 LTPTSKDVL SNLVMSIRGKESYKMSDKLKGNNYESDVE

SGPTRRRLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-RsrII

**Cloning Scheme:**



**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:	<u>NP_000050</u>
RefSeq Size:	2424 bp
RefSeq ORF:	10257 bp
Locus ID:	675
Cytogenetics:	13q13.1
Protein Families:	Druggable Genome
Protein Pathways:	Homologous recombination, Pancreatic cancer, Pathways in cancer
MW:	88.9 kDa
Gene Summary:	Inherited mutations in BRCA1 and this gene, BRCA2, confer increased lifetime risk of developing breast or ovarian cancer. Both BRCA1 and BRCA2 are involved in maintenance of genome stability, specifically the homologous recombination pathway for double-strand DNA repair. The largest exon in both genes is exon 11, which harbors the most important and frequent mutations in breast cancer patients. The BRCA2 gene was found on chromosome 13q12.3 in human. The BRCA2 protein contains several copies of a 70 aa motif called the BRC motif, and these motifs mediate binding to the RAD51 recombinase which functions in DNA repair. BRCA2 is considered a tumor suppressor gene, as tumors with BRCA2 mutations generally exhibit loss of heterozygosity (LOH) of the wild-type allele. [provided by RefSeq, May 2020]