

## Product datasheet for **RC400566**

### BRCA2 (NM\_000059) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	BRCA2 (NM_000059) Human Mutant ORF Clone
Mutation Description:	K944X
Affected Codon#:	944
Affected NT#:	2830
Nucleotide Mutation:	BRCA2 Mutant (K944X), Myc-DDK-tagged ORF clone of Homo sapiens breast Cancer, early onset (BRCA2) as transfection-ready DNA
Effect:	Breast cancer
Symbol:	BRCA2
Synonyms:	BRCC2; BROVCA2; FACD; FAD; FAD1; FANCD; FANCD1; GLM3; PNCA2; XRCC11
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000059
ORF Size:	2829 bp
Restriction Sites:	Sgfl-RsrII



[View online »](#)

**ORF Nucleotide Sequence:**

>RC400566 representing NM\_000059  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGCCTATTGGATCCAAAGAGAGGCCAACATTTTTTGAATTTTTAAGACACGCTGCAACAAAGCAGATT  
 TAGGACCAATAAGTCTTAATTGGTTTGAAGAACTTTCTCAGAAGCTCCACCCTATAATTCTGAACCTGC  
 AGAAGAATCTGAACATAAAAAACAATAATTACGAACCAAACTATTTAAAACCTCCACAAAGGAAACCATCT  
 TATAATCAGCTGGCTTCAACTCCAATAATTCAAAGACAAAGGGCTGACTCTGCCGCTGTACCAATCTC  
 CTGTAAGAAATAGATAAAATCAAAATAGACTTAGGAAGGAATGTTCCAATAGTAGACATAAAAGTCT  
 TCGCACAGTAAAACTAAATGGATCAAGCAGATGATGTTTCTGTCCACTTCTAAATCTTGTCTTAGT  
 GAAAGTCTGTTGTTCTACAATGTACACATGTAACACCACAAAGAGATAAGTCAGTGGTATGTGGGAGTT  
 TGTTTCATACACCAAAGTTGTGAAGGGTCGTGACACCAAAACATATTTCTGAAAGTCTAGGAGCTGA  
 GGTGGATCCTGATATGTCTTGGTCAAGTCTTTAGCTACACCACCCACCCTTAGTCTACTGTGCTCATA  
 GTCAGAAATGAAGAAGCATCTGAAACTGTATTTCTCATGATACTACTGCTAATGTGAAAAGCTATTTTT  
 CCAATCATGATGAAAGTCTGAAGAAAAATGATAGATTTATCGCTTCTGTGACAGACAGTAAAAACACAAA  
 TCAAAGAGAAGCTGCAAGTCAATGAAATTTGGAAAAACATCAGGGAATTCATTTAAAGTAAATAGCTGCAAA  
 GACCACATTGGAAGTCAATGCCAAATGTCTAGAAAGTGAAGTATATGAAACAGTTGTAGATACCTCTG  
 AAGAAGATAGTTTTTCAATATGTTTTTCTAAATGTAGAACAAAAATCTACAAAAAGTAAAGAACTAGCAA  
 GACTAGGAAAAAATTTCCATGAAGCAAAACGCTGATGAATGTGAAAAATCTAAAAACCAAGTGAAGAA  
 AAATACTCATTTGTATCTGAAGTGAACCAATGATACTGATCCATTAGATTCAAATGTAGCAAAATCAGA  
 AGCCCTTTGAGAGTGAAGTGACAAAACTCCAAGGAAGTTGTACCGTCTTTGGCCTGTGAATGGTCTCA  
 ACTAACCCCTTTCAGGTCTAAATGGAGCCAGATGGAGAAAAATACCCTATTGCATATTTCTCATGTGAC  
 CAAAAATTTTCAGAAAAAGACCTATTAGACACAGAGAACAAAAAGAAAGAAAGATTTTCTACTTCAGAGA  
 ATTCTTTGCCACGTATTTCTAGCCTACCAAAATCAGAGAAGCCATTAATGAGGAAACAGTGGTAAATAA  
 GAGAGATGAAGAGCAGCATCTTGAATCTCATACTGACTGCATTCTTGCAGTAAAGCAGGCAATATCTGGA  
 ACTTCTCCAGTGGCTTCTTCAATTCAGGGTATCAAAAAGTCTATATTCAGAATAAGAGAATCACCTAAAG  
 AGACTTTCATGCAAGTTTTTCAGGTCAATGACTGATCCAACTTTAAAAAGAAACTGAAGCCTCTGA  
 AAGTGGACTGGAATACATACTGTTTGCTCACAGAAGGAGGACTCCTTATGTCCAAATTAATTGATAAT  
 GGAAGCTGGCCAGCCACCACACAGAATTCTGTAGCTTTGAAGAATGCAGTTTAATATCCACTTTGA  
 AAAAGAAAAACAATAAGTTTATTTATGCTATACATGATGAAACATCTTATAAAGGAAAAAATACCGAA  
 AGACCAAAAAATCAGAATAAATAACTGTTTCAGCCAGTTTGAAGCAAATGCTTTTGAAGCACCCTTACA  
 TTTGCAAAATGCTGATTCAGGTTTATTGCATTCTTCTGTGAAAAGAAAGCTGTTTACAGAATGATTCTGAAG  
 AACCAACTTTGTCCTTAACTAGCTCTTTGGGACAATCTGAGGAAATGTTCTAGAAATGAAACATGTTT  
 TAATAATACAGTAATCTCTCAGGATCTTGATTATAAAGAAGCAAAATGTAATAAGGAAAAACTACAGTTA  
 TTTATTACCCAGAAAGCTGATTCTGTGCATGCCTGCAGGAAGGACAGTGTGAAAATGATCCAAAAAGCA  
 AAAAAGTTTCAGATATAAAGAAGAGGTCTTGGCTGCAGCATGTCACCCAGTACAACATTCAAAAGTGA  
 ATACAGTGATACTGACTTTCAATCCCAGAAAAGTCTTTTATATGATCATGAAAAATGCCAGCACTTTATT  
 TTAACCTCTACTTCCAAGGATGTTCTGTCAAACCTAGTCATGATTTCTAGAGGCAAAAGAAATCATACAAA  
 TGTCAGACAAGCTCAAAGGTAACAATTGAACTGATGTTGAATTAACCAAAAAATATCCCATGAAAA  
 GAATCAAGATGTATGTGCTTTAAATGAAAATTATAAAAACGTTGAGCTGTTGCCACCTGAAAAATACATG  
 AGAGTAGCATCACCTTCAAGAAAGGTACAATTCACCAAAACACAAATCTAAGAGTAATCCAAAAAATC  
 AAGAAGAACTACTTCAATTTCAAAAATAACTGTCAATCCAGACTCTGAAGAATTTTCTCAGACAATGA  
 GAATAATTTGTCTTCAAGTAGCTAATGAAAGGAATAATCTTGTCTTAGGAAATACTAAGGAATTCAT  
 GAAACAGACTTGACTTGTGTAACGAACCCATTTCAAGAACTCTACCATGGTTTTATATGGAGACACAG  
 GTGATAAACAAGCAACCAAGTGTCAATT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA


**Protein Sequence:** >RC400566 representing NM\_000059  
 Red=Cloning site Green=Tags(s)

MPIGSKERPTFFEIFKTRCNKADLGPISLWNWFELSSSEAPPYNSEPAEESSEHKNNNYEPNLFKTPQRKPS  
 YNQLASTPIIFKEQGLTLPYQSPVKELDKFKLDLGRNVPSNRHKSRLRTVKTMDQADDVSCPLLNSCLS  
 ESPVVLQCTHVTQPQRDKSVVCGSLFHTPKFVKGRQTPKHISESLGAEVDPDMSWSSSLATPPTLSSVTLI  
 VRNEEASETVFPHDTTANVKSYSFNHDESLKKNDRFIASVTDSENTNQREAASHGFGKTSGNFSFKVNSCK  
 DHIGKSMPNVLEDEVYETVVDTSEEDSFLCFSKCRTKNLQKVRTSKTRKKIFHEANADECEKSKNQVKE  
 KYSFVSEVEPNDDPLDSNVANQKPFESGSDKI SKEVVVPSLACEWSQLTSLGLNGAQMEKIPLLHSSCD  
 QNISEKDLLDTENKRKDFLTSENSLPRISLPSKSEKPLNEETVVNKRDEEQHLESHTDCILAVKQAIISG  
 TSPVASSFQGIKKSIFRIRESPKETFNASFSGHMTDPNFKKETEASESGLEIHTVCSQKEDSLCPNLIDN  
 GSWPATTTQNSVALKNAGLISTLKKTKNKFIIYAIHDETSYKGGKIPKDQKSELINCSAQFEANAFEAPLT  
 FANADSGLLHSSVKRSCSQNDSEPTLSLTSSFGTILRKCSRNETCSNNTVISQDLDYKEAKCNKEKLQL  
 FITPEADSLSCLQEQCENDPKSKKVSIDIKEEVLAAACHPVQHSKVEYSDTDFQSQKSLLYDHENASTLI  
 LTPTSKDVL SNLVMISRGKESYKMSDKLKGNNYSDVELTKNIPMEKNQDVCALNENYKNVELLPPEKYM  
 RVASPSRKVQFNQNTNLRVIQKQEEETTSISKITVNPDSEELFSDNENNFVFQVANERNLALGNTKELH  
 ETDLTCVNEPIFKNSTMVLYGDTGDKQATQVSI

SGP TRRRLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-RsrII

**Cloning Scheme:**



**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<u>NP_000050</u>
<b>RefSeq Size:</b>	2829 bp
<b>RefSeq ORF:</b>	10257 bp
<b>Locus ID:</b>	675
<b>Cytogenetics:</b>	13q13.1
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Homologous recombination, Pancreatic cancer, Pathways in cancer
<b>MW:</b>	103.7 kDa
<b>Gene Summary:</b>	Inherited mutations in BRCA1 and this gene, BRCA2, confer increased lifetime risk of developing breast or ovarian cancer. Both BRCA1 and BRCA2 are involved in maintenance of genome stability, specifically the homologous recombination pathway for double-strand DNA repair. The largest exon in both genes is exon 11, which harbors the most important and frequent mutations in breast cancer patients. The BRCA2 gene was found on chromosome 13q12.3 in human. The BRCA2 protein contains several copies of a 70 aa motif called the BRC motif, and these motifs mediate binding to the RAD51 recombinase which functions in DNA repair. BRCA2 is considered a tumor suppressor gene, as tumors with BRCA2 mutations generally exhibit loss of heterozygosity (LOH) of the wild-type allele. [provided by RefSeq, May 2020]