

## Product datasheet for **RC401559**

### MLH1 (NM\_000249) Human Mutant ORF Clone

#### Product data:

|                           |  |
|---------------------------|--|
| Product Type:             | Mutant ORF Clones  |
| Product Name:             | MLH1 (NM_000249) Human Mutant ORF Clone  |
| Mutation Description:     | R265S  |
| Affected Codon#:          | 265  |
| Affected NT#:             | 793  |
| Nucleotide Mutation:      | MLH1 Mutant (R265S), Myc-DDK-tagged ORF clone of Homo sapiens mutL homolog 1, colon cancer, nonpolyposis type 2 (E. coli) (MLH1), transcript variant 1 as transfection-ready DNA |
| Effect:                   | Colorectal cancer, non-polyposis   |
| Symbol:                   | MLH1   |
| Synonyms:                 | COCA2; FCC2; hMLH1; HNPCC; HNPCC2; MMRCS1  |
| E. coli Selection:        | Kanamycin (25 ug/mL)   |
| Mammalian Cell Selection: | Neomycin   |
| Vector:                   | pCMV6-Entry (PS100001)   |
| Tag:                      | Myc-DDK  |
| ACCN:                     | NM_000249  |
| ORF Size:                 | 2268 bp  |
| Restriction Sites:        | SgfI-MluI  |



[View online »](#)

**ORF Nucleotide Sequence:**

>RC401559 representing NM\_000249  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGTCGTTCTGTGGCAGGGTTATTTCGGCGGCTGGACGAGACAGTGGTGAACCGCATCGCGCGGGGAAG  
 TTATCCAGCGGCCAGCTAATGCTATCAAGAGATGATTGAGAAGTGTAGATGCAAAATCCACAAGTAT  
 TCAAGTGATTGTTAAAGAGGGAGGCCTGAAGTTGATTCAGATCCAAGACAATGGCACCGGGATCAGGAAA  
 GAAGATCTGGATATTGTATGTGAAAGTTCACTACTAGTAAACTGCAGTCCTTTGAGGATTTAGCCAGTA  
 TTTCTACCTATGGCTTTGAGGTGAGGCTTTGGCCAGCATAAGCCATGTGGCTCATGTTACTATTACAAC  
 GAAAACAGCTGATGGAAGTGTGCATACAGAGCAAGTTACTCAGATGGAAAAGTAAAGCCCTCTCTAAA  
 CCATGTGCTGGCAATCAAGGGACCCAGATCACGGTGGAGGACCTTTTTTACAACATAGCCACGAGGAGAA  
 AAGCTTTAAAAATCCAAGTGAAGAATATGGGAAAATTTGGAAGTTGTTGGCAGGTATTCAGTACACAA  
 TGCAGGCATTAGTTTCTCAGTTAAAAACAAGGAGAGACAGTAGCTGATGTTAGGACACTACCCAATGCC  
 TCAACCGTGGACAATATTCGCTCCATCTTTGGAATGCTGTTAGTCGAGAAGTATAGAAATGGATGTG  
 AGGATAAAACCTAGCCTTCAAATGAATGGTTACATATCCAATGCAAACTACTCAGTGAAGAAGTGCAT  
 CTTCTTACTCTTCATCAACCATAGTCTGGTAGAATCAACTTCCTTGAGAAAAGCCATAGAAAACAGTGTAT  
 GCAGCCTATTTGCCCAAAAACACACACCATTCTGTACCTCAGTTTAGAAAATCAGTCCCAGAAATGTGG  
 ATGTTAATGTGCACCCCAAAAGCATGAAGTTCACTTCCTGCACGAGGAGAGCATCCTGGAGCGGGTGCA  
 GCAGCACATCGAGAGCAAGTCTCTGGGCTCCAATTCCTCCAGGATGACTTCACCCAGACTTTGTACCA  
 GGACTTGCTGGCCCTCTGGGGAGATGGTTAAATCCACAACAAGTCTGACCTCGTCTTCTACTTCTGGAA  
 GTAGTGATAAGGTCTATGCCACCAGATGGTTCGTACAGATTCGCGGGAACAGAAGCTTGATGCATTTCT  
 GCAGCCTCTGAGCAAACCCCTGTCCAGTCAGCCCAAGCCATTGTCACAGAGGATAAGACAGATATTTCT  
 AGTGGCAGGGCTAGGCAGCAAGATGAGGAGATGCTTGAACCTCCAGCCCTGCTGAAGTGGCTGCCAAAA  
 ATCAGAGCTTGGAGGGGGATACAACAAGGGGACTTCAGAAAATGTGAGAGAAGAGAGGACCTACTCCAG  
 CAACCCAGAAAAGAGACATCGGGAAGATTCTGATGTGGAATGGTGAAGATGATTCCCAGAAAGGAAATG  
 ACTGCAGCTTGTACCCCGGAGAAGGATCATTAACTCACTAGTGTGTTGAGTCTCCAGGAAGAAATTA  
 ATGAGCAGGGACATGAGGTTCTCCGGGAGATGTTGCATAAACCCTCCTCGTGGCTGTGTGAATCCTCA  
 GTGGCCCTTGGCACAGCATCAAACCAAGTTATACCTTCTCAACACCACCAAGCTTAGTGAAGAACTGTC  
 TACCAGATACTCATTTATGATTTTGCCAAATTTGGTGTCTCAGGTTATCGGAGCCAGCACCGCTCTTTG  
 ACCTTGCCATGCTTGCTTAGATAGTCCAGAGAGTGGCTGGACAGAGGAAGATGGTCCCAAGAAGGACT  
 TGCTGAATACATTGTTGAGTTTCTGAAGAAGAAGGCTGAGATGCTTGCAGACTATTTCTCTTTGGAAT  
 GATGAGGAAGGGAACCTGATTGGATTACCCCTTCTGATTGACAACTATGTGCCCTTTGGAGGGACTGC  
 CTATCTTCACTTCTGACTAGCCACTGAGGTGAATTGGGACGAAGAAAAGGAATGTTTTGAAAGCCTCAG  
 TAAAGAATGCGCTATGTTCTATCCATCCGGAAGCAGTACATATCTGAGGAGTCGACCCTCTCAGGCCAG  
 CAGAGTGAAGTGCCTGGCTCCATTCAAACCTCTGGAAGTGGACTGTGGAACACATTGTCTATAAAGCCT  
 TGGCCTCACACATTCTGCCTCTAAACATTTACAGAAGATGGAATATCCTGCAGCTTGCTAACCTGCC  
 TGATCTATACAAAGTCTTTGAGAGGTGT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

**Protein Sequence:** >RC401559 representing NM\_000249  
 Red=Cloning site Green=Tags(s)


```
MSFVAGVIRRLDETVVNRIAAGEVIQRPANAIEKMIENCLDAKSTSIQVIVKEGGLKLIQIQDNGTGIRK
EDLDIVCERFTTSKLSQSFEDLASISTYGRGEALASISHVAHVITITTKTADGKCAFRASYSDGKLGKAPPK
PCAGNQGTQITVEDLFYNIATRRKALKNPSEYKILEVVGGRYSVHNAGISFSVKKQGETVADVRTLPNA
STVDNIRSIIFGNAVSRELIEIGCEDKTLAFKMNGYISNANYSVKCKIFLLFINHSLVESTSLRKAIVTVY
AAYLPKNTHPFLYLSEISPNQVNDVNVHPTKHEVHFLHEESILERVQQHIESKLLGNSSSRMFTQTLLP
GLAGPSGEMVKSTTSLTSSSTSGSSDKVYAHQMVRTDSREQKLD AFLQPLSKPLSSQPQAIIVTEDKTDIS
SGRARQQDEEMLELPAPAEVAANKQSLEGDTTKGTSEMSEKRGPTSSNPRKRHRESDVEMVEDDSRKEM
TAACTPRRRIINLTSVLSLQEEINEQGHEVLREMLHNHSFVGCVPQWALAQHQTKLYLLNNTKLEELF
YQILYDFANFVLRLEPAPLFDLAMLALDSPESGWTEEDGPKKEGLAEYIVEFLKKAEMLADYFSLEI
DEEGLNIGLPLLIDNYVPPLEGLPIFILRLATEVNWDEEKECFESLSKECAMFYIIRKQYISEESTLSGQ
QSEVPGSIPNSWKWTVEHIVYKALRSHILPPKHFTEGNIQLANLPDLYKVFERC
```

SGP TRRRLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



**OTI Disclaimer:**

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:**

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

|                          |   |
|--------------------------|---|
| <b>Components:</b>       | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Note:</b>             | Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.  |
| <b>RefSeq:</b>           | <a href="#">NP_000240</a>   |
| <b>RefSeq Size:</b>      | 2268 bp   |
| <b>RefSeq ORF:</b>       | 2271 bp   |
| <b>Locus ID:</b>         | 4292  |
| <b>Cytogenetics:</b>     | 3p22.2  |
| <b>Domains:</b>          | DNA_mis_repair, HATPase_c   |
| <b>Protein Families:</b> | Druggable Genome  |
| <b>Protein Pathways:</b> | Colorectal cancer, Endometrial cancer, Mismatch repair, Pathways in cancer  |
| <b>MW:</b>               | 83.2 kDa  |
| <b>Gene Summary:</b>     | The protein encoded by this gene can heterodimerize with mismatch repair endonuclease PMS2 to form MutL alpha, part of the DNA mismatch repair system. When MutL alpha is bound by MutS beta and some accessory proteins, the PMS2 subunit of MutL alpha introduces a single-strand break near DNA mismatches, providing an entry point for exonuclease degradation. The encoded protein is also involved in DNA damage signaling and can heterodimerize with DNA mismatch repair protein MLH3 to form MutL gamma, which is involved in meiosis. This gene was identified as a locus frequently mutated in hereditary nonpolyposis colon cancer (HNPCC). [provided by RefSeq, Aug 2017] |