

Product datasheet for **RC401619**

MLH1 (NM_000249) Human Mutant ORF Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Mutant ORF Clones |
| Product Name: | MLH1 (NM_000249) Human Mutant ORF Clone |
| Mutation Description: | Q542X |
| Affected Codon#: | 542 |
| Affected NT#: | 1624 |
| Nucleotide Mutation: | MLH1 Mutant (Q542X), Myc-DDK-tagged ORF clone of Homo sapiens mutL homolog 1, colon cancer, nonpolyposis type 2 (E. coli) (MLH1), transcript variant 1 as transfection-ready DNA |
| Effect: | Colorectal cancer, non-polyposis |
| Symbol: | MLH1 |
| Synonyms: | COCA2; FCC2; hMLH1; HNPCC; HNPCC2; MMRCS1 |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| Tag: | Myc-DDK |
| ACCN: | NM_000249 |
| ORF Size: | 1623 bp |
| Restriction Sites: | SgfI-MluI |



[View online »](#)

ORF Nucleotide Sequence:

>RC401619 representing NM_000249
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGTCGTTCTGGCAGGGGTTATTCGGCGGCTGGACGAGACAGTGGTGAACCGCATCGCGCGGGGAAG
 TTATCCAGCGGCCAGCTAATGCTATCAAAGAGATGATTGAGAAGTGTGTTAGATGCAAAATCCACAAGTAT
 TCAAGTGATTGTTAAAGAGGGAGGCCTGAAGTTGATTCAGATCCAAGACAATGGCACCGGGATCAGGAAA
 GAAGATCTGGATATTGTATGTGAAAGGTTCACTACTAGTAAACTGCAGTCCTTTGAGGATTTAGCCAGTA
 TTTCTACCTATGGCTTTCGAGGTGAGGCTTTGGCCAGCATAAGCCATGTGGCTCATGTTACTATTACAAC
 GAAAACAGCTGATGGAAGTGTGCATACAGAGCAAGTACTCAGATGGAAAAGTAAAGCCCTCTCTAAA
 CCATGTGCTGGCAATCAAGGGACCCAGATCACGGTGGAGGACCTTTTTTACAACATAGCCACGAGGAGAA
 AAGCTTTAAAAAATCAAAGTGAAGAATATGGGAAAATTTGGAAGTTGTTGGCAGGTATTCAGTACACAA
 TGCAGGCATTAGTTTCTCAGTTAAAAACAAGGAGAGACAGTAGCTGATGTTAGGACACTACCCAATGCC
 TCAACCGTGGACAATATTCGCTCCATCTTTGGAATGCTGTTAGTCGAGAAGTATAGAAATGGATGTG
 AGGATAAAACCTAGCCTTCAAATGAATGGTTACATATCCAATGCAAACTACTCAGTGAAGAAGTGCAT
 CTTCTTACTCTTCATCAACCATCGTCTGGTAGAATCAACTTCCTTGAGAAAAGCCATAGAAAACAGTGTAT
 GCAGCCTATTTGCCAAAAACACACACCCATTCTGTACCTCAGTTTAGAAAATCAGTCCCCAGAATGTGG
 ATGTTAATGTGCACCCCAAAAGCATGAAGTTCACCTCCTGCACGAGGAGAGCATCCTGGAGCGGGTGCA
 GCAGCACATCGAGAGCAAGCTCCTGGGCTCCAATTCTCCAGGATGTACTTACCCAGACTTTGCTACCA
 GGACTTGCTGGCCCTCTGGGGAGATGGTTAAATCCACAACAAGTCTGACCTCGTCTTCTACTTCTGGAA
 GTAGTGATAAGGTCTATGCCACCAGATGGTTCGTACAGATTCCCGGGAACAGAAGCTTGATGCAATTTCT
 GCAGCCTCTGAGCAAACCCCTGTCCAGTCAGCCCAAGCCATTGTCACAGAGGATAAGACAGATATTTCT
 AGTGGCAGGGCTAGGCAGCAAGATGAGGAGATGCTTGAACCTCCAGCCCTGCTGAAGTGCTGCCAAAA
 ATCAGAGCTTGGAGGGGGATACAACAAAGGGGACTTCAGAAAATGTGAGAGAAGAGAGGACCTACTTCCAG
 CAACCCAGAAAGAGACATCGGGAAGATTCTGATGTGGAATGGTGAAGATGATTCCCGAAAGGAAATG
 ACTGCAGCTTGTACCCCGGAGAAGGATCATTAACTCACTAGTGTGTTTGTAGTCTCCAGGAAGAAATTA
 ATGAGCAGGGACATGAGGTTCTCCGGGAGATGTTGCATAACCCTCCTCGTGGGCTGTGTGAATCTCA
 GTGGCCCTTGCA

AG**GCGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:

>RC401619 representing NM_000249
 Red=Cloning site Green=Tags(s)

MSFVAGVIRRLDETVVNRIAAGEVIQRPANAIEKIENCLDAKSTSIQVIVKEGLKLIQIQDNGTGIRK
 EDLDIVCERFTTSKLSQFEDLASISTYGFGEALASISHVAHVITTKTADGKCAYRASYS DGKLKAPPK
 PCAGNQGTQITVEDLFYNIATRRLKALNPSEYKILEVVGRYSVHNAGISFSVKKQGETVADVRLPNA
 STVDNIRSI FGNAVSRELIEIGCEDKTLAFKMNGYISNANYSVKKCIFLLFINHRLVESTSLRKAIVTVY
 AAYLPKNTHPFLYL SLEISPQNVDVNVHPTKHEVHFLHEESILERVQQHIESKLLGSNSSRMYFTQLLP
 GLAGPSGEMVKSTTSL TSSSTSGSSDKVYAHQMVRTDSREQLDAFLQPLSKPLSSQPQAI VTEKTDIS
 SGRARQQDEEMLELPAPAEVAANKQSLEGDTTKGTSEMSEKRGPTSSNPRKRHRESDVEMVEDDSRKEM
 TAACTPRRRIINLTSVLSLQEEINEQGHEVLEMLHNHSFVGCVNPQWALA

SGP**TRRRLEQKLI SEEDLAANDILDYKDDDDKV**

Restriction Sites:

Sgfi-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



* The last codon before the Stop codon of the ORF

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:

[NP_000240](#)

RefSeq Size:

1623 bp

| | |
|--------------------------|--|
| RefSeq ORF: | 2271 bp |
| Locus ID: | 4292 |
| Cytogenetics: | 3p22.2 |
| Domains: | DNA_mis_repair, HATPase_c |
| Protein Families: | Druggable Genome |
| Protein Pathways: | Colorectal cancer, Endometrial cancer, Mismatch repair, Pathways in cancer |
| MW: | 59.5 kDa |
| Gene Summary: | <p>The protein encoded by this gene can heterodimerize with mismatch repair endonuclease PMS2 to form MutL alpha, part of the DNA mismatch repair system. When MutL alpha is bound by MutS beta and some accessory proteins, the PMS2 subunit of MutL alpha introduces a single-strand break near DNA mismatches, providing an entry point for exonuclease degradation. The encoded protein is also involved in DNA damage signaling and can heterodimerize with DNA mismatch repair protein MLH3 to form MutL gamma, which is involved in meiosis. This gene was identified as a locus frequently mutated in hereditary nonpolyposis colon cancer (HNPCC). [provided by RefSeq, Aug 2017]</p> |