

## Product datasheet for **RC401645**

### MLH1 (NM\_000249) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	MLH1 (NM_000249) Human Mutant ORF Clone
Mutation Description:	A608D
Affected Codon#:	608
Affected NT#:	1823
Nucleotide Mutation:	MLH1 Mutant (A608D), Myc-DDK-tagged ORF clone of Homo sapiens mutL homolog 1, colon cancer, nonpolyposis type 2 (E. coli) (MLH1), transcript variant 1 as transfection-ready DNA
Effect:	Colorectal cancer, non-polyposis
Symbol:	MLH1
Synonyms:	COCA2; FCC2; hMLH1; HNPCC; HNPCC2; MMRCS1
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000249
ORF Size:	2268 bp
Restriction Sites:	SgfI-MluI



[View online »](#)

**ORF Nucleotide Sequence:**

>RC401645 representing NM\_000249  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGTCGTTCTGTCGAGGGGTTATTCGGCGGCTGGACGAGACAGTGGTGAACCGCATCGCGCGGGGGAAG  
 TTATCCAGCGGCCAGCTAATGCTATCAAGAGATGATTGAGAAGTGTGTTAGATGCAAAATCCACAAGTAT  
 TCAAGTGATTGTTAAAGAGGGAGGCCTGAAGTTGATTCAGATCCAAGACAATGGCACCGGGATCAGGAAA  
 GAAGATCTGGATATTGTATGTGAAAGGTTCACTACTAGTAAACTGCAGTCCTTTGAGGATTTAGCCAGTA  
 TTTCTACCTATGGCTTTGAGGTGAGGCTTTGGCCAGCATAAGCCATGTGGCTCATGTTACTATTACAAC  
 GAAAACAGCTGATGGAAGTGTGCATACAGAGCAAGTACTCAGATGGAAAAGTAAAGCCCTCTCTAAA  
 CCATGTGCTGGCAATCAAGGGACCCAGATCACGGTGGAGGACCTTTTTTACAACATAGCCACGAGGAGAA  
 AAGCTTTAAAAATCCAAGTGAAGAATATGGGAAAATTTGGAAGTTGTTGGCAGGTATTCAGTACACAA  
 TGCAGGCATTAGTTTCTCAGTTAAAAACAAGGAGAGACAGTAGCTGATGTTAGGACACTACCCAATGCC  
 TCAACCGTGGACAATATTCGCTCCATCTTTGGAATGCTGTTAGTCGAGAAGTATAGAAATGGATGTG  
 AGGATAAAACCCCTAGCCTTCAAATGAATGGTTACATATCCAATGCAAACTACTCAGTGAAGAAGTGCAT  
 CTTCTTACTCTTCATCAACCATCGTCTGGTAGAATCAACTTCCTTGAGAAAAGCCATAGAAAACAGTGTAT  
 GCAGCCTATTTGCCCAAAAACACACACCATTCTGTACCTCAGTTTAGAAAATCAGTCCCCAGAATGTGG  
 ATGTTAATGTGCACCCCAAAAGCATGAAGTTCACTTCCTGCACGAGGAGAGCATCCTGGAGCGGGTGCA  
 GCAGCAGATCGAGAGCAAGTCTCGGGTCCAATTCTCCAGGATGACTTCACCCAGACTTTGCTACCA  
 GGACTTGCTGGCCCTCTGGGGAGATGGTTAAATCCACAACAAGTCTGACCTCGTCTTCTACTTCTGGAA  
 GTAGTGATAAGGTCTATGCCACCAGATGGTTCGTACAGATTCGCGGGAACAGAAGCTTGATGCATTTCT  
 GCAGCCTCTGAGCAAACCCCTGTCCAGTCAGCCCAAGCCATTGTCACAGAGGATAAGACAGATATTTCT  
 AGTGGCAGGGCTAGGCAGCAAGATGAGGAGATGCTTGAACCTCCAGCCCTGCTGAAGTGGCTGCCAAAA  
 ATCAGAGCTTGGAGGGGGATACAACAAGGGGACTTCAGAAAATGTGAGAGAAGAGAGGACCTACTCCAG  
 CAACCCAGAAAAGAGACATCGGGAAGATTCTGATGTGGAATGGTGAAGATGATCCCGAAAAGGAAATG  
 ACTGCAGCTTGTACCCCGGAGAAGGATCATTAACTCACTAGTGTGTTTGGTCTCCAGGAAGAAATTA  
 ATGAGCAGGGACATGAGGTTCTCCGGGAGATGTTGCATAACCACTCCTTCGTGGGCTGTGTGAATCCTCA  
 GTGGCCCTTGGCACAGCATCAAACCAAGTTATACCTTCTCAACACCACCAAGCTTAGTGAAGAACTGTT  
 TACCAGATACTCATTTATGATTTTGCCAAATTTGGTGTCTCAGGTTATCGGAGCCAGCACCGCTCTTTG  
 ACCTTGCCATGCTTGCTTAGATAGTCCAGAGAGTGGCTGGACAGAGGAAGATGGTCCCAAGAAGGACT  
 TGATGAATACATTGTTGAGTTTCTGAAGAAGAAGGCTGAGATGCTTCGAGACTATTTCTCTTTGGAAT  
 GATGAGGAAGGGAACCTGATTGGATTACCCCTTCTGATTGACAACTATGTGCCCTTTGGAGGGACTGC  
 CTATCTTCACTTCTGACTAGCCACTGAGGTGAATTGGGACGAAGAAAAGGAATGTTTTGAAAGCCTCAG  
 TAAAGAATGCGCTATGTTCTATTCATCCGGAAGCAGTACATATCTGAGGAGTCGACCCTCTCAGGCCAG  
 CAGAGTGAAGTGCCTGGCTCCATTCAAACCTCTGGAAGTGGACTGTGGAACACATTGTCTATAAAGCCT  
 TGGCCTCACACATTCTGCCTCTAAACATTTACAGAAGATGGAATATCCTGCAGCTTGCTAACCTGCC  
 TGATCTATACAAAGTCTTTGAGAGGTGT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA



<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NP_000240</a>
<b>RefSeq Size:</b>	2268 bp
<b>RefSeq ORF:</b>	2271 bp
<b>Locus ID:</b>	4292
<b>Cytogenetics:</b>	3p22.2
<b>Domains:</b>	DNA_mis_repair, HATPase_c
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Colorectal cancer, Endometrial cancer, Mismatch repair, Pathways in cancer
<b>MW:</b>	83.2 kDa
<b>Gene Summary:</b>	The protein encoded by this gene can heterodimerize with mismatch repair endonuclease PMS2 to form MutL alpha, part of the DNA mismatch repair system. When MutL alpha is bound by MutS beta and some accessory proteins, the PMS2 subunit of MutL alpha introduces a single-strand break near DNA mismatches, providing an entry point for exonuclease degradation. The encoded protein is also involved in DNA damage signaling and can heterodimerize with DNA mismatch repair protein MLH3 to form MutL gamma, which is involved in meiosis. This gene was identified as a locus frequently mutated in hereditary nonpolyposis colon cancer (HNPCC). [provided by RefSeq, Aug 2017]