

## **Product datasheet for RC401920**

## NF2 (NM 000268) Human Mutant ORF Clone

## **Product data:**

**Product Type:** Mutant ORF Clones

Product Name: NF2 (NM\_000268) Human Mutant ORF Clone

**Mutation Description:** Q65X

Affected Codon#: 65

Affected NT#: 193

Nucleotide Mutation: NF2 Mutant (Q65X), Myc-DDK-tagged ORF clone of Homo sapiens neurofibromin 2 (merlin)

(NF2), transcript variant 1 as transfection-ready DNA

**Effect:** Neurofibromosis 2

Symbol: NF2

Synonyms: ACN; BANF; merlin-1; SCH

E. coli Selection: Kanamycin (25 ug/mL)

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-Entry (PS100001)

 Tag:
 Myc-DDK

 ACCN:
 NM\_000268

ORF Size: 192 bp Restriction Sites: Sgfl-Mlul

ORF Nucleotide >RC401920 representing NM\_000268

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$ 

GCCGCGATCGCC

ATGGCCGGGGCCATCGCTTCCCGCATGAGCTTCAGCTCTCCAAGAGGAAGCAACCCAAGACGTTCACCGTGAGGATCGTCACCATGGACGCCGAGATGGAGTTCAATTGCGAGATGAAGTGGAAAGGGAAGGACCTCTT

 ${\tt TGATTTGGTGTGCCGGACTCTGGGGCTCCGAGAAACCTGGTTCTTTGGACTG}$ 

 ${\bf AGCGGACCG} {\bf ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC}$ 

TGGATTACAAGGATGACGACGA TAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >RC401920 representing NM\_000268

Red=Cloning site Green=Tags(s)

MAGAIASRMSFSSLKRKQPKTFTVRIVTMDAEMEFNCEMKWKGKDLFDLVCRTLGLRETWFFGL


**SGPTRTRRL**EQKLISEEDLAANDILDYKDDDDK**V** 

**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customport@origene.com">customport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

**OTI Annotation:** 

This clone was engineered to express the complete ORF with an expression tag. Expression  $% \left( 1\right) =\left( 1\right) \left( 1\right)$ 

varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**RefSeq:** NP 000259

RefSeq Size:192 bpRefSeq ORF:1788 bp



## NF2 (NM\_000268) Human Mutant ORF Clone - RC401920

**Locus ID:** 4771

Cytogenetics: 22q12.2

Domains: B41, ERM

**Protein Families:** Druggable Genome

MW: 7 kDa

**Gene Summary:** This gene encodes a protein that is similar to some members of the ERM (ezrin, radixin,

moesin) family of proteins that are thought to link cytoskeletal components with proteins in the cell membrane. This gene product has been shown to interact with cell-surface proteins, proteins involved in cytoskeletal dynamics and proteins involved in regulating ion transport. This gene is expressed at high levels during embryonic development; in adults, significant expression is found in Schwann cells, meningeal cells, lens and nerve. Mutations in this gene are associated with neurofibromatosis type II which is characterized by nervous system and skin tumors and ocular abnormalities. Two predominant isoforms and a number of minor isoforms are produced by alternatively spliced transcripts. [provided by RefSeq, Jul 2008]