

Product datasheet for RC401949

NF2 (NM 000268) Human Mutant ORF Clone

Product data:

Product Type: Mutant ORF Clones

Product Name: NF2 (NM_000268) Human Mutant ORF Clone

Mutation Description: W258X

Affected Codon#: 258

Affected NT#: 773

Nucleotide Mutation: NF2 Mutant (W258X), Myc-DDK-tagged ORF clone of Homo sapiens neurofibromin 2 (merlin)

(NF2), transcript variant 1 as transfection-ready DNA

Effect: Neurofibromosis 2

Symbol: NF2

Synonyms: ACN; BANF; merlin-1; SCH

E. coli Selection: Kanamycin (25 ug/mL)

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

Tag: Myc-DDK
ACCN: NM 000268

ORF Size: 771 bp
Restriction Sites: Sgfl-Mlul

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



ORF Nucleotide Sequence:

>RC401949 representing NM_000268

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGCCGGGGCCATCGCTTCCCGCATGAGCTTCAGCTCTCTCAAGAGGAAGCAACCCAAGACGTTCACCG
TGAGGATCGTCACCATGGACGCCGAGATGGAGTTCAATTGCGAGATGAAGTGGAAAGGGAAGGACCTCTT
TGATTTGGTGTGCCGGACTCTGGGGCTCCGAGAAACCTGGTTCTTTGGACTGCAGTACACAATCAAGGAC
ACAGTGGCCTGGCTCAAAATGGACAAGAAGGTACTGGATCATGATGTTTCAAAGGAAGAACCAGTCACCT
TTCACTTCTTGGCCAAATTTTATCCTGAGAATGCTGAAGAGGAGCTGGTTCAGGAGATCACCACAACATTT
ATTCTTCTTACAGGTAAAGAAGCAGATTTTAGATGAAAAGATCTACTGCCCTCCTGAGGCTTCTTGGCTC
CTGGCTTCTTACGCCGTCCAGGCCAAGTATGGTGACTACGACCCCAGTGTTCACAAGCCGGGATTTTTGG
CCCAAGAGGAATTGCTTCCAAAAAGGGTAATAAATCTGTATCAGATGACTCCGGAAATGTGGGAGGAGA
AATTACTGCTTGGTACGCAGAGCACCGAGGCCGAGCCAGGGATGAAACCAGACTGAAATGGAATATCTGAAGATA
GCTCAGGACCTGGAGATGTACGGTGTGAACTACTTTTGCAATCCGGAATAAAAAGGGCACAGAGCTGCTGC
TTGGAGTGGATGCCCTGGGGCTTCACATTTATGACCCTGAGAACAGACTGACCCCCAAGATCTCCTTCCC
G

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:

>RC401949 representing NM_000268 Red=Cloning site Green=Tags(s)

MAGAIASRMSFSSLKRKQPKTFTVRIVTMDAEMEFNCEMKWKGKDLFDLVCRTLGLRETWFFGLQYTIKD TVAWLKMDKKVLDHDVSKEEPVTFHFLAKFYPENAEEELVQEITQHLFFLQVKKQILDEKIYCPPEASVL LASYAVQAKYGDYDPSVHKRGFLAQEELLPKRVINLYQMTPEMWEERITAWYAEHRGRARDEAEMEYLKI AQDLEMYGVNYFAIRNKKGTELLLGVDALGLHIYDPENRLTPKISFP


SGPTRTRRLEQKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq: NP 000259

 RefSeq Size:
 771 bp

 RefSeq ORF:
 1788 bp

 Locus ID:
 4771

 Cytogenetics:
 22q12.2

Domains: B41, ERM

Protein Families: Druggable Genome

MW: 28.3 kDa

Gene Summary: This gene encodes a protein that is similar to some members of the ERM (ezrin, radixin,

moesin) family of proteins that are thought to link cytoskeletal components with proteins in the cell membrane. This gene product has been shown to interact with cell-surface proteins, proteins involved in cytoskeletal dynamics and proteins involved in regulating ion transport. This gene is expressed at high levels during embryonic development; in adults, significant expression is found in Schwann cells, meningeal cells, lens and nerve. Mutations in this gene are associated with neurofibromatosis type II which is characterized by nervous system and skin tumors and ocular abnormalities. Two predominant isoforms and a number of minor isoforms are produced by alternatively spliced transcripts. [provided by RefSeq, Jul 2008]