

Product datasheet for RC401979

NF2 (NM_000268) Human Mutant ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type: | Mutant ORF Clones |
|------------------------------|--|
| Product Name: | NF2 (NM_000268) Human Mutant ORF Clone |
| Mutation Description: | E463X |
| Affected Codon#: | 463 |
| Affected NT#: | 1387 |
| Nucleotide Mutation: | NF2 Mutant (E463X), Myc-DDK-tagged ORF clone of Homo sapiens neurofibromin 2 (merlin) (NF2), transcript variant 1 as transfection-ready DNA |
| Effect: | Neurofibromosis 2 |
| Symbol: | NF2 |
| Synonyms: | ACN; BANF; merlin-1; SCH |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| Tag: | Myc-DDK |
| ACCN: | NM_000268 |
| ORF Size: | 1386 bp |
| Restriction Sites: | Sgfl-Mlul |
| | |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| | NF2 (NM_000268) Human Mutant ORF Clone – RC401979 |
|-----------------------------|---|
| ORF Nucleotide Sequence: | <pre>>RC401979 representing NM_000268 Red=Cloning site Blue=ORF Green=Tags(s)</pre> |
| | TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C |
| | ATGGCCGGGGCCATCGCTTCCCGCATGAGCTTCAGCTCTCTCAGAGGAAGCAACCCAAGACGTTCACCG TGAGGATCGTCACCATGGACGCCGAGATGGAGTTCAATTGCGAGATGAAGTGGAAAGGGAAGGACCTCTT TGATTTGGTGTGCCGGACTCTGGGGCTCCGAGAAACCTGGTTCTTTGGACTGCAGTACACAATCAAGGAC ACAGTGGCCTGGCTCAAAATGGACAAGAAGGTACTGGATCATGATGTTTCAAAGGAAGAACCAGTCACCT TTCACTTCTTGGCCAAATTGTATCCTGAGAATGCTGAAGAGGAGCTGGTTCAAGGAGAACCAGTCACCA ATTCTTCTTACAGGTAAAGAAGCAGATTTTAGATGAAAAGATCTACTGCCCTCCTGAGGATCACACAACATTT ATTCTTCTTACAGCGTAAAGAAGCAGATTTTAGATGGTAACTACGCCCCAGTGTTCAACAACGGGGATTTTGG CCCAAGAGGAATTGCTTCCAAAAAGGGTAATAAATCTGTATCAGATGACTACCACAACGGGGAGTTTTGG CCCAAGAGGAATTGCTTCCAAAAAGGGTAATAAATCTGTATCAGATGAAATGGAATATCTGAAGATA GCTCAGGACCTGGAGATGTACGGAGGCACCGAGGCCGGGCCGGGATGAAGCTGAAATGGAGAGAG AATTACTGCTTGGTACGCAGGAGCACCGAGGCCGAGCCAGGAGCTGAAATGGAATATCTGAAGATA GCTCAGGACCTGGAGATGTACGGTGTGAACTACTTTGCAATCCGGAATAAAAAGGGCACAGAGCTGC TTGGAGTGGATGCCCTGGGGCTTCACATTATAGACCCGCAGAGCTGAAATGGAATATCTGAAGATA GCTCAGGACCCGGAGCACCGAACCACGTGCGCAGGCAGGAGGATTAAAAAGGGCACAGAGCTGC TTGGAATGAAATCCGAAACATCTCGTACAGTGACAAGGAGTTTACTATTAAACCACTGGATAAGAAAATT GATGTCTTCAAGTTTAACTCCTCAAAGCTTCGTGTTAATAAGCTGATTCACAGCAGCAGATGAAAGCCCAAGGCAGGA GGAGAAGGCTAGAAAGCAGATGGAGCGGCAGCGCCTCGCTCG |
| Protein Sequence | e: >RC401979 representing NM_000268 Red=Cloning site Green=Tags(s) |
| | MAGAIASRMSFSSLKRKQPKTFTVRIVTMDAEMEFNCEMKWKGKDLFDLVCRTLGLRETWFFGLQYTIKD TVAWLKMDKKVLDHDVSKEEPVTFHFLAKFYPENAEEELVQEITQHLFFLQVKKQILDEKIYCPPEASVL LASYAVQAKYGDYDPSVHKRGFLAQEELLPKRVINLYQMTPEMWEERITAWYAEHRGRARDEAEMEYLKI AQDLEMYGVNYFAIRNKKGTELLLGVDALGLHIYDPENRLTPKISFPWNEIRNISYSDKEFTIKPLDKKI DVFKFNSSKLRVNKLILQLCIGNHDLFMRRRKADSLEVQQMKAQAREEKARKQMERQRLAREKQMREEAE RTRDELERRLLQMKEEATMANEALMRSEETADLLAEKAQITEEEAKLLAQKAAEAEQEMQRIKATAIRTE EEKRLMEQKVLEAEVLALKMAEESERRAKEADQLKQDLQEAR |
| Restriction Sites: | SGPTRTRRLEQKLISEEDLAANDILDYKDDDDKV Sgfl-Mlul |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:



* The last codon before the Stop codon of the ORF

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

- **OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
- Components:The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube
containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

| RefSeq: | <u>NP 000259</u> |
|-------------------|------------------|
| RefSeq Size: | 1386 bp |
| RefSeq ORF: | 1788 bp |
| Locus ID: | 4771 |
| Cytogenetics: | 22q12.2 |
| Domains: | B41, ERM |
| Protein Families: | Druggable Genome |
| MW: | 50.8 kDa |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

NF2 (NM_000268) Human Mutant ORF Clone – RC401979

Gene Summary:This gene encodes a protein that is similar to some members of the ERM (ezrin, radixin,
moesin) family of proteins that are thought to link cytoskeletal components with proteins in
the cell membrane. This gene product has been shown to interact with cell-surface proteins,
proteins involved in cytoskeletal dynamics and proteins involved in regulating ion transport.
This gene is expressed at high levels during embryonic development; in adults, significant
expression is found in Schwann cells, meningeal cells, lens and nerve. Mutations in this gene
are associated with neurofibromatosis type II which is characterized by nervous system and
skin tumors and ocular abnormalities. Two predominant isoforms and a number of minor
isoforms are produced by alternatively spliced transcripts. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US