

Product datasheet for RC402310

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

| Product Type: | Mutant ORF Clones |
|------------------------------|--|
| Product Name: | Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone |
| Mutation Description: | E157X |
| Affected Codon#: | 157 |
| Affected NT#: | 469 |
| Nucleotide Mutation: | TSC2 Mutant (E157X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA |
| Effect: | Tuberous slerosis |
| Symbol: | TSC2 |
| Synonyms: | LAM; PPP1R160; TSC4 |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| Tag: | Myc-DDK |
| ACCN: | NM_000548 |
| ORF Size: | 468 bp |
| Restriction Sites: | Sgfl-Xhol |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| | Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone – RC402310 |
|-----------------------------|---|
| ORF Nucleotide Sequence: | <pre>>RC402310 representing NM_000548 Red=Cloning site Blue=ORF Green=Tags(s)</pre> |
| | TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C |
| | ATGGCCAAACCAACAAGCAAAGATTCAGGCTTGAAGGAGAAGTTTAAGATTCTGTTGGGACTGGGAACAC CGAGGCCAAATCCCAGGTCTGCAGAGGGTAAACAGACGGAGTTTATCATCACCGCGGAAATACTGAGAGA ACTGAGCATGGAATGTGGCCTCCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGCAAAAACC AAGAAATTTGAAGAGCACGCAGTGGAAGCACTCTGGAAGGCGGTCGCGGATCTGTTGCAGCCGGAGCGGC CGCTGGAGGCCCGGCACGCGGTGCTGGCTCGCTGAAGGCCATCGTGCAGGGGCAGGGCGAGCGTTTGGG GGTCCTCAGAGCCCTCTTCTTTAAGGTCATCAAGGATTACCCTTCCAACGAAGACCTTCACGAAAGGCTG GAGGTTTTCAAGGCCCTCACAATGGGAGACACACTCACCTACTTG |
| | AGCGGACCGACGCGTACGCGGCCGGCCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC TGGATTACAAGGATGACGACGA TAAGGTTTAA |
| Protein Sequence: | <pre>>RC402310 representing NM_000548 Red=Cloning site Green=Tags(s)</pre> |
| | MAKPTSKDSGLKEKFKILLGLGTPRPNPRSAEGKQTEFIITAEILRELSMECGLNNRIRMIGQICEVAKT KKFEEHAVEALWKAVADLLQPERPLEARHAVLALLKAIVQGQGERLGVLRALFFKVIKDYPSNEDLHERL EVFKALTDNGRHITYL |
| | SGPTRTRRLEQKLISEEDLAANDILDYKDDDDKV |
| Restriction Sites: | Sgfl-Xhol |
| Cloning Scheme: | Cloning sites used for ORF Shuttling: |
| | Sgf I ORF Xho I GCGATCGC C ATG NNN CTC GAG |
| | |
| | EcoRI BamHI Kpn I RBS Sg1 CTATAGGGGGGGCGGGAATTCGTCGGACTGGATCGGTGCGGGGGGAGTGTCCGGCGGGATCGC ATG |
| | ORF <u>Xho I</u> Myc.Tag CTC GAG CAG AAA CTC ATC TCT GAA GAG L <u>E Q K L I S E E</u> |
| | EcoR V Flag.Tag Pmel Fsel GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGGCCGGCCC D L A N D I L D Y K D D D K V stop |
| | * The last codon before the Stop codon of the ORF |

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| | Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone – RC402310 |
|------------------|--|
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| RefSeq: | <u>NP 000539</u> |
| RefSeq Size: | 468 bp |
| RefSeq ORF: | 5424 bp |
| Locus ID: | 7249 |
| Cytogenetics: | 16p13.3 |
| Domains: | Rap_GAP, Tuberin |
| Protein Families | : Druggable Genome |
| Protein Pathway | rs: Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway |
| MW: | 17.2 kDa |
| Gene Summary: | Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008] |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US