

Product datasheet for **RC402361**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	Q595X
Affected Codon#:	595
Affected NT#:	1783
Nucleotide Mutation:	TSC2 Mutant (Q595X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	Tuberin
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	1782 bp
Restriction Sites:	Sgfl-XhoI


[View online »](#)

ORF Nucleotide Sequence:

>RC402361 representing NM_000548
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGC**

ATGGCCAAACCAACAAGCAAAGATTAGGCTTGAAGGAGAAGTTAAGATTCTGTTGGGACTGGGAACAC
 CGAGGCCAAATCCCAGGTCTGCAGAGGGTAAACAGACGGAGTTTATCATCACCGCGGAAATACTGAGAGA
 ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGCAAAACC
 AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGAAGGCGGTGCGGATCTGTTGAGCCGAGCGGC
 CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGGCCATCGTGCAGGGCAGGGCAGCGTTTGGG
 GGTCTCAGAGCCCTCTCTTTAAGGTCATCAAGGATTACCTTCCAACGAAGACCTTACGAAAGGCTG
 GAGGTTTTCAAGGCCCTCACAGACAATGGAGACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG
 TCCTGCAGTGGATGGATGTTGGCTTGTCTCGGAATTCCTTCTGGTCTGGTGAAGTTGGTCAAATCAA
 TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGACCGCG
 TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTCTGGACGCCGTGGTCTGCTACAACCTGCTGCCGGCTG
 AGAGCCTCCCGCTGTTTCATCGTTACCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG
 GAAGCTGATGCGGAACCTCCTTGGCACCCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG
 GAGGACAGAGCCTACATGGAGGACGCGCCCTGCTGAGAGGAGCGGTGTTTTTGTGGGCATGGCTCTCT
 GGGGAGCCACCGGCTCTATTCTCTCAGGAACCTCGCCGACATCTGTGTTGCCATCATTTTACCAGGCCAT
 GGCATGTCGAACGAGGTGGTGTCTATGAGATCGTCTGTCCATCACCAGGCTCATCAAGAAGTATAGG
 AAGGAGCTCCAGTGGTGGCGTGGGACATTCTGCTGAACATCATCGAACGGCTCCTTCAGCAGCTCCAGA
 CCTTGGACAGCCCGAGCTCAGGACCATCGTCCATGACCTGTTGACCAGGTGGAGGAGCTGTGTGACCA
 GAACGAGTTCACGCGGTCTCAGGAGAGATACTTTGAACGTGGTGAGAGATGTGCGGACCGAGGCGCTGAG
 TCCTCCCTCTGAACCTGATCTCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA
 ACCTGCAGGCGCTGATGGAGAGATTCTTCAGGAGCGAGTCCGAGGCGCGGTGCGCATCAAGGTGCTGGA
 CGTGTCTCTTTGTGCTGCTCATCAACAGGCGAGTCTATGAGGAGGAGCTGATTAAGTCAAGTGGTCATC
 TCGCAGCTCTCCACATCCCGAGGATAAAGACCACCGAGTCCGAAAGCTGGCCACCCAGTTGCTGGTGG
 ACCTGGCAGAGGGCTGCCACACACCACTTCAACAGCCTGCTGGACATCATCGAGAAGGTGATGCCCG
 CTCCTCTCCCCACCCCGAGCTGGAAGAAAGGGATGTGGCCGATACTCGGCCTCCTTGAGGATGTG
 AAGACAGCGTCTGGGGCTTCTGGTCATCTTCAGACCAAGCTGTACACCTGCCTGCAAGCCACGCCA
 CGCGTGTATGAGATGCTGGTCAGCCACATT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:

>RC402361 representing NM_000548
 Red=Cloning site Green=Tags(s)


MAKPTSKDSSLKEKFKILLGLGTPRPNRPSAEGKQTEFIITAEILRELSMEGLNNRIRMIGQICEVAKT
 KKFEHAEALWKAVADLLQPERPLEARHALLKAIYVQGGERLGLRALFFKVIKDYPNSNEDLHERL
 EVFKALTDNGRHITYLEEELADFVLQWMDVGLSSEFLLVLNLVKFNSCYLDEYIARMVQMICLLCVRTA
 SSVDIEVSLQVLDAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLNRNLLGTHLGHSIYNMCHLM
 EDRAVMEDAPLLRGAVFFVGMALWGAHRLYSRLNSPTSVLPSTFYQAMACPNVVSYEIVLSITRLIKKYR
 KELQVVAWDILLNIIERLLQQLQTLDSPELRTIVHDLLTTVEELCDQNEFHGSQERYFELVERCADQRPE
 SLLNLSYRAQSIHPAKDGIQNLQALMERFFRSESRGAVRIKVLVDVLSFVLLINRQFYEEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLDLAEGCHTHHFNSLLDIIKVMARSLSPPELEERDVAAYSASLEDV
 KTAVLGLLVILQTKLYTLPAHATRVYEMLVSHI

SGP**TRRRLEQKLISEEDLAANDILDYKDDDDKV**

Restriction Sites:

SgfI-XhoI

Cloning Scheme:



OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Note:

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq:

[NP_000539](#)

RefSeq Size:

1782 bp

RefSeq ORF:	5424 bp
Locus ID:	7249
Cytogenetics:	16p13.3
Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	65.3 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]