

Product datasheet for **RC402389**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	Y776X
Affected Codon#:	776
Affected NT#:	2328
Nucleotide Mutation:	TSC2 Mutant (Y776X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	TSC2
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	2325 bp
Restriction Sites:	SgfI-XhoI



[View online »](#)

ORF Nucleotide Sequence:

>RC402389 representing NM_000548
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGCCAAACCAACAAGCAAAGATTAGGCTTGAAGGAGAAGTTAAGATTCTGTGGGACTGGGAACAC
 CGAGGCCAAATCCAGGTCTGCAGAGGGTAAACAGACGGAGTTATCATCACCGCGAAATACTGAGAGA
 ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGAAAAACC
 AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGGAAGGCGGTGCGGATCTGTTGCAGCCGGAGCGGC
 CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGGCCATCGTGCAGGGCAGGGCAGCGTTTGGG
 GGTCTCAGAGCCCTCTCTTTAAGGTCATCAAGGATTACCTTCCAACGAAGACCTTACGAAAGGCTG
 GAGTTTTCAAGGCCCTCACAGACAATGGGAGACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG
 TCCTGCAGTGGATGGATGTTGGCTTGTCTCGAATTCCTTCTGGTGTGGTGAACCTGGTCAAATCAA
 TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGGACCGCG
 TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTGCTGGACGCCGTGGTCTGCTACAACCTGCCGGCTG
 AGAGCCTCCCGCTGTTTATCGTTACCCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG
 GAAGCTGATGCGGAACCTCCTTGGCACCCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG
 GAGGACAGAGCCTACATGGAGGACGCGCCCTGCTGAGAGGAGCCGTGTTTTTGTGGGCATGGCTCTCT
 GGGGAGCCCACCGGCTCTATTCTCTCAGGAACCTGCGGACATCTGTGTTGCCATCATTTTACCAGGCCAT
 GGCATGTCCGAACGAGGTGGTGTCTATGAGATCGTCTGTCCATCACCAGGCTCATCAAGAAGTATAGG
 AAGGAGCTCCAGTGGTGGCTGGGACATCTGCTGAACATCATCGAACGGCTCCTTCAAGCAGCTCCAGA
 CCTTGGACAGCCCGGAGCTCAGGACCATCGTCCATGACCTGTTGACCACGGTGGAGAGCTGTGTACCA
 GAACGAGTTCCACGGGTCTCAGGAGAGATACTTTGAACTGGTGGAGAGATGTGCGGACCAGAGGCCTGAG
 TCCTCCCTCCTGAACCTGATCTCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA
 ACCTGCAGGCGCTGATGGAGAGATTCTCAGGAGCGAGTCCCGAGGCGCCGTGCGCATCAAGGTGCTGGA
 CGTGTCTCCTTTGTGCTGCTCATCAACAGGAGTCTATGAGGAGGAGCTGATTAACCTAGTGGTCTATC
 TCGCAGCTCTCCACATCCCCGAGGATAAAGACCACCAGGTCCGAAAGCTGGCCACCCAGTTGCTGGTGG
 ACCTGGCAGAGGGCTGCCACACACCACTTCAACAGCCTGCTGGACATCATCGAGAAGGTGATGGCCCG
 CTCCCTCTCCCCACCCCGAGCTGGAAGAAAGGGATGTGGCCGATACTCGGCCTCCTTGGAGGATGTG
 AAGACAGCCGCTCTGGGGCTTCTGGTATCCTTCAGACCAAGCTGTACCCCTGCCTGCAAGCCACGCCA
 CGCGTGTGTATGAGATGCTGGTCAAGCCATTCAGTCCACTACAAGCACAGCTACACCTGCCAATCGC
 GAGCAGCATCCGGCTGCAGGCCTTTGACTTCTGTTGCTGCTGCGGGCCGACTCACTGCACCCGCTGGGC
 CTGCCAAACAAGGATGGAGTCTGCGGTTACGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG
 GCTCTGAGAAGAAGACCAGCGGCCCTTTCTCCTCCACAGGGCCTCTGGCCCGGCGCTGCAGGCC
 CGCCGTGCGGCTGGGGTCCGTGCCCTACTCCCTGCTCTCCGCGTCTGCTGCAGTGTGTAAGCAGGAG
 TCTGACTGGAAGGTGCTGAAGCTGGTCTGGGACGGCTGCCTGAGTCCCTGCGCTATAAAGTGTCTATCT
 TTAATCCCCTTGCAGTGTGACAGCTGTGCTCTGCTCTGCTCCATGCTTTCAAGCCAAAGACT
 GGAGCGGCTCCGAGCGCCCGAAGGCTTCTCCAGAAGTACTGCTGCACCTGGCCGTGGTCCAGTGTCTG
 ACAGCATTAAATCTCT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA


Protein Sequence: >RC402389 representing NM_000548
 Red=Cloning site Green=Tags(s)

MAKPTSKDSSLKEKFKILLGLGTPRPNRPSAEGKQTEFIITAEILRELSMECGLNRRIRMIGQICEVAKT
 KKFEHVEALWKAVADLLQPERPEARHAVLALLKAIYVQGGERLGLRALFFKVIKDYPSTNEDLHERL
 EVFKALTDNGRHITYLEEELADFVLQWMDVGLSSEFLLVLVNLVKFNCSYLDEYIARMVQMICLLCVRTA
 SSVVDIEVSLQVLDAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLMRNLLGTHLGHSAIYNMCHLM
 EDRAYMEDAPLLRGAVFFVGMALWGAHRLYSLRNSPTSVLPSFYQAMACPNVVSYEIVLSITRLIKKYR
 KELQVVAWDILLNIIERLLQQLQTLDSPELRTIVHDLLTTVEELCDQNEFHGSQERYFELVERCADQRPE
 SSSLNLSYRAQSIHPAKDGWIQNQLALMERFFRSESARGAVRIKVLVDLVSFVLLINRQFYEEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLVDLAEGCHTHHFNSLLDIEKVMARSLSPPELEERDVAAYSASLEDV
 KTAVGLLLVILQTKLYLPASHATRVYEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLRADSLHRLG
 LPNKDGVVRFSPYCVCDYMEPERGSEKKTSGPLSPPTGPPGAPAGPAVRLGSPYSLLFRVLLQCLKQE
 SDWKVLKLVLRGRLPESLRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFRTDLHLAVVPL
 TALIS

SGPTRRRRLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-XhoI

Cloning Scheme:



OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
RefSeq:	<u>NP_000539</u>
RefSeq Size:	2325 bp
RefSeq ORF:	5424 bp
Locus ID:	7249
Cytogenetics:	16p13.3
Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	85.3 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]