

Product datasheet for **RC402394**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	Q794X
Affected Codon#:	794
Affected NT#:	2380
Nucleotide Mutation:	TSC2 Mutant (Q794X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	Tuberin
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	2379 bp
Restriction Sites:	SgfI-XhoI



[View online »](#)

ORF Nucleotide Sequence:

>RC402394 representing NM_000548
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGGCCAAACCAACAAGCAAAGATTAGGCTTGAAGGAGAAGTTAAGATTCTGTGGGACTGGGAACAC
 CGAGGCCAAATCCAGGTCTGCAGAGGGTAAACAGACGGAGTTATCATCACCGCGAAATACTGAGAGA
 ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGAAAAACC
 AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGGAAGGCGGTGCGGGATCTGTTGCAGCCGGAGCGGC
 CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGGCCATCGTGCAGGGCAGGGCAGCGTTTGGG
 GGTCTCAGAGCCCTCTCTTTAAGGTCATCAAGGATTACCTTCCAACGAAGACCTTACGAAAGGCTG
 GAGTTTTCAAGGCCCTCACAGACAATGGAGACACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG
 TCCTGCAGTGGATGGATGTTGGCTTGTCTCGAATTCCTTCTGGTGTGGTGAACCTGGTCAAATCAA
 TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGGACCGCG
 TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTGCTGGACGCCGTGGTCTGCTACAACCTGCCTGCCGGCTG
 AGAGCCTCCCGCTGTTTATCGTTACCCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG
 GAAGCTGATGCGGAACCTCCTTGGCACCCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG
 GAGGACAGAGCCTACATGGAGGACGCGCCCTGCTGAGAGGAGCCGTGTTTTTGTGGGCATGGCTCTCT
 GGGGAGCCACCGGCTCTATTCTCTCAGGAACCTGCGGACATCTGTGTTGCCATCATTTTACCAGGCCAT
 GGCATGTCCGAACGAGGTGGTGTCTATGAGATCGTCTGTCCATCACCAGGCTCATCAAGAAGTATAGG
 AAGGAGCTCCAGTGGTGGCGTGGGACATCTGCTGAACATCATCGAACGGCTCCTTCAAGCAGCTCCAGA
 CCTTGGACAGCCCGGAGCTCAGGACCATCGTCCATGACCTGTTGACCAGGTGGAGGAGCTGTGTACCA
 GAACGAGTCCACGGGTCTCAGGAGAGATACTTTGAACTGGTGGAGAGATGTGCGGACCAGAGCCCTGAG
 TCCTCCCTCCTGAACCTGATCTCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA
 ACCTGCAGGCGCTGATGGAGAGATTCTCAGGAGCGAGTCCCGAGGCGCCGTGCGCATCAAGGTGCTGGA
 CGTGTCTCCTTTGTGCTGCTCATCAACAGGAGTCTATGAGGAGGAGCTGATTAACCTAGTGGTCTATC
 TCGCAGCTCTCCACATCCCGGAGGATAAAGACCACCAGGTCCGAAAGCTGGCCACCCAGTTGCTGGTGG
 ACCTGGCAGAGGGCTGCCACACACCACTTCAACAGCCTGCTGGACATCATCGAGAAGGTGATGGCCCG
 CTCCCTCTCCCCACCCCGAGCTGGAAGAAAGGGATGTGGCCGATACTCGGCCTCCTTGGAGGATGTG
 AAGACAGCCGCTCTGGGGCTTCTGGTATCCTTCAGACCAAGCTGTACCCCTGCCTGCAAGCCACGCCA
 CGCGTGTGTATGAGATGCTGGTCAAGCCATTCAGTCCACTACAAGCACAGCTACACCCCTGCCAATCGC
 GAGCAGCATCCGGCTGCAGGCCTTTGACTTCTGTTGCTGCTGCGGGCCGACTCACTGCACCCGCTGGGC
 CTGCCAAACAAGGATGGAGTCTGCGGTTAGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG
 GCTCTGAGAAGAAGACCAGCGGCCCTTTCTCCTCCACAGGGCCTCTGGCCCGGCGCTGCAGGCC
 CGCCGTGCGGCTGGGGTCCGTGCCCTACTCCCTGCTCTCCGCGTCTGCTGCAGTGTGTAAGCAGGAG
 TCTGACTGGAAGGTGCTGAAGCTGGTCTGGGAGGCTGCCTGAGTCCCTGCGCTATAAAGTGTCTATCT
 TTACTTCCCCTTGCAGTGTGACAGCTGTGCTCTGCTCTGCTCCATGCTTTCAGGCCAAAGACACT
 GGAGCGGCTCCGAGGCGCCCGAAGGCTTCTCCAGAACTGACTTGCACCTGGCCGTGGTCCAGTGTG
 ACAGCATTAACTCTTACCATAACTACCTGGACAAAACCAACAGCGCGAGATGGTCTACTGCCTGGAG

AG**GCGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA


Protein Sequence: >RC402394 representing NM_000548
 Red=Cloning site Green=Tags(s)

MAKPTSKDSSLKEKFKILLGLGTPRPNRPAEGKQTEFIITAEILRELSMECGLNRRIRMIGQICEVAKT
 KKFEHAVEALWKAVADLLQPERPEARHAVLALLKAIYVQGGERLGLRALFFKVIKDYPNSNEDLHERL
 EVFKALTDNGRHITYLEEELADFVLQWMDVGLSSEFLLVLVNLVKFNCSYLDEYIARMVQMICLLCVRTA
 SSVVDIEVSLQVLDAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLMRNLLGTHLGHSAIYNMCHLM
 EDRAVMEDAPLLRGAVFFVGMALWGAHRLYSLRNSPTSVLPSFYQAMACPNEVVSYEIVLSITRLIKKYR
 KELQVVAWDILLNIIERLLQQLQTLDSPELRTIVHDLLTTVEELCDQNEFHGSQERYFELVERCADQRPE
 SSSLNLSYRAQSIHPAKDGWIQNLQALMERFFRSESARGAVRIKVLVDLVSFVLLINRQFYEEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLVDLAEGCHTHHFNSLLDIEKVMARSLSPPELEERDVAAYSASLEDV
 KTAVGLLLVILQTKLYLPASHATRVYEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLRADSLHRLG
 LPNKDGVVRFSPYCVCDYMEPERGSEKKTSGPLSPPTGPPGAPAGPAVRLGSPYSLLFRVLLQCLKQE
 SDWKVLKLVGLRPELRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFRTDLHLAVVPVL
 TALISYHNYLDKTKQREMYVCLE

SGPTRRRLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-XhoI

Cloning Scheme:



OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NP_000539
RefSeq Size:	2379 bp
RefSeq ORF:	5424 bp
Locus ID:	7249
Cytogenetics:	16p13.3
Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	87.2 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]