

Product datasheet for **RC402398**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	K821X
Affected Codon#:	821
Affected NT#:	2461
Nucleotide Mutation:	TSC2 Mutant (K821X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	Tuberin
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	2460 bp
Restriction Sites:	Sgfl-XhoI



[View online »](#)

ORF Nucleotide Sequence:

```
>RC402398 representing NM_000548
Red=Cloning site Blue=ORF Green=Tags(s)
```

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCTGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCCAAACCAACAAGCAAGAGATTAGGCTTGAAGGAGAAGTTTAAAGATTCTGTTGGGACTGGGAACACGAGGCCAAATCCCAGGTCTGCAGAGGGTAAACAGACGGAGTTTATCATCACCGCGGAAATACTGAGAGAACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGCAAAACC AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGGAAGGCGGTGCGGGATCTGTTGCAGCCGGAGCGGC CGCTGGAGGCCCCGGCACGCGGTGCTGGCTCTGCTGAAGGCCATCGTGCAGGGGCAGGGCGAGCGTTTGGG GGTCTCTCAGAGCCCTCTTCTTTAAGGTATCAAGGATTACCCCTTCCAACGAAGACCTTCACGAAAGGCTG GAGGTTTTCAAGGCCCTCACAGACAATGGGAGACACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG TCCTGCAGTGGATGGATGTTGGCTTGCTCTCGGAATTCCTTCTGGTGCTGGTGAACCTGGTCAAATTCAA TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCGGGACCGCG TCCTCTGTGGACATAGAGTCTCCCTCGAGGTGCTGGACGCCGTGTCTGCTACAACCTGCCTCCGGCTG AGCGCTCCCGCTGTTCACTGTTACCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG GAAGCTGATGCGGAACCTCCTTGGCACCCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG GAGGACAGAGCCTACATGGAGGACGCGCCCTGCTGAGAGGAGCCGTGTTTTTGTGGGCATGGCTCTCT GGGGAGCCCACCGCTCTATTCTCTCAGGAACCTCGCCGACATCTGTGTTGCCATCATTTTACCAGGCCAT GGCATGTCCGAACGAGGTGGTGTCTATGAGATCGTCTGTCCATACCAGGCTCATCAAGAAGTATAGG AAGGAGCTCCAGGTGGTGGCGTGGGACATTCTGCTGAACATCATCGAACGGCTCCTTCAGCAGCTCCAGA CTTGGACAGCCCGGAGCTCAGGACCATCGTCCATGACCTGTTGACCACGCTGGAGGAGCTGTGTGACCA GAACGAGTTCACGGGTCTCAGGAGAGATACTTTGAACTGGTGGAGAGATGTGCGGACCAGAGGCCTGAG TCCTCCCTCTGAACTGATCTCCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTCAGA ACCTGCAGGCGCTGATGGAGAGATTCTTCAGGAGCGAGTCCCGAGGCGCCGTGCGCATCAAGGTGCTGGA CGTGCTGTCTTTGTGCTGCTCATCAACAGGCAGTTCATGAGGAGGAGCTGATTAACCTAGTGGTCACT CGCAGCTCTCCCACTCCCCGAGGATAAAGAACACCCAGGTCCGAAGATCGGCCACCCAGTTGCTGGTGG ACCGAGCAGAGGCTGCCACACACACCATTCAACACGCTGTGGAAGCATCATCAGAAGGTTGATGGCCCG CTCCCTCTCCCCACCCCGGAGCTGGAAGAAAGGGATGTGGCCGCATACTCGGCCCTCTTGAGGATGTG AAGACAGCCGTCTGGGCTTCTGGTCACTCCTTCAGACCAAGCTGTACACCCTGCCTGCAAGCCACGCCA CGCGTGTGATGAGATGCTGGTCAGCCACATTAGCTCCACTACAAGCACAGCTACACCCTGCCAATCGC GAGCAGCATCCGGCTGCAGGCCTTTGACTTCTGTTGCTGCTGCGGGCCGACTCACTGCACCGCTGGG CTGCCAAACAAGGATGGAGTCGTGCGGTTAGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG GCTCTGAGAAGAAGACCAGCGGCCCTTTCTCCTCCCACAGGGCTCCTGGCCCCGGCGCTGCAGGCC CGCCGTGCGGCTGGGGTCCGTGCCCTACTCCCTGCTCTTCCGCGTCTGCTGCAGTGCTTGAAGCAGGAG TCTGACTGGAAGGTGCTGAAGCTGGTTCTGGGACAGGCTGCCTGAGTCCCTGCGCTATAAAGTGCTCATCT TACTTCCCCTTGCAGTGTGGACCAGCTGTGCTCTGCTCTGCTCCATGCTTTCAGGCCCAAAGACACT GGAGCGGCTCCGAGGCGCCCCAGAAGGCTTCCAGAAGTCACTTGACCTGGCCGTGGTTCAGTGCTG ACAGCATTATCTCTTACCATAACTACCTGGACAAAACCAACAGCGCGAGATGGTCTACTGCCTGGAGC AGGGCTTCAATCCACCGCTGTGCCAGCCAGTGCGTCTGGCCTTGTCCATCTGCAGCGTGGAGATGCCTGA CATCATCATC

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGA TAAGGTTTAA


Protein Sequence: >RC402398 representing NM_000548
 Red=Cloning site Green=Tags(s)

MAKPTSKDGLKEKFKILLGLGTPRPNPRSAEGKQTEFIITAEILRELSMECGLNNRIRMIGQICEVAKT
 KKFEHAEALWKAVADLLQPERPEARHVLALLKAIYVQGGERLGLRALFFKVIKDYPNSNEDLHERL
 EVFKALTDNGRHITYLEEELADFVLQWMDVGLSSEFLLVLNLVKFNSCYLDEYIARMVQMICLLCVRTA
 SSVSDIEVSLQVLDAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLNRNLLGTHLGHSIYNMCHLM
 EDRAYMEDAPLLRGAVFFVGMALWGAHRLYSLRNSPTSVLPSFYQAMACPNEVVSYEIVLSITRLIKKYR
 KELQVVAWDILLNIIERLLQQLQTLDSPELRTIVHDLLTTVEELCDQNEFHGSQERYFELVERCADQRPE
 SSSLNLISYRAQSIHPAKDGWIQNLQALMERFFRSESARGAVRIKVLVDLSFVLLINRQFYEEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLDLAEGCHTHHFNSLLDIEKVMARSLSPPELEERDVAAYSASLEDV
 KTAVLGLLVILQTKLYLPASHATRVYEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLRADSLHRLG
 LPNKDGVVRFSPYCVCDYMEPERGSEKKTSGPLSPPTGPPGAPAGPAVRLGSPYSLLFRVLLQCLKQE
 SDWKVLKLVGLRPESLRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFSRTDLHLAVVPVL
 TALISYHNYLDKTKQREMYVCLEQGLIHRCASQCQVVALSICSVEMPDIII

SGPTRRRLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-XhoI

Cloning Scheme:



OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NP_000539</u>
RefSeq Size:	2460 bp
RefSeq ORF:	5424 bp
Locus ID:	7249
Cytogenetics:	16p13.3
Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	90.2 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]