

Product datasheet for **RC402405**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	W896X
Affected Codon#:	896
Affected NT#:	2687
Nucleotide Mutation:	TSC2 Mutant (W896X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	TSC2
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	2685 bp
Restriction Sites:	SgfI-XhoI



[View online »](#)

ORF Nucleotide Sequence:

>RC402405 representing NM_000548
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGCCAAACCAACAAGCAAAGATTAGGCTTGAAGGAGAAGTTAAGATTCTGTGGGACTGGGAACAC
 CGAGGCCAAATCCCAGGTCTGCAGAGGGTAAACAGACGGAGTTTATCATCACCGGAAATACTGAGAGA
 ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGAAAAACC
 AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGGAAGGCGGTGCGGATCTGTTGCAGCCGGAGCGGC
 CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGGCCATCGTGCAGGGCAGGGCAGCGTTTGGG
 GGTCTCAGAGCCCTCTCTTTAAGGTCATCAAGGATTACCTTCCAACGAAGACCTTACGAAAGGCTG
 GAGTTTTCAAGGCCCTCACAGACAATGGGAGACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG
 TCCTGCAGTGGATGGATGTTGGCTTGTCTCGGAATTCCTTCTGGTGTGGTGAACCTGGTCAAATCAA
 TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGGACCGCG
 TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTGCTGGACGCCGTGGTCTGCTACAACCTGCCTGCCGGCTG
 AGAGCCTCCCGCTGTTTATCGTTACCCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG
 GAAGCTGATGCGGAACCTCCTTGGCACCCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG
 GAGGACAGAGCCTACATGGAGGACGCGCCCTGCTGAGAGGAGCCGTGTTTTTGTGGGCATGGCTCTCT
 GGGGAGCCACCGGCTCTATTCTCTCAGGAACCTCGCCGACATCTGTGTTGCCATCATTTTACCAGGCCAT
 GGCATGTCCGAACGAGGTGGTGTCTATGAGATCGTCTGTCCATCACCAGGCTCATCAAGAAGTATAGG
 AAGGAGCTCCAGTGGTGGCGTGGGACATCTGCTGAACATCATCGAACGGCTCCTTACGACGCTCCAGA
 CCTTGGACAGCCCGGAGCTCAGGACCATCGTCCATGACCTGTTGACCACGGTGGAGGAGCTGTGTGACCA
 GAACGAGTTCCACGGGTCTCAGGAGAGATACTTTGAACCTGGTGGAGAGATGTGCGGACCGAGGCCCTGAG
 TCCTCCCTCCTGAACCTGATCTCCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA
 ACCTGCAGGCGCTGATGGAGAGATTCTCAGGAGCGAGTCCCGAGGCGCCGTGCGCATCAAGGTGCTGGA
 CGTGTCTCCTTTGTGCTGCTCATCAACAGGAGTCTATGAGGAGGAGCTGATTAACCTAGTGGTCTATC
 TCGCAGCTCTCCACATCCCGAGGATAAAGACCACCAGGTCCGAAAGCTGGCCACCCAGTTGCTGGTGG
 ACCTGGCAGAGGGCTGCCACACACCACTTCAACAGCCTGCTGGACATCATCGAGAAGGTGATGGCCCG
 CTCCTCTCCCCACCCCGAGCTGGAAGAAAGGGATGTGGCCGATACTCGGCCTCCTGGAGGATGTG
 AAGACAGCCGCTCTGGGGCTTCTGGTATCCTTCAGACCAAGCTGTACACCCTGCCTGCAAGCCACGCCA
 CGCGTGTGATGAGATGCTGGTACGCCAATTCAGCTCCACTACAAGCACAGCTACACCCCTGCCAATCGC
 GAGCAGCATCCGGCTGCAGGCCTTTGACTTCTGTTGCTGCTGCGGGCCGACTCACTGCACCCGCTGGGC
 CTGCCAAACAAGGATGGAGTCTGCGGTTACGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG
 GCTCTGAGAAGAAGACCAGCGGCCCTTTCTCCTCCACAGGGCCTCCTGGCCCGGCGCTGCAGGCC
 CGCCGTGCGGCTGGGGTCCGTGCCCTACTCCCTGCTCTCCGCGTCTGCTGCAGTGTGTAAGCAGGAG
 TCTGACTGGAAGGTGCTGAAGCTGGTCTGGGACGGCTGCCTGAGTCCCTGCGCTATAAAGTGTCTATCT
 TTACTTCCCCTTGCAGTGTGGACAGCTGTGCTCTGCTCTGCTCCATGCTTTACAGCCCAAAGACACT
 GGAGCGGCTCCGAGCGCCCCAGAAGGCTTCTCAGAAGTACTGACCTGGCCGTGGTTCAGTGTGCTG
 ACAGCATTAACTCTTACCATAACTACCTGGACAAAACCAAACAGCGCGAGATGGTCTACTGCCTGGAGC
 AGGGCCTCATCCACCGCTGTGCCAGCCAGTGCCTGCTGCGCTTGTCCATCTGCAGCGTGGAGATGCCTGA
 CATCATCAAGGCGCTGCCTGTTCTGGTGGTGAAGCTCACGCACATCTCAGCCACAGCCAGCATGGCC
 GTCCCACTGCTGGAGTCTCTGCTCACTGTGCCAGGCTGCCGACCTCTACAGGAACCTTGGCCGGGAGC
 AGTATGCCAGTGTGTTGCCATCTCCCTGCCGTACACCAACCCCTCCAAGTTAATCAGTACATCGTGTG
 TCTGGCCATCACGTATAGCCATG

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA


Protein Sequence: >RC402405 representing NM_000548
 Red=Cloning site Green=Tags(s)

MAKPTSKDSSLKEFKILLGLGTPRPNPRSAEGKQTEFIIITAEILRELSMECGLNNRIRMIGQICEVAKT
 KKFEHAVEALWKAVADLLQPERPEARHAVLALLKAIYVQGGERLGVLRALFFKVIKDYPSNEDLHERL
 EVFKALTDNGRHITYLEELADFVLQWMDVGLSSEFLLVLVNLVKFNSCYLDEYIARMVQMICLLCVRTA
 SSVDIEVSLQVLDVAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLMRNLLGTHLGHSAIYNMCHLM
 EDRAVMEDAPLLRGAVFFVGMALWGAHRLYSLRNSPTSVLPSFYQAMACPNEVVSYEIVLSITRLIKKYR
 KELQVVAWDILLNIIERLLQQLQTLDSPELRTIVHDLTTVEELCDQNEFHGSQERYFELVERCADQRPE
 SSSLNLSYRAQSIHPAKDGWIQNLQALMERFFRSESARGAVRIKVLVDVLSFVLLINRQFYEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLVDLAEGCHTHHFNSLLDIIIEKVMARSLSPPELEERDVAAYSASLEDV
 KTAVLGLLVILQTKLYLPASHATRVYEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLLRADSLHRLG
 LPNKDGVVRFSPYCVCDYMEPERGSEKKTSGPLSPPTGPPGPAPAGPAVRLGSPYSLLFRVLLQCLKQE
 SDWKVLKLVLRPELRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFSRTDLHLAVVVPV
 TALISYHNYLDKTKQREMYVQLEQGLIHRCASQCVVALSICSVEMPDIIKALPVLVVKLTHISATASMA
 VPLLEFLSTLARLPHLYRNFAAEQYASVFAISLPYTNPSKFNQYIVCLAHHVIAM

SGPTRRRLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-XhoI

Cloning Scheme:



OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:	<u>NP_000539</u>
RefSeq Size:	2685 bp
RefSeq ORF:	5424 bp
Locus ID:	7249
Cytogenetics:	16p13.3
Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	98.5 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]