

Product datasheet for **RC402411**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	E929X
Affected Codon#:	929
Affected NT#:	2785
Nucleotide Mutation:	TSC2 Mutant (E929X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	Tuberin
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	2784 bp
Restriction Sites:	Sgfl-XhoI


[View online »](#)

**ORF Nucleotide
Sequence:**

>RC402411 representing NM_000548
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCCAAACCAACAAGCAAAGATTGAGGCTTGAAGGAGAAGTTTAAGATTCTGTTGGGACTGGGAACAC
 CGAGGCCAAATCCCAGGTCTGCAGAGGGTAAACAGACGGAGTTTATCATCACCGCGAAATACTGAGAGA
 ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGCAAAAACC
 AAGAAATTTGAAGAGCACGCAGTGGAAGCACTCTGGAAGGCGGTGCGGGATCTGTTGAGCCGGAGCGGC
 CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGGCCATCGTGCAGGGGACGGGAGCGTTTGGG
 GGTCTCAGAGCCCTCTCTTTAAGGTCATCAAGGATTACCTTCCAACGAAGACCTTACGAAAGGCTG
 GAGGTTTTCAAGGCCCTCACAGACAATGGAGACACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG
 TCCTGCAGTGGATGGATGTTGGCTTGCTCGGAATTCCTTCTGGTGTGGTGAAGTTGGTCAAATTCAA
 TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGGACCGCG
 TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTGCTGGACGCCGTGGTCTGCTACAACCTGCTGCCGGCTG
 AGAGCCTCCCGCTGTTTCATCGTTACCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG
 GAAGCTGATGCGGAACCTCCTTGGCACCCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG
 GAGGACAGAGCCTACATGGAGGACGCGCCCTGCTGAGAGGAGCGGTGTTTTTGTGGGCATGGCTCTCT
 GGGGAGCCACCGGCTCTATTCTCTCAGGAACCTCGCCGACATCTGTGTTGCCATCATTTTACCAGGCCAT
 GGCATGTCCGAACGAGGTGGTGTCTATGAGATCGTCTGTCCATCACCAGGCTCATCAAGAAGTATAGG
 AAGGAGCTCCAGTGGTGGCGTGGGACATTCTGCTGAACATCATCGAAGGCTCCTTCAGCAGCTCCAGA
 CCTTGGACAGCCCGAGCTCAGGACCATCGTCCATGACCTGTTGACCAGGTGGAGGAGCTGTGTGACCA
 GAACGAGTTCACGCGGTCTCAGGAGAGATACTTTGAAGTGGTGGAGAGATGTGCGGACCAAGGCGCTGAG
 TCCTCCCTCCTGAACCTGATCTCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA
 ACCTGCAGGCGCTGATGGAGAGATTCTTCAGGAGCGAGTCCCGAGGCGCGGTGCGCATCAAGGTGCTGGA
 CGTGTGTCTTTGTGCTGCTCATCAACAGGCACTTCTATGAGGAGGAGCTGATTAAGTCAAGTGGTCATC
 TCGCAGCTCTCCACATCCCGAGGATAAAGACCACCAAGTCCGAAAGCTGGCCACCCAGTTGCTGGTGG
 ACCTGGCAGAGGGCTGCCACACACCACTTCAACAGCCTGCTGGACATCATCGAGAAGGTGATGGCCCG
 CTCCCTCTCCCCACCCCGAGCTGGAAGAAAGGGATGTGGCCGCATACTCGGCCTCCTTGGAGGATGTG
 AAGACAGCCGTCTGGGGCTTCTGGTCACTCTCAGACCAAGCTGTACACCTGCCTGCAAGCCACGCCA
 CGCGTGTGTATGAGATGCTGGTCAAGCCATTCAGCTCCACTACAAGCACAGCTACACCTGCCAATCGC
 GAGCAGCATCCGCTGCAGGCCTTTGACTTCCTGTTGCTGCTGCGGGCCGACTCACTGCACCCGCTGGGC
 CTGCCCCAAGGATGGAGTCTGCGGTTACGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG
 GCTCTGAGAAGAAGACAGCGGCCCTTTCTCCTCCACAGGCGCTCCTGGCCCGGCGCTGCAGGCC
 CGCCGTGCGGCTGGGTCCGTGCCCTACTCCCTGCTCTTCCGCGTCTGCTGCAAGTCTGAAGCAGGAG
 TCTGACTGGAAGGTGCTGAAGCTGGTTCTGGGCAGGCTGCCTGAGTCCCTGCGCTATAAAGTGTCTATCT
 TTAATTTCCCTTGCAAGTGTGGACAGCTGTGCTCTGCTCTGCTCCATGCTTTACAGGCCAAAGACACT
 GGAGCGGCTCCGAGGCGCCCGAGAAGGCTTCTCAGAACTGACTTGCACCTGGCCGTGGTTCCAGTGTG
 ACAGCATTAATCTCTTACCATAACTACCTGGACAAAACCAACAGCGCGAGATGGTCTACTGCTGGAGC
 AGGGCCTCATCCACCGCTGTGCCAGCCAGTGCCTGCTGGCCTTGCTCATCTGCAGCGTGGAGATGCCTGA
 CATCATCATCAAGGCGCTGCCTGTTCTGGTGGTGAAGCTCACGCACATCTCAGCCACAGCCAGCATGGCC
 GTCCCACTGCTGGAGTTCCTGTCCACTCTGGCCAGGCTGCCGACCTCTACAGGAACCTTGGCCGGAGC
 AGTATGCCAGTGTGTTGCCATCTCCCTGCCGTACACCAACCCCTCAAGTTAATCAGTACATCGTGTG
 TCTGGCCCATCACGTATAGCCATGTGGTTCATCAGGTGCCGCTGCCCTTCCGAAGGATTTGTCCCT
 TTCATCACTAAGGGCCTGCGGTCCAATGCTCTTGTCTTTGATGACACCCC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGTTTAA


Protein Sequence: >RC402411 representing NM_000548
 Red=Cloning site Green=Tags(s)

MAKPTSKDGLKEKFKILLGLGTPRPNPRSAEGKQTEFIITAEILRELSMECGLNNRIRMIGQICEVAKT
 KKFEEHAVEALWKAVADLLQPERPEARHAVLALLKAIYVQGGGERLGVLRALFFKVIKDYPNSNEDLHERL
 EVFKALTDNGRHITYLEEELADFVLQWMDVGLSSEFLLVLNLVKFNSCYLDEYIARMVQMICLLCVRTA
 SSVDIIEVSLQVLDAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLMRNLLGTHLGHSAIYNMCHLM
 EDLAYMEDAPLLRGAVFVGMALWGAHRLYSLRNSPTSVLPSFYQAMACPNEVVSYEIVLSITRLIKKYR
 KELQVVAVDILLNIIERLLQQLQTLDSPELRTIVHDLTTVEELCDQNEFHGSQERYFELVERCADQRPE
 SSSLNLISYRAQSIHPAKDGWIQNLQALMERFFRSESRGAVRIKVLVDVLSFVLLINRQFYEEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLVDLAEGCHTHHFNSLLDIEKVMARSLSPPELEERDVAAYSASLEDV
 KTAVLGLLVILQTKLYTLPAHATRVYEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLRADSLHRLG
 LPNKDGVVRFSPYCVCDYMEPERGSEKKTSGPLSPPTGPPGAPAGPAVRLGSPYSLLFRVLLQCLKQE
 SDWKVLKLVLRPELRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFSRTDLHLAVVPVL
 TALISYHNYLDKTKQREMYVCLEQGLIHRCASQCVVALSICSVEMPDIIKALPVLVVKLTHISATASMA
 VPLLEFLSTLARLPHLYRNFAAEQYASVFAISLPYTNPSKFNQYIVCLAHHVIAWMFIRCRLPFRKDFVP
 FITKGLRSNVLLSFDDTP

SGPTRRRL**EQKLISEEDLA**ANDILDYKDDDDKV

Restriction Sites: SgfI-XhoI

Cloning Scheme:



OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NP_000539
RefSeq Size:	2784 bp
RefSeq ORF:	5424 bp
Locus ID:	7249
Cytogenetics:	16p13.3
Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	102.1 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]