

## Product datasheet for **RC402412**

### Tuberin (TSC2) (NM\_000548) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	E942X
Affected Codon#:	942
Affected NT#:	2824
Nucleotide Mutation:	TSC2 Mutant (E942X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	TSC2
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	2823 bp
Restriction Sites:	SgfI-XhoI



[View online »](#)

**ORF Nucleotide Sequence:**

>RC402412 representing NM\_000548  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCCAAACCAACAAGCAAAGATTAGGCTTGAAGGAGAAGTTAAGATTCTGTGGGACTGGGAACAC  
 CGAGGCCAAATCCAGGTCTGCAGAGGGTAAACAGACGGAGTTATCATCACCGCGAAATACTGAGAGA  
 ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGAAAAACC  
 AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGGAAGGCGGTGCGGATCTGTTGCAGCCGGAGCGGC  
 CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGGCCATCGTGCAGGGCAGGGCAGCGTTTGGG  
 GGTCTCAGAGCCCTCTCTTTAAGGTCATCAAGGATTACCTTCCAACGAAGACCTTACGAAAGGCTG  
 GAGTTTTCAAGGCCCTCACAGACAATGGGAGACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG  
 TCCTGCAGTGGATGGATGTTGGCTTGTCTCGGAATTCCTTCTGGTGTGGTGAACCTGGTCAAATCAA  
 TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGGACCGCG  
 TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTGCTGGACGCCGTGGTCTGCTACAACCTGCCGGCTG  
 AGAGCCTCCCGCTGTTTATCGTTACCCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG  
 GAAGCTGATGCGGAACCTCCTTGGCACCCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG  
 GAGGACAGAGCCTACATGGAGGACGCGCCCTGCTGAGAGGAGCCGTGTTTTTGTGGGCATGGCTCTCT  
 GGGGAGCCACCGGCTCTATTCTCTCAGGAACCTGCGGACATCTGTGTTGCCATCATTTTACCAGGCCAT  
 GGCATGTCCGAACGAGGTGGTGTCTATGAGATCGTCTGTCCATCACCAGGCTCATCAAGAAGTATAGG  
 AAGGAGCTCCAGTGGTGGCGTGGGACATCTGCTGAACATCATCGAACGGCTCCTTACGAGCTCCAGA  
 CCTTGGACAGCCCGGAGCTCAGGACCATCGTCCATGACCTGTTGACCACGGTGGAGGAGCTGTGTACCA  
 GAACGAGTTCCACGGGTCTCAGGAGAGATACTTTGAACCTGGTGGAGAGATGTGCGGACCGAGGCCCTGAG  
 TCCTCCCTCCTGAACCTGATCTCCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA  
 ACCTGCAGGCGCTGATGGAGAGATTCTCAGGAGCGAGTCCCGAGGCGCCGTGCGCATCAAGGTGCTGGA  
 CGTGTCTCCTTTGTGCTGCTCATCAACAGGAGTCTATGAGGAGGAGCTGATTAACCTAGTGGTCTATC  
 TCGCAGCTCTCCACATCCCGAGGATAAAGACCACCAGGTCGAAAGCTGGCCACCCAGTTGCTGGTGG  
 ACCTGGCAGAGGGCTGCCACACACCACTTCAACAGCCTGCTGGACATCATCGAGAAGGTGATGGCCCG  
 CTCCTCTCCCCACCCCGAGCTGGAAGAAAGGGATGTGGCCGATACTCGGCCTCCTGGAGGATGTG  
 AAGACAGCCGCTCTGGGGCTTCTGGTCACTCTCAGACCAAGCTGTACACCTGCCTGCAAGCCACGCCA  
 CGCGTGTGTATGAGATGCTGGTACGCCAATTCAGCTCCACTACAAGCACAGCTACACCTGCCAATCGC  
 GAGCAGCATCCGGCTGCAGGCCTTTGACTTCTGTTGCTGCTGCGGGCCGACTACTGCACCCGCTGGGC  
 CTGCCAAACAAGGATGGAGTCTGCGGTTACGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG  
 GCTCTGAGAAGAAGACCAGCGGCCCTTTCTCCTCCACAGGGCCTCCTGGCCCGGCGCTGCAGGCC  
 CGCCGTGCGGCTGGGGTCCGTGCCCTACTCCCTGCTCTCCGCGTCTGCTGCAGTGTGAAAGCAGGAG  
 TCTGACTGGAAGGTGCTGAAGCTGGTCTGGGACGGCTGCCTGAGTCCCTGCGCTATAAAGTGTCTATCT  
 TTACTTCCCCTTGCAGTGTGGACAGCTGTGCTCTGCTCTGCTCCATGCTTTACAGCCCAAAGACACT  
 GGAGCGGCTCCGAGGCGCCCAAGGCTTCTCAGAACTGACTTGCACCTGGCCGTGGTTCAGTGCTG  
 ACAGCATTAACTCTTACCATAACTACCTGGACAAAACCAACAGCGGAGATGGTCTACTGCTGGAGC  
 AGGGCCTCATCCACCGCTGTGCCAGCCAGTGCCTGCTGCGCTTGTCCATCTGCAGCGTGGAGATGCCTGA  
 CATCATCAAGGCGCTGCCTGTTCTGGTGGTGAAGCTCACGCACATCTCAGCCACAGCCAGCATGGCC  
 GTCCCACTGCTGGAGTCTCTGCTCACTGTGCCAGGCTGCCGCACCTCTACAGGAACCTTGGCCGGAGC  
 AGTATGCCAGTGTGTTGCCATCTCCCTGCCGTACACCAACCCCTCAAGTTAATCAGTACATCGTGTG  
 TCTGGCCATCACGTATAGCCATGTGGTTCATCAGGTGCCGCTGCCCTTCCGGAAGGATTTGTCCTT  
 TTATCACTAAGGGCTGCGGTCCAATGCTCTTGTCTTTGATGACACCCCGAGAAGGACAGCTTCA  
 GGGCCCGAGTACTAGTCTAAC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA


**Protein Sequence:** >RC402412 representing NM\_000548  
 Red=Cloning site Green=Tags(s)

MAKPTSKDSSLKEKFKILLGLGTPRPNRSAEGKQTEFIITAEILRELSMECGLNNRIRMIGQICEVAKT  
 KKFEEHAVEALWKAVADLLQPERPEARHAVLALLKAIYVQGGERLGLRALFFKVIKDYPNSNEDLHERL  
 EVFKALTDNGRHITYLEELADFVLRQWMDVGLSSEFLLVLVNLVKFNACYLDEYIARMVQMICLLCVRTA  
 SSVYDIEVSLQVLDVAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLNRNLLGTHLGHSAIYNMCHLM  
 EDLAYMEDAPLLRGAVFVGMALWGAHRLYSLRNSPTSVLPSFYQAMACPNEVVSYEIVLSITRLLIKKYR  
 KELQVVAVDILLNIIERLLQQLQTLDSPELRTIVHDLTTVEELCDQNEFHGSQERYFELVERCADQRPE  
 SSSLNLSYRAQSIHPAKDGWIQNLQALMERFFRSESRGAVRIKVLVDVLSFVLLINRQFYEEELINSVVI  
 SQLSHIPEDKDHQVRKLATQLLVDLAEGCHTHHFNSLLDIEKVMARSLSPPELEERDVAAYSASLEDV  
 KTAVLGLLVILQTKLYLPASHATRVYEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLRADSLHRLG  
 LPNKDGVVRFSPYCVCDYMEPERGSEKKTSGPLSPPTGPPGPAPAGPAVRLGSPYSLLFRVLLQCLKQE  
 SDWKVLKLVLRPELRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFRTDLHLAVVPVL  
 TALISYHNYLDKTKQREMYVYCLEQGLIHRCASQCVALSICSVEMPDIIKALPVLVVKLTHISATASMA  
 VPLLEFLSTLARLPHLYRNFAAQYASVFAISLPYTNPSKFNQYIVCLAHHVIAWWFIRCRLPFRKDFVP  
 FITKGLRSNVLLSFDDTPEKDSFRARSTSLN

SGP TRTRRLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-XhoI

**Cloning Scheme:**



**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:	<u>NP_000539</u>
RefSeq Size:	2823 bp
RefSeq ORF:	5424 bp
Locus ID:	7249
Cytogenetics:	16p13.3
Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	103.5 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]