

Product datasheet for **RC402415**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	Q992X
Affected Codon#:	992
Affected NT#:	2974
Nucleotide Mutation:	TSC2 Mutant (Q992X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	Tuberin
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	2973 bp
Restriction Sites:	SgfI-XhoI
ORF Nucleotide Sequence:	>RC402415 representing NM_000548 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCAAACCAACAAGCAAAGATTCAGGCTTGAAGGAGAAGTTTAAGATTCTGTTGGGACTGGGAACAC
CGAGGCCAAATCCCAGGTCTGCAGAGGGTAAACAGACGGAGTTTATCATCACCGCGGAAATACTGAGAGA
ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGCAAAAACC
AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGGAAGGCGGTCGCGGATCTGTTGCAGCCGGAGCGGC
CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGCCATCGTGCAGGGGCAGGGCGAGCGTTTGGG
GGTCTCAGAGCCCTCTCTTTAAGGTCATCAAGGATTACCCTTCCAACGAAGACCTTCACGAAAGGCTG
GAGTTTTCAAGGCCCTCACAGACAATGGGAGACACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG



[View online »](#)

TCCTGCAGTGGATGGATGTTGGCTTGTCTCGGAATTCCTTCTGGTGCTGGTGAACCTGGTCAAATTCAA
TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGGACCGCG
TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTGCTGGACGCCGTGGTCTGCTACAACCTGCCTGCCGGCTG
AGAGCCTCCCGCTGTTTCATCGTTACCCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG
GAAGCTGATGCGGAACCTCCTTGGCACCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG
GAGGACAGAGCCTACATGGAGGACGCGCCCTGCTGAGAGGAGCCGTGTTTTTGTGGGCATGGCTCTCT
GGGAGCCACCGGCTATTCTCTCAGGAACCGCCGACATCTGTGTTGCCATCATTTTACCAGGCCAT
GGCATGTCCGAACGAGGTGGTGTCTATGAGATCGTCCGTCCATCACCAGGCTCATCAAGAAATAGG
AAGGAGCTCCAGGTGGTGGCGTGGGACATTCTGCTGAACATCATCGAACGGCTCCTTCAGCAGCTCCAGA
CCTTGGACAGCCCGGAGCTCAGGACCATCGTCCATGACCTGTTGACCACGGTGGAGGAGCTGTGTGACCA
GAACGAGTTCACGGGTCTCAGGAGAGATACTTGAACGGTGGAGAGATGTGCGGACCAGAGGCCTGAG
TCCTCCCTCTGAACCTGATCTCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA
ACCTGCAGGCGCTGATGGAGAGATTCTCAGGAGCGAGTCCGAGGCGCCGTGCGCATCAAGGTGCTGGA
CGTGTCTCCTTTGTGCTGCTCATCAACAGGCAGTTCTATGAGGAGGAGCTGATTAACCTAGTGGTCATC
TCGAGCTCTCCACATCCCGAGGATAAAGACCACCAGTCCGAAAGCTGGCCACCCAGTTGCTGGTGG
ACCTGGGAGAGGGCTGCCACACACACCCTTCAACAGCCTGCTGGACATCATCGAGAAGGTGATGGCCCC
CTCCCTCTCCCCACCCCGGAGCTGGAAGAAAGGGATGTGGCCGCATACTCGGCCCTCCTTGGAGGATGTG
AAGACAGCCGTCTGGGGCTTCTGGTCACTTTCAGACCAAGCTGTACACCCTGCCTGCAAGCCACGCCA
CGCGTGTGATGAGATGCTGGTCCAGCCACATTCAGTCCACTACAAGCACAGCTACACCTGCCAATCGC
GAGCAGCATCCGGCTGCAGGCCCTTGTACTTCTGTTGCTGCTGCGGGCCGACTCACTGCACCCGCTGGGC
CTGCCAAACAAGGATGGAGTCGTGCGGTTCCAGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG
GCTCTGAGAAGAAGACCAGCGGCCCTTCTCCTCCACAGGGCCTCCTGGCCCGCGCCTGCAGGCC
CGCCGTGCGGCTGGGGTCCGTGCCCTACTCCCTGCTCTCCGCGTCTGCTGCAGTCTTGAAGCAGGAG
TCTGACTGGAAGGTGCTGAAGTGGTTCTGGGCAGGCTGCCTGAGTCCCTGCGCTATAAAGTGTCTATCT
TTACTTCCCCTTGCAGTGTGGACCAGCTGTGCTCTGCTCTGCTCCATGCTTTTCAAGGCCAAAGACACT
GGAGCGGCTCCGAGGCGCCCCAGAAGGCTTCTCCAGAACTGACTTGACCTGGCCGTGGTTCCAGTGCTG
ACAGCATTAACTCTTACCATAACTACCTGGACAAAACCAAACAGCGGAGATGGTCTACTGCCTGGAGC
AGGGCCTCATCCACCGCTGTGCCAGCCAGTGCCTGCTGGCCTTGTCCATCTGCAGCGTGGAGATGCCTGA
CATCATCATCAAGGCGCTGCCTGTTCTGGTGGTGAAGCTCACGCACATCTCAGCCACAGCCAGCATGGCC
GTCCACTGCTGGAGTTCCTGTCCACTCTGGCCAGGCTGCCGCACCTCTACAGGAACTTTGCCCGGAGC
AGTATGCCAGTGTGTTGCCATCTCCCTGCCGTACACCAACCCCTCCAAGTTTAAATCAGTACATCGTGTG
TCTGGCCATCAGCTCATAGCCATGTGGTTCATCAGGTGCCGCTGCCCTTCCGGAAGGATTTTGTCCCT
TTCATCTACTAAGGGCCTGCGGTCCAATGTCTCTTGTCTTTTGTGATGACACCCCGAGAAGGACAGCTTCA
GGGCCCGGAGTACTAGTCTCAACGAGAGACCAAGAGTCTGAGGATAGCCAGACCCCAACAAGGCTT
GAATAACTCTCCACCCGTGAAAGAATCAAGGAGAGCTCTGCAGCCGAGGCTTCCGGTCCCGCAGCATC
AGTGTGTCTGAACATGTGGTCCCGCAGCAGGATA

AGCGGACCCACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGA TAAGGTTTAA


Protein Sequence: >RC402415 representing NM_000548
 Red=Cloning site Green=Tags(s)

MAKPTSKDSSLKEKFKILLGLGTPRPNRPSAEGKQTEFIITAEILRELSMECGLNNRIRMIGQICEVAKT
 KKFEEHAVEALWKAVADLLQPERPEARHAVLALLKAIYVQGGERLGLRALFFKVIKDYPNSNEDLHERL
 EVFKALTDNGRHITYLEEELADFVLQWMDVGLSSEFLLVLVNLVKFNCSYLDEYIARMVQMICLLCVRTA
 SSVDIIEVSLQVLDAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLMRNLLGTHLGHSAIYNMCHLM
 EDLAYMEDAPLLRGAVFFVGMALWGAHRLYSLRNSPTSVLPSFYQAMACPNEVVSYEIVLSITRLIKKYR
 KELQVVAWDILLNIIERLLQQLQTLDSPELRTIVHDLLTTVEELCDQNEFHGSQERYFELVERCADQRPE
 SLLNLSYRAQSIHPAKDGWIQNLQALMERFFRSESRGAVRIKVLVDVLSFVLLINRQFYEEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLDLAEGCHTHHFNSLLDIEKVMARSLSPPELEERDVAAYSASLEDV
 KTAVLGLLVILQTKLYLPASHATRVYEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLLRADSLHRLG
 LPNKDGVVRFSPYCVCDYMEPERGSEKKTSGPLSPPTGPPGAPAGPAVRLGSPYSLLFRVLLQCLKQE
 SDWKVLKLVLRPELRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFRTDLHLAVVPVL
 TALISYHNYLDKTKQREMYCLEQGLIHRCASQCVALSICSVEMPDIIKALPVLVVKLTHISATASMA
 VPLLEFLSTLARLPHLYRNFAAQYASVFAISLPYTNPSKFNQYIVCLAHHVIAMWVIRCLPFRKDFVP
 FITKGLRSNVLLSFDDTPEKDSFRARSTSLNERPKSLRIARPPKQGLNNSPPVKEFKESSAAEAFRCRSI
 SVSEHVRSRI

SGP TRTRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-XhoI

Cloning Scheme:



OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NP_000539
RefSeq Size:	2973 bp
RefSeq ORF:	5424 bp
Locus ID:	7249
Cytogenetics:	16p13.3
Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	109 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]