

Product datasheet for **RC402498**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	W1610X
Affected Codon#:	1610
Affected NT#:	4830
Nucleotide Mutation:	TSC2 Mutant (W1610X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	Tuberin
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	4827 bp
Restriction Sites:	SgfI-XhoI
ORF Nucleotide Sequence:	>RC402498 representing NM_000548 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCAAACCAACAAGCAAAGATTCAGGCTTGAAGGAGAAGTTTAAGATTCTGTTGGGACTGGGAACAC
CGAGGCCAAATCCCAGGTCTGCAGAGGGTAAACAGACGGAGTTTATCATCACCGCGAAATACTGAGAGA
ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGCAAAAACC
AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGGAAGGCGGTCGCGGATCTGTTGCAGCCGGAGCGGC
CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGCCATCGTGCAGGGGCAGGGCGAGCGTTTGGG
GGTCTCAGAGCCCTCTCTTTAAGGTCAAGGATTACCCTTCCAACGAAGACCTTCACGAAAGGCTG
GAGTTTTCAAGGCCCTCACAGACAATGGGAGACACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG



[View online »](#)

TCCTGCAGTGGATGGATGTTGGCTTGTCTCGGAATTCCTTCTGGTGCTGGTGAACCTGGTCAAATTCAA
 TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGGACCGCG
 TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTGCTGGACGCCGTGGTCTGCTACAACCTGCCTGCCGGCTG
 AGAGCCTCCCGCTGTTTCATCGTTACCCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG
 GAAGCTGATGCGGAACCTCCTTGGCACCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG
 GAGGACAGACCTACATGGAGGACGCGCCCTGCTGAGAGGAGCCGTGTTTTTGTGGCGATGGCTCTCT
 GGGGAGCCACCGGCTATTCTCTCAGGAATCGCCGACATCTGTGTTGCCATATTTTACCAGGCCAT
 GGCAATGTCGGAACGAGGTGGTGTCTATGAGATCGTCCGTCCATCACCAGGCTCATCAAGAAAGTATAGG
 AAGGAGCTCCAGGTGGTGGCGTGGGACATTCTGCTGAACATCATCGAACGGCTCCTTTCAGCAGCTCCAGA
 CCTTGGACAGCCCGGAGCTCAGGACCATCGTCCATGACCTGTTGACCACGGTGGAGGAGCTGTGTGACCA
 GAACGAGTTCACGGGTCTCAGGAGAGATACTTTGAACTGGTGGAGAGATGTGCGGACCAGAGGCCTGAG
 TCCTCCCTCTGAACCTGATCTCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA
 ACCTGCAGGCGCTGATGGAGAGATTCTCAGGAGCGAGTCCCGAGGCGCCGTGCGCATCAAGGTGCTGGA
 CGTGTCTCCTTTGTGCTGCTCATCAACAGGCAGTTCTATGAGGAGGAGCTGATTAACCTAGTGGTTCATC
 TCGCAGCTCTCCACATCCCGAGGATAAAGACCACCAGTCCGAAAGCTGGCCACCCAGTTGCTGGTGG
 ACCTGGCAGAGGGCTGCCACACACACCACTTCAACAGCCTGCTGGACATCATCGAAGGTGATGGCCCC
 CTCCCTCTCCCCACCCCGGAGCTGGAAGAAAGGGATGTGGCCGCATACTCGGCCCTCCTTGGAGGATGTG
 AAGACAGCCGTCTGGGGCTTCTGGTACCTTCAGACCAAGCTGTACACCTGCCTGCAAGCCACGCCA
 CGCGTGTGATGAGATGCTGGTCCAGCCACATTCAGTCCACTACAAGCACAGCTACACCTGCCAATCGC
 GAGCAGCATCCGGCTGCAGGCCCTTGTACTTCTGTTGCTGCTGCGGGCCGACTCACTGCACCCGCTGGGC
 CTGCCAACAAAGGATGGAGTGTGCGGTTGAGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG
 GCTCTGAGAAGAAGACCAGCGGCCCTTCTCCTCCACAGGGCCTCCTGGCCCGGCGCTGACAGGCC
 CGCCGCTGCGGCTGGGGTCCGTGCCCTACTCCCTGCTCTCCGCGTCTGCTGCAGTGTGAAGCAGGAG
 TCTGACTGGAAGGTGCTGAAGCTGGTTCTGGGCAGGCTGCCTGAGTCCCTGCGCTATAAAGTGCTCATCT
 TTACTTCCCCTTGCAGTGTGGACCAGCTGTGCTGCTCTGCTCCATGCTTTTCAGGCCAAAGACACT
 GGAGCGGCTCCGAGGCGCCCAAGGCTTCTCCAGAAGTACTGACCTGGCCGTGGTTCAGTGTG
 ACAGCATTAACTCTTACCATAACTACCTGGACAAAACCAACAGCGGAGATGGTCTACTGCCTGGAGC
 AGGGCCTCATCCACCGCTGTGCCAGCCAGTGCCTGCTGGCCTTGTCCATCTGCAGCGTGGAGATGCCTGA
 CATCATCATCAAGGCGCTGCCTGTTCTGGTGGTGAAGCTCACGCACATCTCAGCCACAGCCAGCATGGCC
 GTCCACTGCTGGAGTTCCTGTCCACTCTGCCAGGCTGCCGCACCTCTACAGGAACTTTGCCCGGAGC
 AGTATGCCAGTGTGTTGCCATCTCCCTGCCGTACACCAACCCCTCAAGTTTAAATCAGTACATCGTGTG
 TCTGGCCATCAGCTCATAGCCATGTGGTTTCATCAGGTGCCGCTGCCCTTCCGGAAGGATTTTGTCCCT
 TTCATCTAAGGGCCTGCGGTCCAATGTCTCTTGTCTTTTGTGATGACACCCCGAGAAGGACAGCTTCA
 GGGCCCGGAGTACTAGTCTAACGAGAGACCAAGAGTCTGAGGATAGCCAGACCCCAAAACAAGGCTT
 GAATAACTCTCCACCCGTGAAAGAAATCAAGGAGAGCTCTGCAGCCGAGGCCCTCCGGTCCCGCAGCATC
 AGTGTGTCTGAACATGTGGTCCGAGCAGGATACAGACGTCCCTCACCAGTGCCAGCTTGGGGTCTGCAG
 ATGAGAAGTCCGTGGCCAGGCTGACGATAGCCTGAAAAACCTCCACCTGGAGCTCACGGAAACCTGTCT
 GGACATGATGGCTCGATACGTCTTCTCAACTTACGGCTGTCCGGAAGAGTCTCCTGTGGGCGAGTTC
 CTCTAGCGGGTGGCAGGACAAAACCTGGCTGGTTGGGAACAAGCTTGTACTGTGACGACAAGCGTGG
 GAACCGGGACCCGGTCTTACTAGGCCCTGGACTCGGGGGAGCTGCAGTCCGGCCCGGAGTCCGAGCTCCAG
 CCCCAGGGTGCATGTGAGACAGACCAAGGAGGCCCGGCAAGCTGGAGTCCAGGCTGGGCAGCAGGTG
 TCCCGTGGGGCCCGGATCGGGTCCGTTCATGTGCGGGGGCCATGGTCTTCGAGTTGGCGCCCTGGACG
 TGCCGGCTCCAGTTCTGGGCAGTGCCTTCTCCAGGACCACGGACTGCACCAGCCGCAAACTGGA
 GAAGGCCTCAGCTGGCACCCGGTTCCTGTGACAGGAGAAGACGAACCTGGCGGCCTATGTCCCCCTGCTG
 ACCCAGGGCTGGGCGGAGATCCTGGTCCGGAGGCCACAGGGAACACCAGCTGGTGTGAGCCTGGAGA
 ACCCGCTCAGCCCTTCTCCTCGACATCAACAACATGCCCTGCAGGAGCTGTCTAACCCCTCATGGC
 GGCTGAGCGCTTCAAGGAGCACCGGGACACAGCCCTGTACAAGTCACTGTGGTCCGGCAGCCAGCAGC
 GCCAAACCCCTCCTCTGCCTCGCTCCAACACAGTGGCTCTTCTCCTCCCTGTACCAGTCCAGCTGCC
 AAGGACAGCTGCACAGGAGCGTTTCTGGGCAGACTCCGCCGTGGTTCATGGAGGAGGGAAGTCCGGGCGA
 GGTTCTGTGCTGGTGGAGCCCCAGGGTTGGAGGACGTTGAGGCAGCGCTAGGCATGGACAGGCGCAGC
 GATGCCTACAGCAGGTGCTCCTCAGTCTCCAGCCAGGAGGAGAAGTGCCTCCACGCGGAGGAGCTGGTTG
 GCAGGGGCATCCCATCGAGCGAGTGTCTCCTCGAGGGTGGCCGGCCCTGTGGACCTCTCCTTCCA

GCCCTCGAGCCCTGAGCAAGTCCAGCTCCTCTCCCGAGCTGCAGACTCTGCAGGACATCCTCGGGGAC
 CCTGGGGACAAGGCCGACGTGGGCCGGCTGAGCCCTGAGGTTAAGGCCGGTACAGTCAGGGACCTGG
 ACGGGGAAAGTGTGCTGGTGGCCTCGGGCGAAGACAGTCGGGGCCAGCCGAGGGTCCCTTGCCCTC
 CAGTCCCCCGCTCGCCAGTGGCCTCCGGCCCCGAGGTTACACCATCTCCGACTCGGGCCATCACGC
 AGGGGCAAGAGAGTAGAGAGGGACGCCCTTAAGAGCAGAGCCACAGCCTCCAATGCAGAGAAAGTGCCAG
 GCATCAACCCAGTTTCGTGTTCTGCAGCTTACCATTCCCCCTTCTTTGGCGACGAGTCAAACAAGCC
 AATCCTGCTGCCAATGAGTCACAGTCTTTGAGCGGTGGTGCAGCTCCTCGACCAGATCCCATCATA
 GACACCCACAAGATCGCCGTCTGTATGTTGGAGAAGGCCAGAGCAACAGCGAGCTCGCCATCCTGTCCA
 ATGAGCATGGCTCTACAGGTACACGGAGTTCCTGACGGGCTGGGCCGGCTCATCGAGCTGAAGGACTG
 CCAGCCGGACAAGGTGTACTGGGAGGCTGGAGCTGTGTGGTGAAGGACGGCCAGTTCACCTACTGC

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:

>RC402498 representing NM_000548


Red=Cloning site Green=Tags(s)

MAKPTSKDGLKEFKILLGLGTPRPNRPAEGKQTEFIITAEILRELSMECGLNRRMIRMIQICEVAKT
 KKFEHVEALWKAVADLLQPERPLEARHAVLALLKAIVQGGERLGVLRALFFKVIKDYPNSNEDLHERL
 EVFKALTDNGRHITYLEEELADFVLQWMDVGLSSEFLLVNLVKFNLCYLDEYIARMVQMICLLCVRTA
 SSVDIIVSLQVLDVAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLNRNLLGTHLGHSAIYNMCHLM
 EDRAVMEDAPLLRGAVFFVGMALWGAHRLYSLRNSPTSVLPSFYQAMACPNVSVYEVLSITRLLIKKYR
 KELQVVAWDILLNIIERLLQQLQTLDSPELRTIVHDLLTVEELCDQNEFHGSQERYFELVERCADQRPE
 SSLLNLSYRAQSIHPAKDGIQNLQALMERFFRSESRGAVRIKVLVDLDFVLLINRQFYEEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLDLAEGCHTHFNSLLDIEKVMARSLSPPELEERDVAAYSASLEDV
 KTAVLGLLVILQTKLYLPASHATRVEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLRADSLHRLG
 LPNKDGVVRFSPYCVCDYMEPERGSEKTSGLSPPTGPPGAPAGPAVRLGSPYSLLFRVLLQCLKQE
 SDWKVLKLVLRPELRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFRTDLHLAVVPVL
 TALISYHNYLDKTKQREMYCLEQGLIHRCASQCVALSICSVEMPDI I I KALPVLVVKLTHISATASMA
 VPLLEFLSTLRLPHLYRNFAAEQYASVFAISLPYTNPSKFNQYIVCLAHHVIAWFIKRLPFRKDFVP
 FITKGLRSNVLVLSFDDTPEKDSFRARSTSLNERPKSLRIARPPKQGLNNSPPVKEFKESSAAEFRCRSI
 SVSEHVRSRIQTSLSASLGSADENSAQADDLKNLHLELTETCLDMARYVFSNFTAVPKRSPVGEF
 LLAGGRKTWLVGNKLVTVTTSVGTGTRSLGLDSEGLQSGPESSSSPGVHVRQKEAPAKLESQAGQQV
 SRGARDVRSMGGHGLRVGALDVPASQFLGSATSPGPRTAPAAKPEKASAGTRVPVQEKTNLAAYVPLL
 TQGWAEILVRRPTGNLSWLSLENPLSPFSSDINNMPQLQELSNALMAERFKEHRDTALYKSLVPAAST
 AKPPPLPRSNVASFSSLYQSSCQQLHRSVSWADSAVMEEGSPGEVPLVEPPGLEDEAALGMDRRT
 DAYSRSSSVSSQEEKSLHAEELVGRGIPIERVVSSEGGRRPSVDLSFQPSQPLSKSSSSPELQTLQDILGD
 PGDKADVGRLSPEVKARSQSGTLDGESAAWSASGEDSRGQPEGPLPSSSPRSPGLRPRGYTISDSAPSR
 RGKRVERDALKSRATASNAEKVPGINPSFVFLQLYHSPFFGDESNKPILLPNESQSFERSVQLLDQIPSY
 DTHKIAVLYVGGQSNSELAAILSNEHGSYRYTEFLTGLGRLIELKDCQPKVYVLLGGLDVCGEDGQFTYC

SGPTRRRLKQLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-XhoI

Cloning Scheme:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Note:

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq:

[NP_000539](#)

RefSeq Size:

4827 bp

RefSeq ORF:

5424 bp

Locus ID:

7249

Cytogenetics:

16p13.3

Domains:	Rap_GAP, Tuberin
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway
MW:	177 kDa
Gene Summary:	Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]