

Product datasheet for **RC402500**

Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Tuberin (TSC2) (NM_000548) Human Mutant ORF Clone
Mutation Description:	Q1616X
Affected Codon#:	1616
Affected NT#:	4846
Nucleotide Mutation:	TSC2 Mutant (Q1616X), Myc-DDK-tagged ORF clone of Homo sapiens tuberous sclerosis 2 (TSC2), transcript variant 1 as transfection-ready DNA
Effect:	Tuberous sclerosis
Symbol:	Tuberin
Synonyms:	LAM; PPP1R160; TSC4
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_000548
ORF Size:	4845 bp
Restriction Sites:	SgfI-XhoI
ORF Nucleotide Sequence:	>RC402500 representing NM_000548 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCAAACCAACAAGCAAAGATTCAGGCTTGAAGGAGAAGTTTAAGATTCTGTTGGGACTGGGAACAC
CGAGGCCAAATCCCAGGTCTGCAGAGGGTAAACAGACGGAGTTTATCATCACCGCGGAAATACTGAGAGA
ACTGAGCATGGAATGTGGCCTCAACAATCGCATCCGGATGATAGGGCAGATTTGTGAAGTCGAAAAACC
AAGAAATTTGAAGAGCACGCAGTGAAGCACTCTGGAAGGCGGTCGCGGATCTGTTGCAGCCGGAGCGGC
CGCTGGAGGCCCGGCACGCGGTCTGGCTCTGCTGAAGCCATCGTGCAGGGGCAGGGCGAGCGTTTGGG
GGTCTCAGAGCCCTCTCTTTAAGGTCAAGGATTACCCTTCCAACGAAGACCTTCACGAAAGGCTG
GAGTTTTCAAGGCCCTCACAGACAATGGGAGACACATCACCTACTTGGAGGAAGAGCTGGCTGACTTTG



[View online »](#)

TCCTGCAGTGGATGGATGTTGGCTTGTCTCGGAATTCCTTCTGGTGCTGGTGAACCTGGTCAAATTCAA
 TAGCTGTTACCTCGACGAGTACATCGCAAGGATGGTTCAGATGATCTGTCTGCTGTGCGTCCGGACCGCG
 TCCTCTGTGGACATAGAGGTCTCCCTGCAGGTGCTGGACGCCGTGGTCTGCTACAACCTGCCTGCCGGCTG
 AGAGCCTCCCGCTGTTTCATCGTTACCCTCTGTGCGACCATCAACGTCAAGGAGCTCTGCGAGCCTTGCTG
 GAAGCTGATGCGGAACCTCCTTGGCACCCACCTGGGCCACAGCGCCATCTACAACATGTGCCACCTCATG
 GAGGACAGACCTACATGGAGGACGCGCCCTGCTGAGAGGAGCCGTGTTTTTGTGGCGATGGCTCTCT
 GGGGAGCCACCAGGCTATTCTCTCAGGAATCGCCGACATCTGTGTTGCCATATTTTACCAGGCCAT
 GGCAATGTCGGAACGAGGTGGTGTCTATGAGATCGTCCGTCCATCACCAGGCTCATCAAGAAAGTATAGG
 AAGGAGCTCCAGGTGGTGGCGTGGGACATTCTGCTGAACATCATCGAACGGCTCCTTACAGAGCTCCAGA
 CCTTGGACAGCCCGGAGCTCAGGACCATCGTCCATGACCTGTTGACCACGGTGGAGGAGCTGTGTGACCA
 GAACGAGTTCACGGGTCTCAGGAGAGATACTTGAACGGTGGAGAGATGTGCGGACCAGAGGCCTGAG
 TCCTCCCTCTGAACCTGATCTCTATAGAGCGCAGTCCATCCACCCGGCCAAGGACGGCTGGATTGAGA
 ACCTGCAGGCGCTGATGGAGAGATTCTCAGGAGCGAGTCCCGAGGCGCCGTGCGCATCAAGGTGCTGGA
 CGTGTCTCCTTTGTGCTGCTCATCAACAGGCAGTTCTATGAGGAGGAGCTGATTAACCTAGTGGTCATC
 TCGCAGCTCTCCACATCCCGAGGATAAAGACCACCAGTCCGAAAGCTGGCCACCCAGTTGCTGGTGG
 ACCTGGCAGAGGGCTGCCACACACACCCTTCAACAGCCTGCTGGACATCATCGAGAAGGTGATGGCCCC
 CTCCCTCTCCCCACCCCGGAGCTGGAAGAAAGGGATGTGGCCGCATACTCGGCCCTCCTTGGAGGATGTG
 AAGACAGCCGTCTGGGGCTTCTGGTCACTTTCAGACCAAGCTGTACACCTGCCTGCAAGCCACGCCA
 CGCGTGTGATGAGATGCTGGTCCAGCCACATTCAGTCCACTACAAGCACAGCTACACCTGCCAATCGC
 GAGCAGCATCCGGCTGCAGGCCCTTGTACTTCTGTTGCTGCTGCGGGCCGACTCACTGCACCCGCTGGGC
 CTGCCAACAAAGGATGGAGTGTGCGGTTGAGCCCTACTGCGTCTGCGACTACATGGAGCCAGAGAGAG
 GCTCTGAGAAGAAGACCAGCGGCCCTTCTCCTCCACAGGGCCTCCTGGCCCGGCGCTGACAGGCC
 CGCCGCTGCGGCTGGGGTCCGTGCCCTACTCCCTGCTCTCCGCGTCTGCTGCACTGTGAAGCAGGAG
 TCTGACTGGAAGGTGCTGAAGCTGGTTCGGGAGGCTGCCTGAGTCCCTGCGCTATAAAGTGTCTACT
 TTACTTCCCCTTGCAGTGTGGACCAGCTGTGCTGCTCTGCTCCATGCTTTTACAGGCCAAAGACACT
 GGAGCGGCTCCGAGGCGCCCAAGGCTTCTCCAGAAGTACTGACCTGGCCGTGGTTCAGTGTG
 ACAGCATTAACTCTTACCATAACTACCTGGACAAAACCAACAGCGGAGATGGTCTACTGCCTGGAGC
 AGGGCCTCATCCACCGCTGTGCCAGCCAGTGCCTGCTGGCCTTGTCCATCTGCAGCGTGGAGATGCCTGA
 CATCATCATCAAGGCGCTGCCTGTTCTGGTGGTGAAGCTCACGCACATCTCAGCCACAGCCAGCATGGCC
 GTCCACTGCTGGAGTTCCTGTCCACTCTGCCAGGCTGCCGCACCTCTACAGGAACTTTGCCCGGAGC
 AGTATGCCAGTGTGTTGCCATCTCCCTGCCGTACACCAACCCCTCAAGTTTAAATCAGTACATCGTGTG
 TCTGGCCCATCAGCTCATAGCCATGTGGTTCATCAGGTGCCGCTGCCCTTCCGGAAGGATTTTGTCCCT
 TTCATCTACTAAGGGCCTGCGGTCCAATGTCTCTTGTCTTTTGTGATGACACCCCGAGAAGGACAGCTTCA
 GGGCCCGGAGTACTAGTCTCAACGAGAGACCAAGAGTCTGAGGATAGCCAGACCCCAACAAAGGCTT
 GAATAACTCTCCACCCGTGAAAGAAATCAAGGAGAGCTCTGCAGCCGAGGCCCTCCGGTGGCCGAGCATC
 AGTGTGTCTGAACATGTGGTCCGAGCAGGATACAGACGTCCCTCACCAGTGCCAGCTTGGGGTCTGCAG
 ATGAGAAGTCCGTGGCCAGGCTGACGATAGCCTGAAAAACCTCCACCTGGAGCTCACGGAAACCTGTCT
 GGACATGATGGCTCGATACGTCTTCTCAACTTACGGCTGTCCGGAAGAGTCTCCTGTGGGCGAGTTC
 CTCTAGCGGGTGGCAGGACAAAACCTGGCTGGTGGGAACAAGCTTGTACTGTGACGACAAGCGTGG
 GAACCGGGACCCGGTCTTACTAGGCCCTGGACTCGGGGAGCTGCAGTCCGGCCCGGAGTCCGAGCTCCAG
 CCCCAGGGTGCATGTGAGACAGACCAAGGAGGCCCGGCAAGCTGGAGTCCCAGGCTGGGCAGCAGGTG
 TCCCGTGGGGCCCGGATCGGGTCCGTTCATGTGCGGGGGCCATGGTCTTGCAGTTGGCGCCCTGGACG
 TGCCGGCTCCCAGTTCTGGGCAGTGCCTTCTCCAGGACCACGGACTGCACCAGCCGCAAACTGGA
 GAAGGCCTCAGCTGGCACCCGGTTCCTGTGACAGGAGAAGACGAACCTGGCGGCCTATGTCCCCCTGCTG
 ACCCAGGGCTGGGCGGAGATCCTGGTCCGGAGGCCACAGGGAACACCAGCTGGTGTGAGCCTGGAGA
 ACCCGCTCAGCCCTTCTCCTCGACATCAACAACATGCCCTGCAGGAGCTGTCTAACGCCCTCATGGC
 GGCTGAGCGCTTCAAGGAGCACCGGGACACAGCCCTGTACAAGTCACTGTGGTGGCGGAGCCAGCAGC
 GCCAAACCCCTCCTCTGCCTCGCTCCAACACAGTGGCTCTTCTCCTCCCTGTACCAGTCCAGCTGCC
 AAGGACAGCTGCACAGGAGCGTTTCTGGGCAGACTCCGCCGTGGTTCATGGAGGAGGGAAGTCCGGGCGA
 GGTTCTGTGCTGGTGGAGCCCCAGGGTTGGAGGACGTTGAGGCAGCGCTAGGCATGGACAGGCGCAGC
 GATGCCTACAGCAGGTGCTCCTCAGTCTCCAGCCAGGAGGAGAAGTGCCTCCACGCGGAGGAGCTGGTTG
 GCAGGGGCATCCCATCGAGCGAGTGTCTCCTCGAGGGTGGCCGGCCCTGTGGACCTCTCCTTCCA

GCCCTCGAGCCCTGAGCAAGTCCAGCTCCTCTCCCGAGCTGCAGACTCTGCAGGACATCCTCGGGGAC
 CCTGGGACAAGGCCGACGTGGGCCGGCTGAGCCCTGAGGTTAAGGCCGGTACAGTCAGGGACCTGG
 ACGGGAAAGTGTGCTGGTGGCCTCGGGCGAAGACAGTCGGGGCCAGCCGAGGGTCCCTTGCCCTC
 CAGTCCCCCGCTCGCCAGTGGCCTCCGGCCCCGAGGTTACACCATCTCCGACTCGGGCCATCACGC
 AGGGCAAGAGAGTAGAGAGGGACGCCCTTAAGAGCAGAGCCACAGCCTCAATGCAGAGAAAGTGCCAG
 GCATCAACCCAGTTTCGTGTTCTGCAGCTTACCATTCCCCCTTCTTTGGCGACGAGTCAAACAAGCC
 AATCTGCTGCCAATGAGTCACAGTCTTTGAGCGGTGGTGCAGCTCCTCGACCAGATCCCATCATA
 GACACCACAAGATCGCCGTCTGTATGTTGGAGAAGGCCAGAGCAACAGCGAGCTCGCCATCCTGTCCA
 ATGAGCATGGCTCTACAGGTACACGGAGTTCCTGACGGGCTGGGCCGGCTCATCGAGCTGAAGGACTG
 CCAGCCGGACAAGGTGTACCTGGGAGGCTGGAGCTGTGTGGTGAAGGACGCCAGTTCACCTACTGCTGG
 CACGATGACATCATG

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:


>RC402500 representing NM_000548
 Red=Cloning site Green=Tags(s)

MAKPTSKDSSLKEFKILLGLGTPRPNRPSAEGKQTEFIITAEILRELSMECGLNRRMIRMIQICEVAKT
 KKFEHVEALWKAVADLLQPERPLEARHAVLALLKAIVQGGERLGLRALFFKVIKDYPNSNEDLHERL
 EVFKALTDNGRHITYLEEELADFVLQWMDVGLSSEFLVLVNLVKFNLCYLDEYIARMVQMICLLCVRTA
 SSVDIIEVSLQVLDAVVCYNCLPAESLPLFIVTLCRTINVKELCEPCWKLNRNLLGTHLGHSAIYNMCHLM
 EDRAYMEDAPLLRGAVFFVGMALWGAHRLYSLRNSPTSVLPSTFYQAMACPNVSVYEVLSITRLIKKYR
 KELQVVAWDILLNIIERLLQQLQTLDSPELRTIVHDLTTVEELCDQNEFHGSQERYFELVERCADQRPE
 SSLLNLSYRAQSIHPAKDGIQNLQALMERFFRSESARGAVRIKVLVDVLSFVLLINRQFYEEELINSVVI
 SQLSHIPEDKDHQVRKLATQLLDLAEGCHTHHFNLLDIEKVMARSLSPPELEERDVAAYSASLEDV
 KTAVLGLLVILQTKLYTLPAHATRVYEMLVSHIQLHYKHSYTLPIASSIRLQAFDFLLLRADSLHRLG
 LPNKDGVVRFSPYCVCDYMEPERGSEKTSGLSPPTGPPGAPAGPAVRLGSPVYLLFRVLLQCLKQE
 SDWKVLKLVLRPELRYKVLIFTSPCSVDQLCSALCSMLSGPKTLERLRGAPEGFRTDLHLAVVPVL
 TALISYHNYLDKTKQREMYCLEQGLIHRCASQCVALSICSVEMPDI I IKALPVLVVKLTHISATASMA
 VPLLEFLSTLARLPHLYRNFAAEQYASVFAISLPYTNPSKFNQYIVCLAHHVIAAMWFIRCRLPFRKDFVP
 FITKGLRSLVLLSFDPTPEKDSFRARSTSLNERPKSLRIARPPKQGLNNSPPVKEFKESSAAEAFRCRSI
 SVSEHVRSRIQTSLSASLGSADENSAQADDSLKNLHLELTETCLDMARYVFSNFTAVPKRSPVGEF
 LLAGGRKTWLVGNKLVTVTTSVGTGTRSLGLDSGELQSGPESSSPGVHVRQTKAPAKLESQAGQQV
 SRGARDRVRSMSGHGLRVGALDVPASQFLGSATSPGPRTAPAAKPEKASAGTRVPVQEKTNLAAYVPLL
 TQGWAEILVRRPTGNTSWLMSLENPLSPFSSDINNMPQLQELSNALMAAERFKEHRDTALYKSLVPAAST
 AKPPPLPRSNTVASFSSLYQSSCQQLHRVSVWADSAVMEEGSPGEPVVLVEPPGLEDVAALGMDRRT
 DAYSRSSVSSQEEKSLHAEELVGRGIPIERVVSSEGGSPVDLSFQPSQPLSKSSSSPELQTLQDILGD
 PGDKADVGRLSPEVKARSQSGTLDGESAAWSASGEDSRGQPEGPLPSSSPRSPGLRPRGYTISDSAPSR
 RGKRVERDALKSRATASNAEKVPGINPSFVFLQLYHSPFFGDESNKPILLPNESQSFERSVQLLDQIPSY
 DTHKIAVLYVGEQSNSELA ILSNEHGSYRYTEFLTGLGRLIELKDCQPKVYLGGLDVCGEDGQFTYCW
 HDDIM

SGPTRRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-XhoI

Cloning Scheme:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:

[NP_000539](#)

RefSeq Size:

4845 bp

RefSeq ORF:

5424 bp

Locus ID:

7249

Cytogenetics:

16p13.3

Domains:

Rap_GAP, Tuberin

Protein Families:

Druggable Genome

Protein Pathways:

Insulin signaling pathway, mTOR signaling pathway, p53 signaling pathway

MW: 177.7 kDa

Gene Summary: Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]