

# **Product datasheet for RC402650**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## MEK1 (MAP2K1) (NM\_002755) Human Mutant ORF Clone

**Product data:** 

**Product Type:** Mutant ORF Clones

**Product Name:** MEK1 (MAP2K1) (NM\_002755) Human Mutant ORF Clone

Mutation Description: F539
Affected Codon#: 53
Affected NT#: 158

Nucleotide Mutation: MAP2K1 Mutant (F53S), Myc-DDK-tagged ORF clone of Homo sapiens mitogen-activated

protein kinase kinase 1 (MAP2K1) as transfection-ready DNA

**Effect:** Cardio-facio-cutaneous syndrome

Symbol: MAP2K1

**Synonyms:** CFC3; MAPKK1; MEK1; MEL; MKK1; PRKMK1

E. coli Selection: Kanamycin (25 ug/mL)

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-Entry (PS100001)

 Tag:
 Myc-DDK

 ACCN:
 NM\_002755

 ORF Size:
 1179 bp

Restriction Sites: Sgfl-Mlul

### MEK1 (MAP2K1) (NM\_002755) Human Mutant ORF Clone - RC402650

ORF Nucleotide Sequence:

>RC402650 representing NM\_002755
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGCCCAAGAAGAAGCCGACGCCCATCCAGCTGAACCCGGCCCCGACGGCTCTGCAGTTAACGGGACCA AAAGCGCCTTGAGGCCTCTCTTACCCAGAAGCAGAAGGTGGGAGAACTGAAGGATGACGACTTTGAGAAG ATCAGTGAGCTGGGGGCTGGCAATGGCGGTGTGGTGTTCAAGGTCTCCCACAAGCCTTCTGGCCTGGTCA TGGCCAGAAAGCTAATTCATCTGGAGATCAAACCCGCAATCCGGAACCAGATCATAAGGGAGCTGCAGGT TCTGCATGAGTGCAACTCTCCGTACATCGTGGGCTTCTATGGTGCGTTCTACAGCGATGGCGAGATCAGT ATCTGCATGGAGCACATGGATGGAGGTTCTCTGGATCAAGTCCTGAAGAAAGCTGGAAGAATTCCTGAAC AAATTTTAGGAAAAGTTAGCATTGCTGTAATAAAAGGCCTGACATATCTGAGGGAGAAGCACAAGATCAT GCACAGAGATGTCAAGCCCTCCAACATCCTAGTCAACTCCCGTGGGGAGATCAAGCTCTGTGACTTTGGG GTCAGCGGCAGCTCATCGACTCCATGGCCAACTCCTTCGTGGGCACAAGGTCCTACATGTCGCCAGAAA GACTCCAGGGGACTCATTACTCTGTGCAGTCAGACATCTGGAGCATGGGACTGTCTCTGGTAGAGATGGC GGTTGGGAGGTATCCCATCCCTCCAGATGCCAAGGAGCTGGAGCTGATGTTTGGGTGCCAGGTGGAA GGAGATGCGGCTGAGACCCCACCCAGGCCAAGGACCCCCGGGAGGCCCCTTAGCTCATACGGAATGGACA GCCGACCTCCCATGGCAATTTTTGAGTTGTTGGATTACATAGTCAACGAGCCTCCTCCAAAACTGCCCAG GATTTGAAGCAACTCATGGTTCATGCTTTTATCAAGAGATCTGATGCTGAGGAAGTGGATTTTGCAGGTT GGCTCTGCTCCACCATCGGCCTTAACCAGCCCAGCACCCAACCCATGCTGCTGGCGTC

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGA TAAGGTTTAA

**Protein Sequence:** 

>RC402650 representing NM\_002755
Red=Cloning site Green=Tags(s)

MPKKKPTPIQLNPAPDGSAVNGTSSAETNLEALQKKLEELELDEQQRKRLEASLTQKQKVGELKDDDFEK ISELGAGNGGVVFKVSHKPSGLVMARKLIHLEIKPAIRNQIIRELQVLHECNSPYIVGFYGAFYSDGEIS ICMEHMDGGSLDQVLKKAGRIPEQILGKVSIAVIKGLTYLREKHKIMHRDVKPSNILVNSRGEIKLCDFG VSGQLIDSMANSFVGTRSYMSPERLQGTHYSVQSDIWSMGLSLVEMAVGRYPIPPPDAKELELMFGCQVE GDAAETPPRPTPGRPLSSYGMDSRPPMAIFELLDYIVNEPPPKLPSGVFSLEFQDFVNKCLIKNPAERA DLKQLMVHAFIKRSDAEEVDFAGWLCSTIGLNQPSTPTHAAGV

**SGPTRTRRL**EQKLISEEDLAANDILDYKDDDDK**V** 


**Restriction Sites:** 

Sgfl-Mlul



### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**RefSeq:** NP 002746

 RefSeq Size:
 1179 bp

 RefSeq ORF:
 1182 bp

 Locus ID:
 5604

 Cytogenetics:
 15q22.31

**Domains:** pkinase, TyrKc, S\_TKc

**Protein Families:** Druggable Genome, Protein Kinase



**Protein Pathways:** 

Acute myeloid leukemia, B cell receptor signaling pathway, Bladder cancer, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Dorso-ventral axis formation, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, Insulin signaling pathway, Long-term depression, Long-term potentiation, MAPK signaling pathway, Melanogenesis, Melanoma, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Oocyte meiosis, Pancreatic cancer, Pathways in cancer, Prion diseases, Progesterone-mediated oocyte maturation, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor signaling pathway, Thyroid cancer, Toll-like receptor signaling pathway, Vascular smooth muscle contraction, VEGF signaling pathway

MW:

43.2 kDa

**Gene Summary:** 

The protein encoded by this gene is a member of the dual specificity protein kinase family, which acts as a mitogen-activated protein (MAP) kinase kinase. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals. This protein kinase lies upstream of MAP kinases and stimulates the enzymatic activity of MAP kinases upon wide variety of extra- and intracellular signals. As an essential component of MAP kinase signal transduction pathway, this kinase is involved in many cellular processes such as proliferation, differentiation, transcription regulation and development. [provided by RefSeq, Jul 2008]