

Product datasheet for **RC402652**

MEK1 (MAP2K1) (NM_002755) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	MEK1 (MAP2K1) (NM_002755) Human Mutant ORF Clone
Mutation Description:	D67N
Affected Codon#:	67
Affected NT#:	199
Nucleotide Mutation:	MAP2K1 Mutant (D67N), Myc-DDK-tagged ORF clone of Homo sapiens mitogen-activated protein kinase kinase 1 (MAP2K1) as transfection-ready DNA
Effect:	Cardio-facio-cutaneous syndrome
Symbol:	MEK1
Synonyms:	CFC3; MAPKK1; MEK1; MEL; MKK1; PRKMK1
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_002755
ORF Size:	1179 bp
Restriction Sites:	Sgfl-Mlul



[View online »](#)

ORF Nucleotide Sequence:

>RC402652 representing NM_002755
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCCCAAGAAGAAGCCGACGCCCATCCAGCTGAACCCGCCCCGACGGCTCTGCAGTTAACGGGACCA
 GCTCTGCGGAGACCAACTTGGAGCCTTGCAGAAGAAGCTGGAGGAGCTAGAGCTTGATGAGCAGCAGCG
 AAAGCGCCTTGAGGCCTTTCTTACCAGAACGAGAAGGTGGGAGAACTGAAGGATGACAACCTTGAAGAG
 ATCAGTGAGCTGGGGCTGGCAATGGCGGTGTGGTGTCAAGGTCTCCACAAGCCTTCTGGCCTGGTCA
 TGGCCAGAAAGCTAATTCATCTGGAGATCAAACCCGCAATCCGGAACCAGATCATAAGGGAGCTGCAGGT
 TCTGCATGAGTCAACTCTCCGTACATCGTGGCTTCTATGGTGCCTTACAGCGATGGCGAGATCAGT
 ATCTGCATGGAGCACATGGATGGAGTTCTCTGGATCAAGTCTGAAGAAAGCTGGAAGAATTCCTGAAC
 AAATTTAGGAAAAGTTAGCATTGCTGTAATAAAAGGCCTGACATATCTGAGGGAGAAGCACAAGATCAT
 GCACAGAGATGTCAAGCCCTCCAACATCTAGTCAACTCCGTGGGAGATCAAGCTCTGTGACTTTGGG
 GTACAGCGGGCAGCTCATGACTCCATGGCAACTCCTTCTGTGGGACAAGGTCTACATGTCGCCAGAAA
 GACTCCAGGGGACTCATTACTCTGTGCAGTCAGACATCTGGAGCATGGGACTGTCTCTGGTAGAGATGGC
 GTTGGGAGGTATCCCATCCCTCCTCCAGATGCCAAGGAGCTGGAGCTGATGTTGGGTGCCAGGTGGAA
 GGAGATGCGGCTGAGACCCACCCAGGCCAAGGACCCCGGGAGGCCCTTAGCTCATACGGAATGGACA
 GCCGACCTCCCATGGCAATTTTGTAGTTGTTGGATTACATAGTCAACGAGCCTCTCCAAAACCTGCCAG
 TGGAGTGTTCAGTCTGGAATTTCAAGATTTTGTGAATAAATGCTTAATAAAAAACCCCGCAGAGAGACA
 GATTTGAAGCAACTCATGGTTCATGCTTTTATCAAGAGATCTGATGCTGAGGAAGTGGATTTTGCAGGTT
 GGCTCTGCTCCACCATCGGCCTTAACAGCCCAGCACACCAACCCATGCTGCTGGCGTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC402652 representing NM_002755
 Red=Cloning site Green=Tags(s)

MPKKKPTPIQLNPAPDGSVNGTSSAETNLEALQKKLEELDEQQRKRLEAFLTQKQKVGELKDDNFEK
 ISELGAGNGGVVFKVSHKPSGLVMARKLIHLEIKPAIRNQIIRELQVLHECNSPYIVGFYGFYSDGEIS
 ICMEHMDGGSLDQVLKKAGRIPEQILGKVSIAVIKGLTYLREKHKIMHRDVKPSNILVNSRGEIKLDFG
 VSQLIDSMANSFVGTRSYMSPERLQGTHYSVQSDIWSMGLSLVEMAVGRYPIPPDAKELELMFGCQVE
 GDAAETPPRPTPGRPLSSYGMSRPPMAIFELLDYIVNEPPPKLPSGVFSLEFQDFVKNCLIKNPAERA
 DLKQLMVHAFIKRSDAEVDFAGWLCSTIGLNQPSPTHAAGV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

/chromatograms/ja1654_a02.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:

[NP_002746](#)

RefSeq Size:

1179 bp

RefSeq ORF:

1182 bp

Locus ID:

5604

Cytogenetics:

15q22.31

Domains:

pkinese, TyrKc, S_TKc

Protein Families:

Druggable Genome, Protein Kinase

Protein Pathways:	Acute myeloid leukemia, B cell receptor signaling pathway, Bladder cancer, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Dorso-ventral axis formation, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, Insulin signaling pathway, Long-term depression, Long-term potentiation, MAPK signaling pathway, Melanogenesis, Melanoma, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Oocyte meiosis, Pancreatic cancer, Pathways in cancer, Prion diseases, Progesterone-mediated oocyte maturation, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor signaling pathway, Thyroid cancer, Toll-like receptor signaling pathway, Vascular smooth muscle contraction, VEGF signaling pathway
MW:	43.2 kDa
Gene Summary:	The protein encoded by this gene is a member of the dual specificity protein kinase family, which acts as a mitogen-activated protein (MAP) kinase kinase. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals. This protein kinase lies upstream of MAP kinases and stimulates the enzymatic activity of MAP kinases upon wide variety of extra- and intracellular signals. As an essential component of MAP kinase signal transduction pathway, this kinase is involved in many cellular processes such as proliferation, differentiation, transcription regulation and development. [provided by RefSeq, Jul 2008]