

Product datasheet for **RC402685**

GRK1 (NM_002929) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	GRK1 (NM_002929) Human Mutant ORF Clone
Mutation Description:	M522T
Affected Codon#:	522
Affected NT#:	1565
Nucleotide Mutation:	GRK1 Mutant (M522T), Myc-DDK-tagged ORF clone of Homo sapiens G protein-coupled receptor kinase 1 (GRK1) as transfection-ready DNA
Effect:	Reiniis pimenos
Symbol:	GRK1
Synonyms:	GPRK1; RHOK; RK
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_002929
ORF Size:	1689 bp
Restriction Sites:	Sgfi-Mlul



[View online »](#)

ORF Nucleotide Sequence:

>RC402685 representing NM_002929
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGATTCGGGTCTTTGGAGACCGTGGTGGCCAACCTCTGCCTTCATCGCCGCCCGAGGCAGCTTTGACG
 GCAGCAGCTCCCAACCTCCCGGACAAGAAGTACCTGGCCAAGCTCAAGCTGCCCCCGCTGTCCAAGTG
 TGAGTCCCTCCGCGACAGCCTCAGCCTGGAGTTTGGAGTGTGTGCTTGGAGCAGCCATCGGCAAGAAG
 CTCTTTTTCAGCAGTTCTACAATCGGCAGAGAAGCACCTGCCGGCCTGGAGCTCTGAAAAGACATCGAGG
 ACTATGACACGGCAGACAATGACCTCCAGCCACAGAAGGCCAGACCATCTGGCCAGTACCTGGACCC
 CCAGGCCAAACTCTTCTGCAGCTTCTGGATGAGGGGATAGTGGCGAAGTTTAAAGGAGGGCCTGTGGAG
 ATCCAGGACGGGCTCTTCCAGCCCTGCTGCAGGCCACCTGGCACACCTGGGCCAAGCCCCCTCCAGG
 AGTACCTGGGCAGCCTGACTTCTGAGTTCTGCAGTGAAGTGGTGAAGCCAGCCCATGGGGGA
 GGACTGGTTCTGGACTTCAGGGTCTGGGAAAGGGGCTTCGGGGAGGTGTGGCCTGCCAGATGAAG
 GCGACCCGCAAGCTGTATGCCTCAAGAAGCTGAACAAGAAGCGCTGAAGAAGAGGAAGGGCTACCAGG
 GTGCTATGGTGGAGAAGAAGATTCTGATGAAAGTACACAGCAGTTTCATCGTGTCTCTGGCCTATGCGTT
 TGAAACCAAAGCCGACCTCTGTCTGGTATGACCATCATGAACGGAGGTGACATCAGGTACCACATCTAC
 AACGTGAATGAGGAGAACCCTGGCTTCCCGGAGCCGCGCCCTCTTCTACACGGCGCAGATCATCTGCG
 GCCTGGAGCACCTGCACCAGAGGCGGATCGTCTACCGCACCTCAAGCCCGAGAAGCTGTCTGGACAA
 TGACGGCAATGTCGGATCTCTGACCTTGGGCTGGCCGTGGAGCTGTGGACGGACAGAGCAAGACCAAG
 GGCTACGACGGGACCCAGGTTTCATGGCCCCGAGCTCTGCAGGGCAGGAGTACGACTTCTCCGTGG
 ACTACTTTGCCCTGGGGTACCCTGTATGAGATGATTGCGGCCAGAGGACCTTCCGAGCCGTGGAGA
 GAAGGTGGAGAACAAGGAGCTGAAGCACCGGATCATCTCAGAGCCGTGAAGTACCCTGATAAGTTCAGC
 CAGGCCAGCAAGGACTTCTGCGAGGCGCTGCTGGAGAAGGACCCGGAGAAGCGCCTGGGGTTTCAGAGATG
 AGACCTGCGACAAGCTCCGTGCCACCCCTCTTCAAGGACCTTAACTGGAGGCAGCTGGAGGCTGGGAT
 GCTGATGCCCCCTTTCATCCCAGACTCCAAAAGTCTACGCAAAGGATATTCAGGACGTGGGTGCCCTT
 TCCACCGTCAAAGGTGTGGCCTTTGACAAAACAGACACAGAATCTTTCAGGAATTTGCCACTGGCAACT
 GCCCATCCCCTGGCAGGAGGACGATCGAGACGGGCATCTTGGCGAGCTGAACGTGTGGCGCTCGGA
 CGGTGAGATGCCGGACGACATGAAGGGCATCTCCGGGGCTCCAGCTCCTCGTCCAAGTCAGGGATGTGT
 CTGGTTTCC

AG**CGGACCG**ACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:


>RC402685 representing NM_002929
 Red=Cloning site Green=Tags(s)

MDFGSLETVVANSAFIAARGSFDGSSSQPSRDKKYLAKLKLPLPSKCESLRDSLSEFESVLCLEQPIGKK
 LFQQFLQSAEKHLPALWLDIEDYDTADNDLQPQKAQTILAQYLDPAKLFCFLDEGIVAKFKEGPVE
 IQDGLFQPLLQATLAHLGQAPFQYELGSLYFLRFLQWKWLEAQPMGEDWFLDFRVLGKGGFGEVSACQMK
 ATGKLYACKKLNKKRLLKRGYQGMVEKKILMKVHSRFIVSLAYAFETKADLCLVMTIMNGDIRYHIY
 NVNEENPGFPEPRALFYTAQIICGLEHLHQRRIVYRDLKPVNLLDNDGNVRIIDLGLAVELLDGQSKTK
 GYAGTPGFMAPELLQGEEYDFSDYFALGVTLYEMIAARGPFRARGEKVENKELKHRII SEPVKYPDKFS
 QASKDFCEALLEKDPEKRLGFRDETCDKLRAHPLFKDLNWRQLEAGMLMPPFIPDSKTVYAKDIQDVGAF
 STVKGVAFDKTDTEFFQEFATGNCPIPWQEETIETGIFGELNVWRSQGMPDDMKGISGGSSSSSKSGMC
 LVS

SGP**TRTRRLEQKLI**SEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:

[NP_002920](#)

RefSeq Size:

1689 bp

RefSeq ORF:

1692 bp

Locus ID:

6011

Cytogenetics:	13q34
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Chemokine signaling pathway, Endocytosis
MW:	61.9 kDa
Gene Summary:	This gene encodes a member of the guanine nucleotide-binding protein (G protein)-coupled receptor kinase subfamily of the Ser/Thr protein kinase family. The protein phosphorylates rhodopsin and initiates its deactivation. Defects in GRK1 are known to cause Oguchi disease 2 (also known as stationary night blindness Oguchi type-2). [provided by RefSeq, Jul 2008]