

Product datasheet for **RC402704**

B Raf (BRAF) (NM_004333) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	B Raf (BRAF) (NM_004333) Human Mutant ORF Clone
Mutation Description:	Q257K
Affected Codon#:	257
Affected NT#:	769
Nucleotide Mutation:	BRAF Mutant (Q257K), Myc-DDK-tagged ORF clone of Homo sapiens v-raf murine sarcoma viral oncogene homolog B1 (BRAF) as transfection-ready DNA
Effect:	Cardio-facio-cutaneous syndrome
Symbol:	BRAF
Synonyms:	B-raf; B-RAF1; BRAF1; NS7; RAFB1
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_004333
ORF Size:	2298 bp
Restriction Sites:	Sgfl-Mlul



[View online »](#)

ORF Nucleotide Sequence:

>RC402704 representing NM_004333
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCGCGCTGAGCGGTGGCGGTGGTGGCGCGCGGAGCCGGCCAGGCTCTGTTCACGGGGACATGG
 AGCCCGAGGCCGGCGCCGGCGCCGGCGCGCCGCTCTTCGGCTGCGGACCCTGCCATTCGGAGGAGGT
 GTGGAATATCAAACAAATGATTAAGTTGACACAGGAACATATAGAGGCCCTATTGGACAAATTTGGTGGG
 GAGCATAATCCACCATCAATATATCTGGAGGCCTATGAAGAATACACCAGCAAGCTAGATGCACTCCAAC
 AAAGAGAACAACAGTTATTGGAATCTCTGGGAACGGAAGTATTTTTCTGTTTCTAGCTCTGCATCAAT
 GGATACCGTTACATCTTCTTCTTCTAGCCTTTTCAGTGCTACCTTCATCTCTTTCAGTTTTTCAAAT
 CCCACAGATGTGGCAGGAGCAACCCCAAGTACCACAAAAACCTATCGTTAGAGTCTTCTGCCAACAA
 AACAGAGGACAGTGGTACCTGCAAGGTGTGGAGTTACAGTCCGAGACAGTCTAAGAAAGCACTGATGAT
 GAGAGGTCTAATCCCAGAGTGTGTGCTTTACAGAATTCAGGATGGAGAGAAGAAACCAATTGGTTGG
 GACACTGATATTTCTGGCTTACTGGAGAAGAATTGCATGTGGAAGTGTGGAGAATGTTCCACTTACAA
 CACACAACCTTTGTACGAAAAACGTTTTTTCACCTTAGCATTTTGTGACTTTTGTGCGAAAGCTGCTTTTCAA
 GGGTTTCCGCTGTCAAACATGTGGTTATAAATTTACCAGCGTTGTAGTACAGAAGTTCCACTGATGTGT
 GTTAATTATGACCAACTTGATTTGCTGTTTGTCTCCAAGTTCTTTGAACACCACCAATACCACAGGAAG
 AGGCGTCTTAGCAGAGACTGCCCTAACATCTGGATCATCCCCCTCCGCACCCGCTCGGACTCTATTGG
 GCCCAAATTTCTACCAGTCCGCTCTCTTCAAATCCATTCCAATTCACAGCCCTTCCGACCAGCAGAT
 GAAGATCATCGAAATCAATTTGGGCAACGAGACCGATCCTCATCAGCTCCAATGTGCATATAAACACAA
 TAGAACCTGTCAATATTGATGACTTGATTAGAGACCAAGGATTTTCGTGGTGTGGAGGATCAACCACAGG
 TTTGTCTGCTACCCCCCTGCCTCATTACCTGGCTCACTAACTAACGTGAAAGCCTTACAGAAATCTCCA
 GGACCTCAGCGAGAAAGGAAGTCACTTTCATCCTCAGAAGACAGGAATCGAATGAAAACTTGGTAGAC
 GGGACTCGAGTGATGATTGGGAGATTCCTGATGGGCAGATTACAGTGGGACAAAGAATTGGATCTGGATC
 ATTTGGAACAGTCTACAAGGAAAGTGGCATGGTGTGTGGCAGTGAAAATGTTGAATGTGACAGCACCT
 ACACCTCAGCAGTTACAAGCCTTCAAATGAAGTAGGAGTACTCAGGAAAACACGACATGTGAATATCC
 TACTCTCATGGGCTATTCCACAAGCCACAACCTGGCTATTGTTACCCAGTGGTGTGAGGGCTCCAGCTT
 GTATCACCATCTCCATATCATTGAGACCAATTTGAGATGATCAAACCTATAGATATTGCACGACAGACT
 GCACAGGGCATGGATTACTTACACGCCAAGTCAATCATCCACAGAGACCTCAAGAGTAATAATATATTTT
 TTCATGAAGACCTCACAGTAAAAATAGGTGATTTTGGTCTAGCTACAGTGAAATCTCGATGGAGTGGGTC
 CCATCAGTTTGAACAGTTGTCTGGATCCATTTTGGTGGTGGCACCAGAAGTCATCAGAATGCAAGATAAA
 AATCCATACAGCTTTCAGTCAGATGTATATGCATTTGGAATTGTTCTGTATGAATTGATGACTGGACAGT
 TACCTTATTCAAACATCAACAACAGGGACCAGATAATTTTATGGTGGGACGAGGATACCTGTCTCCAGA
 TCTCAGTAAGGTACGGAGTAACTGTCCAAAAGCCATGAAGAGATTAATGGCAGAGTGCCTCAAAAAGAAA
 AGAGATGAGAGACCACTTTTCCCAAATTCGCTCTATTGAGCTGCTGGCCCGCTCATTGCCAAAAA
 TTCACCGCAGTGATCAGAACCCTCCTTGAATCGGGCTGGTTTCAAACAGAGGATTTTGTCTATATGC
 TTGTGCTTCTCAAAAACACCCATCCAGGCAGGGGATATGGTGCCTTCTGTCCAC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence: >RC402704 representing NM_004333
 Red=Cloning site Green=Tags(s)


MAALSGGGGGGAEPGQALFNGDMEPEAGAGAGAAAASSAADPAIPEEVWNIKQMIKLTQEHI EALLDKFGG
 EHNPPSIYLEAYEEYTSKLDALQREQQLLESLNGTDFSVSSASMDTVTSSSSSSLVLPSSLVVFQN
 PTDVARSNPKSPQKPIVRVFLPNKQRTVVPARCGVTVRDLSKKALMMRGLIPECCAVYRIQDGEKKPIGW
 DTDISWLTGEEHLHVELENVPLTTHNFVRKTFFTLAFCDPCRLLFKGFRCQTCGYKHFHQRCEVPLMC
 VNYDQLDLLFVSKFFEHPPIPQEEASLAETALTSGSSSPASDSIGPQILTSPSPKSIPIQPFRPAD
 EDHRNQFQRDRSSAPNVHINTIEPVNIDDLIRDQGGFRDGGSTTGLSATPPASLPGSLTNVKALQKSP
 GPQREKSSSSSEDRNRMKTLGRRDSSDDWEIPDQGITVQQRIGSGSFGTVYKKGWHGDVAVKMLNVTAP
 TPQQLQAFKNEVGVLKTRHVNILLFMGYSTKPQLAIVTQWCEGSSLYHHLHIETKFEMIKLIDIAART
 AQGMDYLHAKSIIHRDLKSNNI FLHEDLTVKIGDFGLATVKSRSWGS HQFEQLSGSILWMAPEVIRMQDK
 NPYSFQSDVYAFGIVLYELMTGQLPYSNINNRDQIIFMVGRGYLSPDLKSVRSNCPKAMKRLMAECLKKK
 RDERPLFPQILASIELLARSLPKIHRSAE PSLNRAGFQTEDFSLYACASPKTPIQAGGYGAFPVH

SGP TRRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



* The last codon before the Stop codon of the ORF

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
RefSeq:	NP_004324
RefSeq Size:	2298 bp
RefSeq ORF:	2301 bp
Locus ID:	673
Cytogenetics:	7q34
Domains:	pkinase, TyrKc, DAG_PE-bind, S_TKc, RBD
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Acute myeloid leukemia, Bladder cancer, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, ErbB signaling pathway, Focal adhesion, Glioma, Insulin signaling pathway, Long-term depression, Long-term potentiation, MAPK signaling pathway, Melanoma, mTOR signaling pathway, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, Thyroid cancer, Vascular smooth muscle contraction
MW:	84.3 kDa

Gene Summary:

This gene encodes a protein belonging to the RAF family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERK signaling pathway, which affects cell division, differentiation, and secretion. Mutations in this gene, most commonly the V600E mutation, are the most frequently identified cancer-causing mutations in melanoma, and have been identified in various other cancers as well, including non-Hodgkin lymphoma, colorectal cancer, thyroid carcinoma, non-small cell lung carcinoma, hairy cell leukemia and adenocarcinoma of lung. Mutations in this gene are also associated with cardiofaciocutaneous, Noonan, and Costello syndromes, which exhibit overlapping phenotypes. A pseudogene of this gene has been identified on the X chromosome. [provided by RefSeq, Aug 2017]