

Product datasheet for RC402769

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

p21 Ras (HRAS) (NM_005343) Human Mutant ORF Clone

Product data:

Product Type: Mutant ORF Clones

Product Name: p21 Ras (HRAS) (NM_005343) Human Mutant ORF Clone

Mutation Description: G13C

Affected Codon#: 13

Affected NT#: 37

Nucleotide Mutation: HRAS Mutant (G13C), Myc-DDK-tagged ORF clone of Homo sapiens v-Ha-ras Harvey rat

sarcoma viral oncogene homolog (HRAS), transcript variant 1 as transfection-ready DNA

Effect: Cosello syndrome

Symbol: HRAS

Synonyms: C-BAS/HAS; C-H-RAS; C-HA-RAS1; CTLO; H-RASIDX; HAMSV; HRAS1; p21ras; RASH1

E. coli Selection: Kanamycin (25 ug/mL)

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001)

Tag: Myc-DDK
ACCN: NM 005343

ORF Size: 567 bp
Restriction Sites: Sgfl-Mlul



ORF Nucleotide Sequence:

>RC402769 representing NM_005343

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGACGGAATATAAGCTGGTGGTGGTGGGCGCCGGCTGTGTGGGCAAGAGTGCGCTGACCATCCAGCTGA
TCCAGAACCATTTTGTGGACGAATACGACCCCACTATAGAGGATTCCTACCGGAAGCAGGTGGTCATTGA
TGGGGAGACGTGCCTGTTGGACATCCTGGATACCGCCGGCCAGGAGGAGGAGTACAGCGCCATGCGGGACCAG
TACATGCGCACCGGGGAGGGCTTCCTGTGTGTTTTGCCATCAACAACACCAAGTCTTTTTGAGGACATCC
ACCAGTACAGGGAGCAGATCAAACGGGTGAAGGACTCGGATGACGTGCCCATGGTGCTGGTGGGGAACAA
GTGTGACCTGGCTGCACGACTGTGGAATCTCGGCAGGCTCAGGACCTCGCCCGAAGCTACGGCATCCCC
TACATCGAGACCTCGGCCAAGACCCGGCAGGGAGTGGAGTGCCTTCTACACGTTGGTGCGTGAGATCC
GGCAGCACAAGCTGCGGAAGCTGAACCCTCCTGATGAGAGTGGCCCCGGCTGCATGAGCTGCAAGTGTGT
GCTCTCC

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTCGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence:

>RC402769 representing NM_005343 Red=Cloning site Green=Tags(s)

MTEYKLVVVGAGCVGKSALTIQLIQNHFVDEYDPTIEDSYRKQVVIDGETCLLDILDTAGQEEYSAMRDQ YMRTGEGFLCVFAINNTKSFEDIHQYREQIKRVKDSDDVPMVLVGNKCDLAARTVESRQAQDLARSYGIP YIETSAKTRQGVEDAFYTLVREIRQHKLRKLNPPDESGPGCMSCKCVLS


SGPTRTRRLEQKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom care team at customercom or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq: NP 005334

RefSeq Size: 567 bp
RefSeq ORF: 570 bp
Locus ID: 3265
Cytogenetics: 11p15.5

Protein Families: Druggable Genome

Protein Pathways: Acute myeloid leukemia, Axon guidance, B cell receptor signaling pathway, Bladder cancer,

Chemokine signaling pathway, Chronic myeloid leukemia, Endocytosis, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, Gap junction, Glioma,

GnRH signaling pathway, Insulin signaling pathway, Long-term depression, Long-term

potentiation, MAPK signaling pathway, Melanogenesis, Melanoma, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pathways in cancer,

Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor

signaling pathway, Thyroid cancer, Tight junction, VEGF signaling pathway

MW: 20.8 kDa





Gene Summary:

This gene belongs to the Ras oncogene family, whose members are related to the transforming genes of mammalian sarcoma retroviruses. The products encoded by these genes function in signal transduction pathways. These proteins can bind GTP and GDP, and they have intrinsic GTPase activity. This protein undergoes a continuous cycle of de- and repalmitoylation, which regulates its rapid exchange between the plasma membrane and the Golgi apparatus. Mutations in this gene cause Costello syndrome, a disease characterized by increased growth at the prenatal stage, growth deficiency at the postnatal stage, predisposition to tumor formation, cognitive disability, skin and musculoskeletal abnormalities, distinctive facial appearance and cardiovascular abnormalities. Defects in this gene are implicated in a variety of cancers, including bladder cancer, follicular thyroid cancer, and oral squamous cell carcinoma. Multiple transcript variants, which encode different isoforms, have been identified for this gene. [provided by RefSeq, Jul 2008]